

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: Multi-SDoC-472749
 2) Issuer's name: ISS MACHINERY SERVICES LIMITED
 issuer's address: _____


- 3) Object(s) of declaration:
- | | |
|-----|---|
| 1) | Element Of Manual Call Point - Drawing No: HR-21324 / |
| 2) | Hydraulic hose - NULL |
| 3) | Source Lamp - Material: Stainless Steel |
| 4) | Limit Switch - Material: Carbon Steel |
| 5) | Door Closing Switch - Material: Aluminium Alloy Casting |
| 6) | D.O. Pressure Gauge - Material:SUS304 |
| 7) | W.O. Pressure Gauge - Material:SUS304 |
| 8) | W.O Pressure Gauge - Material:SUJ2 |
| 9) | Atomize Air Pressure Reducing Valve - Material:C3602 |
| 10) | Atomize Air Pressure Gauge - Material:C3602 |

4) The object(s) of the declaration described above is/are in conformity with the following documents:
 5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional information:
 Signed for and on behalf of: _____

Place of issue: _____ Date of issue: 18/01/2023
 Signature: _____
 Load Signature: _____



INVENTORY OF HAZARDOUS MATERIALS

Material Declaration
<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	SALES@JMSGROUP.JP
SDoC ID-No.	Multi-SDoC-472749

<Date of Declaration>	Date	2023-01-18
<MD ID number>	MD-ID-No.	MD-31466
<Other information>	Remark 1	
	Remark 2	
	Remark 3	

<Product information>

Product name	Product number	Delivered unit	Unit	Product information
Element Of Manual Call Point - Drawing No: HR-21324 / 22410	827-22-59/31466	10	PCE	

<Material information>

This materials information shows the amount of hazardous materials contained in

Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Asbestos	no threshold level	No			
Polychlorinated biphenyls(PCBs)	no threshold level	No			
Chlorofluorocarbons(CFCs)		No			
Halons		No			
Other fully halogenated CFCs		No			
Carbon tetrachloride		No			
Ozon depleting substance	no threshold level	No			
1,1,1-Trichloroethane		No			
Hydrochlorofluorocarbons		No			
Hydrochlorofluorocarbons		No			
Methyl bromide		No			
Bromochloromethane		No			
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No			

<Material information>

Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Cadmium and cadmium compounds	100 mg/kg	No		Unit	
Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit	
Lead and lead compounds	1 g/kg	No		Unit	
Mercury and mercury compounds	1 g/kg	No		Unit	
Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit	
Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit	
Polychlorinated biphenyls (PCBs)	no threshold level	No		Unit	
Radioactive substances	no threshold level	No		Unit	
Certain shortchain chlorinated paraffins	10 g/kg	No		Unit	
Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Brominated Flame Retardant (BFCDD)	100 mg/kg	No		Unit	

*Please refer to footnote 19 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(62).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/16/EC

****EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-26

*****Concentrations of PFOS above 10 mg/kg (10,000% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration
<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	SALES@JMSGROUP.JP
SDoc ID No.	Multi-SDoc-472749

<Date of Declaration>	Date	2023-01-13
<MD ID number>	MD ID-No.	MD-31467
<Other information>	Remark 1	
	Remark 2	
	Remark 3	

<Product information>

Product name	Product number	Delivered unit	Unit	Product information
Hydraulic Hose - NULL	804-22-83/31467	1	SET	

<Material information>
This materials information shows the amount of hazardous materials contained in

Table	Material name	Threshold level	Present above threshold level		Unit	If yes, material mass	If yes, information on where it is used
			Yes/No	Mass			
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Chlorofluorocarbons(CFCs)		No				
	Halons		No				
	Other fully halogenated CFCs		No				
	Carbon tetrachloride		No				
	1,1,1-Trichloroethane	no threshold level	No				
	Hydrochlorofluorocarbons		No				
	Hydrochlorofluorocarbons		No				
	Methyl bromide		No				
Bromochloromethane		No					
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg		No				

Table

Table	Material name	Threshold level	Present above threshold level		Unit	If yes, material mass	If yes, information on where it is used
			Yes/No	Mass			
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No				
	Polychlorinated biphenyls (PCBs)	no threshold level	No				
	Radioactive substances	no threshold level	No				
	Certain shortchain chlorinated paraffins	10 g/kg	No				
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
Brominated Flame Retardant (HBCCDD)	100 mg/kg	No					

*Please refer to footnote 13 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

ENISA's Best Practice Guidance on the inventory of hazardous materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.0005% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration
<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	SALES@JMSGROUP.JP
SDoC ID-No.	Multi-SDoC-472749

<Data of Declaration>	Date	2023-01-18
<MD ID number>	MD-ID-No.	MD-31468
<Other information>	Remark 1	
	Remark 2	
	Remark 3	

<Product information>

Product name	Product number	Delivered unit	Unit	Product information
Source Lamp - Material: Stainless Steel	804-22-91/31468	1	PCE	

<Material information>

This materials information shows the amount of hazardous materials contained in

1	Unit
---	------

Table	Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No			
	Polychlorinated biphenyls(PCBs)	no threshold level	No			
	Chlorofluorocarbons(CFCs)		No			
	Halons		No			
	Other fully halogenated CFCs		No			
	Carbon tetrachloride		No			
	1,1,1-Trichloroethane	no threshold level	No			
	Hydrochlorofluorocarbons		No			
	Methyl bromide		No			
	Bromochloromethane		No			
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No				

Table	Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit	
	Lead and lead compounds	1 g/kg	No		Unit	
	Mercury and mercury compounds	1 g/kg	No		Unit	
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit	
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychlorinated biphenyls (PCBs)	no threshold level	No		Unit	
	Radioactive substances	no threshold level	No		Unit	
	Certain shortchain chlorinated paraffins	10 g/kg	No		Unit	
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg ^{****}	No		Unit	
Brominated Flame Retardant (HBCCDD)	100 mg/kg	No		Unit		

Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(82):
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CO NF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2005 and Directive 2009/16/EC
 ENISA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 ****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.
Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration
<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	SALES@JMSGROUP.JP
SDS# ID-No.	Multi-SDS-472749

<Date of Declaration>	Date	2023-01-18
<MD ID number>	MD-ID-No.	MD-31469
<Other information>	Remark 1	
	Remark 2	
	Remark 3	

<Product information>

Product name	Product number	Delivered unit	Unit	Product information
Limit Switch - Material: Carbon Steel	804-22-91/31469	2	PCE	

<Material information>

This materials information shows the amount of hazardous materials contained in

Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Asbestos	no threshold level	No			
Polychlorinated biphenyls(PCBs)	no threshold level	No			
Chlorofluorocarbons(CFCs)		No			
Halons		No			
Other fully halogenated CFCs		No			
Carbon tetrachloride		No			
1,1,1-Trichloroethane		No			
Hydrochlorofluorocarbons	no threshold level	No			
Hydrochlorofluorocarbons		No			
Methyl bromide		No			
Bromochloromethane		No			
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No			

Table

Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Cadmium and cadmium compounds	100 mg/kg	No		Unit	
Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit	
Lead and lead compounds	1 g/kg	No		Unit	
Mercury and mercury compounds	1 g/kg	No		Unit	
Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit	
Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit	
Polychlorinated biphenyls (PCBs)	no threshold level	No		Unit	
Radioactive substances	no threshold level	No		Unit	
Certain short-chain chlorinated paraffins	10 g/kg	No		Unit	
Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Brominated Flame Retardant (BFCDD)	100 mg/kg	No		Unit	

Annex II (Additional materials)

Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.265(62),
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC
 ****MSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 *****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials. If the amount of PFOS is equal to or above than 1 µg/m² of the coated material.
Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration
<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	SALES@JMSGROUP.PJ
SDoC ID No.	Multi-SDoC-472749

<Date of Declaration>	Date	2023-01-18
<MD ID number>	MD-ID-No.	MD-31470
<Other information>	Remark 1	
	Remark 2	
	Remark 3	

<Product information>	Product name	Door Closing Switch - Material: Aluminum Alloy Casting	Product number	804-22-91/31470	Delivered unit	Amount	1	Unit	SET	Product information
-----------------------	--------------	--	----------------	-----------------	----------------	--------	---	------	-----	---------------------

<Material information>
This materials information shows the amount of hazardous materials contained in

Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Asbestos	no threshold level	No			
Polychlorinated biphenyls (PCBs)	no threshold level	No			
Chlorofluorocarbons (CFCs)		No			
Halons		No			
Other fully halogenated CFCs		No			
Carbon tetrachloride		No			
1,1,1-Trichloroethane		No			
Hydrochlorofluorocarbons	no threshold level	No			
Hydrofluorocarbons		No			
Methyl bromide		No			
Bromochloromethane		No			
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No			

Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Cadmium and cadmium compounds	100 mg/kg	No		Unit	
Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit	
Lead and lead compounds	1 g/kg	No		Unit	
Mercury and mercury compounds	1 g/kg	No		Unit	
Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit	
Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit	
Polychlorinated biphenyls (PCBs) (CI >= 3)	no threshold level	No		Unit	
Radioactive substances	no threshold level	No		Unit	
Certain shortchain chlorinated paraffins	10 g/kg	No		Unit	
Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Brominated Flame Retardant (HBCCDD)	100 mg/kg	No		Unit	

Table B (materials listed in appendix 2 of the Convention)

Annex II*** (Additional materials)

*Please refer to footnote 12 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(62).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC
 ENISA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 ****Concentrations of PFOS above 10 mg/kg (0.003% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials. If the amount of PFOS is equal to or above than 1 µg/m² of the coated material.
 Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration
<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	SALES@JMSGROUP.JP
SDoC ID-No.	Multi-SDoC-472749

<Date of Declaration>	Date	2023-01-18
<MD ID number>	MD-ID-No.	MD-31471
<Other information>	Remark 1	
	Remark 2	
	Remark 3	

<Product information>

Product name	Product number	Delivered unit	Unit	Product information
D.O. Pressure Gauge - Material: SUS304	304-22-91/31471	1	PCE	

<Material information>

Amount	Unit
1	

This material information shows the amount of hazardous materials contained in

Table	Material name	Threshold level	Present above threshold level		If yes, material mass	Unit	If yes, information on where it is used
			Yes/No	Mass			
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Chlorofluorocarbons(CFCs)		No				
	Halons		No				
	Other fully halogenated CFCs		No				
	Carbon tetrachloride		No				
	1,1,1-Trichloroethane		No				
	Hydrochlorofluorocarbons	no threshold level	No				
	Hydrochlorofluorocarbons		No				
	Methyl bromide		No				
Bromochloromethane		No					
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg		No				

Table	Material name	Threshold level	Present above threshold level		If yes, material mass	Unit	If yes, information on where it is used
			Yes/No	Mass			
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No				
	Polychloronaphthalenes (Cl) >= 3	no threshold level	No				
	Radioactive substances	no threshold level	No				
	Certain shortchain chlorinated paraffins	10 g/kg	No				
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
Brominated Flame Retardant (HBCCDD)	100 mg/kg	No					

*Please refer to footnote 13 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.268(68).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC
 ****EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 *****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above that 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.
Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration
<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	SALES@JMSGROUP.JP
SDoC ID-No.	Multi-SDoC-472749

<Date of Declaration>	Date	2023-01-18
<MD ID number>	MD-ID-No.	MD-31472
<Other information>	Remark 1	
	Remark 2	
	Remark 3	

<Product information>

Product name	Product number	Amount	Delivered unit	Unit	Product information
W.O. Pressure Gauge - Material:SUS304	804-22-91/31472	1	PCE		

<Material information>

Material name	Amount	Unit
	1	

This materials information shows the amount of hazardous materials contained in

Table	Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No			
	Polychlorinated biphenyls(PCBs)	no threshold level	No			
	Chlorofluorocarbons(CFCs)		No			
	Halons		No			
	Other fully halogenated CFCs		No			
	Carbon tetrachloride		No			
	1,1,1-Trichloroethane		No			
	Hydrochlorofluorocarbons	no threshold level	No			
	Hydrochlorofluorocarbons		No			
	Methyl bromide		No			
Bromochloromethane		No				
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No				

Table	Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit	
	Lead and lead compounds	1 g/kg	No		Unit	
	Mercury and mercury compounds	1 g/kg	No		Unit	
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit	
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychlorinated biphenyls (PCBs)	no threshold level	No		Unit	
	Radioactive substances	no threshold level	No		Unit	
	Certain short-chain chlorinated paraffins	10 g/kg	No		Unit	
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Brominated Flame Retardant (HBCCDD)	100 mg/kg	No		Unit		

*Please refer to footnote 19 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.265(68).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC
 ****EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 *****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than "45/m²" of the coated material.
Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration

<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	SALES@ISSGROUP.JP
SDoC ID-No.	Multi-SDoC-472749

<Date of Declaration>	Date	2023-01-18
<MD ID number>	MD-ID-No.	MD-31473
<Other information>	Remark 1	
	Remark 2	
	Remark 3	

<Product information>

Product name	Product number	Delivered unit	Unit	Product information
W.O Pressure Gauge - Material:SUJ2	904-22-91/31473	1	PCE	

<Material information>

This materials information shows the amount of hazardous materials contained in

Unit	1
------	---

Table	Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No			
	Polychlorinated biphenyls(PCBs)	no threshold level	No			
	Chlorofluorocarbons(CFCs)		No			
	Halons		No			
	Other fully halogenated CFCs		No			
	Carbon tetrachloride		No			
	1,1,1-Trichloroethane	no threshold level	No			
	Hydrochlorofluorocarbons		No			
	Methyl bromide		No			
	Bromochloromethane		No			
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No				

Table	Material name	Threshold level	Present above threshold level Yes/No	If yes, material mass Mass	Unit	If yes, information on where it is used
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit	
	Lead and lead compounds	1 g/kg	No		Unit	
	Mercury and mercury compounds	1 g/kg	No		Unit	
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit	
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychlorinated biphenyls (PCBs)	no threshold level	No		Unit	
	Radioactive substances	no threshold level	No		Unit	
	Certain shortchain chlorinated paraffins	10 g/kg	No		Unit	
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Brominated Flame Retardant (HBCDD)	100 mg/kg	No		Unit		

****Please refer to footnote 12 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).
 *****Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SRVCO NP/45)
 *****Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC
 *****EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 *****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or in concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.
Important Notices: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration
<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	SALES@JMSGROUP.JP
SDeC ID-No.	Multi-SDeC-472749

<Date of Declaration>	Date	2023-01-18
<MD ID number>	MD-ID-No.	MD-31474
<Other information>	Remark 1	
	Remark 2	
	Remark 3	

<Product information>

Product name	Atomize Air Pressure Reducing Valve - Material:CS602	Product number	804-22-91/31474	Delivered unit	1	Unit	PCE	Product information
--------------	--	----------------	-----------------	----------------	---	------	-----	---------------------

<Material information>

This materials information shows the amount of hazardous materials contained in

Material name	Threshold level	Present above threshold level	Yes/No	Mass	Unit	If yes, information on where it is used
Asbestos	no threshold level	No				
Polychlorinated biphenyls(PCBs)	no threshold level	No				
Chlorofluorocarbons(CFCs)		No				
Halons		No				
Other fully halogenated CFCs (Carbon tetrachloride)		No				
1,1,1-Trichloroethane	no threshold level	No				
Hydrochlorofluorocarbons		No				
Methyl bromide		No				
Bromochloromethane		No				
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No				

Table

Material name	Threshold level	Present above threshold level	Yes/No	Mass	Unit	If yes, information on where it is used
Cadmium and cadmium compounds	100 mg/kg	No			Unit	
Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No			Unit	
Lead and lead compounds	1 g/kg	No			Unit	
Mercury and mercury compounds	1 g/kg	No			Unit	
Polybrominated biphenyl (PBBs)	1 g/kg	No			Unit	
Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No			Unit	
Polychlorophthalenes (Cl) >= 3	no threshold level	No			Unit	
Radioactive substances	no threshold level	No			Unit	
Certain shortchain chlorinated paraffins	10 g/kg	No			Unit	
Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			Unit	
Brominated Flame Retardant (HBCDD)	100 mg/kg	No			Unit	

Table B (materials listed in appendix 2 of the Convention

****Please refer to footnote 18 on the "Form of Material Declaration in the IMO Guidelines Resolution MEPC.265(68)", "Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR-CONF-45)", Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
*****Concentrations of PFOS above 10 mg/kg (0.009% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than "µg/m²" of the coated material.
Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration

<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	SALES@ISSGROUP.JP
SDoC ID-No.	Multi-SDoC-472749

<Date of Declaration>	Date	2023-01-18
<MD ID number>	MD-ID No.	MD-31475
<Other information>	Remark 1	
	Remark 2	
	Remark 3	

<Product information>

Product name	Automize Air Pressure Gauge	Material:CB602	Product number	304-22-91/31475	Delivered unit	1	Unit	PCE	Product information
--------------	-----------------------------	----------------	----------------	-----------------	----------------	---	------	-----	---------------------

<Material Information>
This materials information shows the amount of hazardous materials contained in

Material name	Amount	Unit
	1	

Table

Material name	Threshold level	Present above threshold level	Yes/No	Mass	Unit	If yes, information on where it is used
Asbestos	no threshold level	No				
Polychlorinated biphenyls(PCBs)	no threshold level	No				
Chlorofluorocarbons(CFCs)		No				
Halons		No				
Other fully halogenated CFCs		No				
Carbon tetrachloride		No				
1,1,1-Trichloroethane		No				
Hydrochlorofluorocarbons	no threshold level	No				
Hydrofluorocarbons		No				
Methyl bromide		No				
Bromochloromethane		No				
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No				

Table

Material name	Threshold level	Present above threshold level	Yes/No	Mass	Unit	If yes, information on where it is used
Cadmium and cadmium compounds	100 mg/kg	No			Unit	
Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No			Unit	
Lead and lead compounds	1 g/kg	No			Unit	
Mercury and mercury compounds	1 g/kg	No			Unit	
Polybrominated biphenyl (PBBs)	1 g/kg	No			Unit	
Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No			Unit	
Polychlorinated biphenyls (PCBs)	no threshold level	No			Unit	
Radioactive substances	no threshold level	No			Unit	
Certain short-chain chlorinated paraffins	no threshold level	No			Unit	
Perfluorooctane sulfonic acid (PFOS)	10 g/kg	No			Unit	
Brominated Flame Retardant (HBCDD)	100 mg/kg****	No			Unit	

****Please refer to footnote 13 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(62).
 *****Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 *****Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and Amending Regulation EC No. 1013/2006 and Directive 2009/16/EC
 *****EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-26
 *****Concentrations of PFOS above 10 mg/kg (0.01% by weight) when it occurs in substances or in preparations or in concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials. If the amount of PFOS is equal to or above than 1 mg/m² of the coated material.
Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.