

Material Declaration

<Date of Declaration>

Date 2023-01-06

<MD ID number>

MD-ID-No. MD-33007

<Other information>

Remark 1
Remark 2
Remark 3

<Supplier (respondent) information>

Company name PJ Diesel Engineering A/S
Division name
Address
Contact person PJ Diesel Engineering A/S
Telephone number
Fax number
E-mail address INFO@QUALSHIPS.COM
SDoC ID-No. SDOC-33007

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
Joint Ring - NULL	875-22-45	2	PCE	

<Material information>

This materials information shows the amount of hazardous materials contained in

Unit
1

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
			Yes/No	Mass	Unit	
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit	
	Lead and lead compounds	1 g/kg	No		Unit	
	Mercury and mercury compounds	1 g/kg	No		Unit	
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit	
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No		Unit	
	Radioactive substances	no threshold level	No		Unit	
Annex II*** (Additional materials)	Certain shortchain chlorinated paraffins	10 g/kg	No		Unit	
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No		Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

Date: 2023-01-06

<MD ID number>

MD-ID-No.: MD-33023

<Other information>

Remark 1

Remark 2

Remark 3

<Supplier (respondent) information>

Company name	PJ Diesel Engineering A/S
Division name	
Address	
Contact person	PJ Diesel Engineering A/S
Telephone number	
Fax number	
E-mail address	INFO@QUALSHIPS.COM
SDoC ID-No.	SDOC-33023

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
High Pressure Pipes - MAIN DIESEL ENGINE, COMPL.	877-22-62/2	2	PCE	

<Material information>

This materials information shows the amount of hazardous materials contained in

Unit
1

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
			Yes/No	Mass	Unit	
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit	
	Lead and lead compounds	1 g/kg	No		Unit	
	Mercury and mercury compounds	1 g/kg	No		Unit	
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit	
	Polybrominated dephenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No		Unit	
	Radioactive substances	no threshold level	No		Unit	
	Certain shortchain chlorinated paraffins	10 g/kg	No		Unit	
Annex I*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No		Unit	

*Please refer to footnote 16 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>		<Supplier (respondent) information>	
Date	2023-01-06	Company name	PJ Diesel Engineering A/S
<MD ID number>		Division name	
MD-ID No.	3300E	Address	
<Other information>		Contact person	PJ Diesel Engineering A/S
Remark 1		Telephone number	
Remark 2		Fax number	
Remark 3		E-mail address	INFO@QUALSHIP5.COM
		SDaC ID No.	

<Product information>		Delivered unit		Product information
Product name	Product number	Amount	Unit	
Top Scraper Ring - S-BAND RADAR	877-22-84	5	PCE	
Spring - Manufacturer: FURUNO // MODEL: FAR-2137 // Type: FAR-2137S	877-22-84	5	PCE	
Sealing Ring, Complete - ----	877-22-84	5	SET	
Scraprer Ring, Complete - MAGNETRON SPECIFICATIONS: EEV MAGNETRON	877-22-84	5	SET	
Scraprer Ring, Complete - TYPE: MG5223F	877-22-84	5	SET	
O-Ring -	877-22-84	5	PCE	
Piston Ring No. 2 -	877-22-84	5	PCE	
Piston Ring No. 3 -	877-22-84	5	PCE	
Piston Ring No. 1 - 36.000 hours overhaul	877-22-84	5	PCE	
Piston Ring No. 4 - Breathing Air Compressor	877-22-84	5	PCE	
Sealing Ring For Piston Rod/Skirt - Rescue Boat	877-22-84	5	PCE	
Locking Wire - Free Fall Lifeboat	877-22-84	2	PCE	
O-Ring For Hydraulic Pipe Connection - NULL	877-22-84	10	PCE	
Sealing Ring(O-Ring) For Cooling Water Conn. - NULL	877-22-84	10	PCE	
Gasket - NULL	877-22-84	10	PCE	

<Material information>	Unit
This materials information shows the amount of hazardous materials contained in	1

Table	Material name	Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
	Methyl bromide	No					
Bromo-chloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit		
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit		
	Lead and lead compounds	1 g/kg	No		Unit		
	Mercury and mercury compounds	1 g/kg	No		Unit		
	Polybrominated biphenyl (PBBS)	1 g/kg	No		Unit		
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit		
	Polychlorinated phthalenes (Cl >= 3)	no threshold level	No		Unit		
	Radioactive substances	no threshold level	No		Unit		
Certain shortchain chlorinated paraffins	10 g/kg	No		Unit			
Annex II**** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit		
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No		Unit		

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-26
 ****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.
Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: SDOC-33007
2) Issuer's name: PJ Diesel Engineering A/S
Issuer's address: _____

3) Object(s) of declaration:
1) Joint Ring - NULL

4) The object(s) of the declaration described above is/are in conformity with the following documents:
5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional Information: _____
Signed for and on behalf of: _____

Place of issue NORDHAVN, DK Date of issue 06/01/2023

7) Name function
Laas Henrik Skov-Jensen
Asst. Technical Manager

Signature

Q.A. 15
LSJ
23 JAN. 2023

Opj diesel
ENGINEERING

14 Skudehavnsvej • 2150 Nordhavn • Denmark
Phone: +45 3929 1553 • Fax: +45 3927 1054
Mail: opjdiezel@opjdiezel.dk www.opjdiezel.dk

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: SDOC-33023
2) Issuer's name: PJ Diesel Engineering A/S
Issuer's address: _____

3) Object(s) of declaration:
1) High Pressure Pipes - MAIN DIESEL ENGINE, COMPL.

4) The object(s) of the declaration described above is/are in conformity with the following documents:
5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional information: _____
Signed for and on behalf of: _____

Place of issue NORDHAVN, DK Date of issue 06/01/2023

7) Name function Lars Henrik Skjott-Larsen Signature
Asst. Technical Manager

Q.A. 15
[Signature]
23 JAN. 2023

Opj diesel
ENGINEERING

14 Skudehavnsvej • 2150 Nordhavn • Denmark
Phone: +45 3929 1553 • Fax: +45 3927 1054
Mail: opjdiezel@opjdiezel.dk www.opjdiezel.dk

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: _____
 2) Issuer's name: PJ Diesel Engineering A/S
 Issuer's address: _____

3) Object(s) of declaration:

1)	Top Scraper Ring - S-BAND RADAR
2)	Spring - Manufacturer: FURUNO // MODEL: FAR-2137 // Tj
3)	Sealing Ring, Complete - -----
4)	Scraper Ring, Complete - MAGNETRON SPECIFICATION:
5)	Scraper Ring, Complete - TYPE: MG5223F
6)	O-Ring -
7)	Piston Ring No. 2 -
8)	Piston Ring No. 3 -
9)	Piston Ring No. 1 - 36.000 hours overhaul
10)	Sealing Ring For Piston Rod/Skirt - Rescue Boat
11)	Piston Ring No. 4 - Breathing Air Compressor
12)	O-Ring For Hydraulic Pipe Connection - NULL
13)	Locking Wire - Free Fall Lifeboat
14)	O-Ring For Hydraulic Pipe Connection - NULL
15)	Gasket - NULL

4) The object(s) of the declaration described above is/are in conformity with the following documents:
 5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional Information: _____
 Signed for and on behalf of: _____

Place of issue NORDHAVN, DK Date of issue 06/01/2023

7) Name function Lars Henrik Skov Jensen Signature
Asst. Technical Manager


QA/15
 23 JAN, 2023

 14 Skudehavnsvej • 2150 Nordhavn • Denmark
 Phone: +45 3929 1553 • Fax: +45 3927 1054
 Mail: pjdiesel@pjdiesel.dk www.pjdiesel.dk

Material Declaration

<Date of Declaration>

Date 2023-01-06

<MD ID number>

MD-ID-No. 83000

<Other information>

Remark 1
Remark 2
Remark 3

<Supplier (respondent) information>

Company name	PJ Diesel Engineering A/S
Division name	
Address	
Contact person	PJ Diesel Engineering A/S
Telephone number	
Fax number	
E-mail address	INFO@QUALSHIPS.COM
SDoC ID-No.	

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
Ball Joint - M16, DIN 125 A	859-22-68	10	PCE	
Hexagon Nut - M10x35, DIN 933	859-22-68	10	PCE	
Sleeve -, MV-15-1.0, Bronze	859-22-68	10	PCE	
Hexagon Screw - 1.5 M3/H L=110 KENT QN 1.5 M3/H L=110	859-22-68	10	PCE	
Ball Joint - Nitril	859-22-68	10	PCE	
Self Locking Hexagon Nut - NULL	859-22-68	10	PCE	

<Material information>

This materials information shows the amount of hazardous materials contained in

	Unit
1	

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit		
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit		
	Lead and lead compounds	1 g/kg	No		Unit		
	Mercury and mercury compounds	1 g/kg	No		Unit		
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit		
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit		
	Polychlorinated phthalenes (Cl >= 3)	no threshold level	No		Unit		
	Radioactive substances	no threshold level	No		Unit		
Certain shortchain chlorinated paraffins	10 g/kg	No		Unit			
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit		
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No		Unit		

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials. If the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

Date	2023-01-06
<MD ID number>	
MD-ID-No.	MD-32999
<Other information>	
Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	PJ Diesel Engineering A/S
Division name	
Address	
Contact person	PJ Diesel Engineering A/S
Telephone number	
Fax number	
E-mail address	INFO@QUALSHIPS.COM
SDoC ID-No.	SDOC-32999

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
MAIN ENGINE - Material: Rubber	859-22-5005	1	SET	

<Material information>

This materials information shows the amount of hazardous materials contained in

Amount	Unit
1	

Table	Material name	Threshold level	Present above threshold level	If yes, matnal mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					

Table	Material name	Threshold level	Present above threshold level	If yes, matnal mass		If yes, information on where it is used
			Yes/No	Mass	Unit	
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit	
	Lead and lead compounds	1 g/kg	No		Unit	
	Mercury and mercury compounds	1 g/kg	No		Unit	
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit	
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No		Unit	
	Radioactive substances	no threshold level	No		Unit	
	Certain shortchain chlorinated paraffins	10 g/kg	No		Unit	
	Annex II**** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit
Brominated Flame Retardant (HBCDD)		100 mg/kg	No		Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

****Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-26

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

Date	2023-01-06
------	------------

<MD ID number>

MD-ID-No.	MD-33006
-----------	----------

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	PJ Diesel Engineering A/S
Division name	
Address	
Contact person	PJ Diesel Engineering A/S
Telephone number	
Fax number	
E-mail address	INFO@QUALSHIPS.COM
SDoC ID-No.	SDOC-33006

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
M/E Complete - NULL	860-22-5006	1	SET	

<Material information>

This materials information shows the amount of hazardous materials contained in

	Unit
1	

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
Yes/No	Mass	Unit					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit		
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit		
	Lead and lead compounds	1 g/kg	No		Unit		
	Mercury and mercury compounds	1 g/kg	No		Unit		
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit		
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit		
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No		Unit		
	Radioactive substances	no threshold level	No		Unit		
Certain shortchain chlorinated paraffins	10 g/kg	No		Unit			
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit		
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No		Unit		

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: SDOC-33006
2) Issuer's name: PJ Diesel Engineering A/S
Issuer's address: _____

3) Object(s) of declaration:
1) M/E Complete - NULL

4) The object(s) of the declaration described above is/are in conformity with the following documents:
5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional Information: _____
Signed for and on behalf of: _____

Place of issue NORDHAVN, DK Date of issue 06/01/2023

7) Name function Las Henrik Skov Signature
Asst. Technical Manager

QA.15
[Signature]
23 JAN. 2023

pdiesel
ENGINEERING
14 Skudehavnsvej • 2150 Nordhavn • Denmark
Phone: +45 3929 1553 • Fax: +45 3927 1054
Mail: pdiesel@pdiesel.dk www.pdiesel.dk

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: _____
 2) Issuer's name: PJ Diesel Engineering A/S
 Issuer's address: _____

3) Object(s) of declaration:

1)	Ball Joint - M16, DIN 125 A
2)	Hexagon Nut - M10x35, DIN 933
3)	Sleeve - , MV-15-1.0, Bronze
4)	Hexagon Screw - 1,5 M3/H L=110 KENT QN 1,5 M3/H L=1
5)	Ball Joint - Nitril
6)	Self Locking Hexagon Nut - NULL

4) The object(s) of the declaration described above is/are in conformity with the following documents:
 5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional Information: _____
 Signed for and on behalf of: _____

Place of issue NORDHAVN, DK Date of issue 06/01/2023

7) Name function Lars Henrik Skov Jensen Signature _____
Asst. Technical Manager

QA.15
 23 JAN. 2023

pdiesel
Engineering

14 Skoddehøjvej • 2150 Nordhavn • Denmark
 Phone: +45 3323 1553 • Fax: +45 3327 1054
 Mail: pdiesel@pdiesel.dk • www.pjdiesel.dk

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: SDOC-32999
 2) issuer's name: PJ Diesel Engineering A/S
 issuer's address: _____

3) Object(s) of declaration: 1) MAIN ENGINE - Material: Rubber

4) The object(s) of the declaration described above is/are in conformity with the following documents:
 5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional Information: _____
 Signed for and on behalf of: _____

Place of issue: NORDBHAVN, DK Date of issue: 06/01/2023

QA-15

28 JAN. 2023

7) Name function: *Hans Henrik Jensen*
Asst. Technical Manager

Signature



14 Skudehavnsvej • 2150 Nordhavn • Denmark
 Phone: +45 3929 1553 • Fax: +45 3927 1054
 Mail: pjdiesel@pjdiesel.dk www.pjdiesel.dk