Supplier's Declaration of Conformity for Material Declaration Management

,	Issuer's Name :		DELTA CO		
	Issuer's address :				
3)			2-1-20, TOKYO , 106004	46	
	Object(s) of declaration :	1)	KEY		~
		2)	RETAINING RING		
		3)	SHAFT		
		4)	BALL BEARING (6312)		
		5)	KEY		
		6)	OIL SEAL		
		7)	OIL SEAL		
-	Applicable Regulations or Document No.		stipulated requirement	s and documents Edition	Date of Issue
-			the development for the I	nventory of Hazardous Materials	15-05-2015
	SRR Regulation (EU) No				20-11-2013
	SA Best Practice Guide on t				28-10-2016
3	We Servak' H	001 72 5000	'	and an expelling of China 2000 Demulation	5 Dans 2
ПО	ig Kong int. Convention for the	ne sale	and environmentally sou	nd recycling of Ships , 2009 Regulation	o Fala 3.
6)	Additional Information:	N	ON ASBEST	OS	
:	Signed for and on behalf o	of		6	T. F.
T	OKYO				101/1VO
Plac	ce of Issue				10
18	3-03-2022				
Date	e of Issue				1 4
7)	Hashimoto			L. Hash	mela
· /	me, function			Signature	

Material Declaration

Date: 18-03-2022

MD-ID No :	DL2203646	

Remark 1	2022/03/07
Remark 2	850-22-37
Remark 3	EPIC BALI

·					
Company Name	DELTA CO LTD				
Division Name	FORWARDING LOGISTICS DEPT				
Address	2-1-20, TOKYO, 1060046				
Contact Person	HASIMOTO				
Telephone Number	03-5449-1421				
Fax Number	03-5449-3871				
E-Mail Address					
SDoC ID-No	TR-203-02112				

Product Name	Product Number	Delivered Unit		Product Information			
		Amount	Unit				
KEY	103	2	PCS	KEY			
RETAINING RING	523	2	PCS	RETAINING RING			
SHAFT	101	1	PCS	SHAFT			
BALL BEARING (6312)	201	2	SET	BALL BEARING (6312)			
KEY	104	2	PCS	KEY			
OIL SEAL	530	3	PCS	OIL SEAL			
OIL SEAL	531	3	PCS	OIL SEAL			

Piece 🔻

This material information shows the amount of hazarduos materials contained in 1

Table	Material Name		Threshold level	Present above thershold level	If yes, material mass		If yes,information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No		•	
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No		F	
		Chlorofluorocarbons (CFCs		No		₹	
		Halons		No			
		Otherfully halogenated CFCs		No		V	
		Caroon tetrachroride		No		✓	
Table A**	Ozon depleting	1,1,1-Trichlroethane	-	No		✓	
materials listed in appendix 1 of the		Hydrochlorofluorocarbans		No		▼	
Convention		Hydrobromofluorocarbans	no thershold level	No		▼	
		Methyl bromide		No		V	
		Bromochloromethane		No	-	▼	
	Anti-fouling system containg organotin compounds as a biocide		2500 mg total tin/kg	No		•	
	Cadmium and cadm	ium compounds	100 mg/kg	No		✓	47.50
	Hexavalent chromiu compunds	m and hexavalent chromium	1,000 mg/kg	No		_	(LE
Table B**	Lead and Lead compounds		1,000 mg/kg	No			100
	Mercury and mercury componds		1,000 mg/kg	No		▼1	- IOMAIIIII . I
materials listed in			50 mg/kg	No			11/1////////
appendix 2 of the Convention			1,000 mg/kg	No		V	- 1 -1 11 11 11 11 11 11 -1
Convention	Polychloronaphthalenes (CI >= 3)		50 mg/kg	No			TOLIVINIA -
	Radioactive substances		no thershold level	140			
	Certain shortchain chlorinated paraffins		1%	No			X 7 .
Annex II***	Perfluoroocatne sulfonic acid (PFOS)		100 mg/kg****	No			
(Additional materials)	Brominated Flame Retardant(HBCDD)		100 mg/kg	No		▼	

^{*} Please refer to footnote 18 on the "Form of Material Declaration in the IMO Guidlines Resolution MEPC 269(68)

Important Notice: The content and Specification of this form may not be changed or amended. Any Changes or Amendments by others than the author of this form constitute a breach on copyright law

 $^{^{\}star\star}\, \text{Hongkong International convention for the safe and Environmentally Sound Recycing of Ships 2009 (SR \,CONF \,45)}$

^{***} Regulation EU No 1257/2013 of the Europian Parliment and the Council of 20 November 2013 on ship Recycling and amending Regulation EC No 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials dated 2016-10-28

^{****} Concentrations of PFOS above 10 mg/kg (0.001% by Weight) when it occurs in substances or in preparations or in concentrations of PFOS in semi-finished products or orticles or parts thereof equal to orabove than 0.1% by weight calculated with reference to the mass of structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1ug/m2 of the coated material