Supplier's Declaration of Conformity for Material Declaration Management

1)	SDoC No.:		TR-206-04300
2)	Issuer's Name :		DELTA CO
	Issuer's address :		2-1-20, TOKYO , 1060046
3)	Object(s) of declaration: 1)		BUSH (3)
		2)	COLLAR
		3)	ORIFICE
		4)	O-RING
		5)	VERTICAL SHAFT (60HZ)
		6)	LOCK WASHER
		7)	BUSH (1)
		8)	BEARING CAP (2)
		9)	FLAT SPRING
		10)	GEAR (1)
		11)	BEARING CASE (1)
		12)	BEARING CASE (2)
		13)	HORIZONTAL SHAFT
		14)	RETAINING RING (C)
		15)	O-RING
		16)	DRIVE GEAR
		17)	GEAR (2)
		18)	SOCKET CAP SCREW
		19)	LOCK WASHER
		20)	O-RING
		21)	KEY
		22)	BEARING (3)
		23)	SPIRAL GEAR (60HZ)
		24)	BUSH (2)
		25)	BEARING CAP (1)
		26)	BUSH
		27)	BALL BEARING (1)
		28)	O-RING
		29)	BEARING (1)
		30)	BEARING (2)
		31)	BEARING CASE (3)
		32)	KEY
		33)	LOCK NUT
		34)	DRIVEN GEAR

	_
ne following documents	-
ents	
Edition Date of Issue	
zardous Materials 15-05-2015	
20-11-2013	
28-10-2016	
Ships , 2009 Regulation 5 Para 3.	
GANNING.	
f S	28-10-2016

Place of Issue

Date of Issue

28-06-2022

Name, function

Hashimoto

Material Declaration

Date: 28-06-2022

MD-ID No : DL2208546

Remark 1	2022/04/25
Remark 2	827-22-45
Remark 3	EPIC CALEDONIA

Company Name	DELTA CO LTD
Division Name	FORWARDING LOGISTICS DEPT
Address	2-1-20, TOKYO, 1060046
Contact Person	HASIMOTO
Telephone Number	03-5449-1421
Fax Number	03-5449-3871
E-Mail Address	
SDoC ID-No	TR-206-04300

	Product Number	Delive	red Unit	Product Information
		Amount Unit		_
BUSH (3)	G16	1	PCS	BUSH (3)
COLLAR	539	1	PCS	COLLAR
ORIFICE	347	2	PCS	ORIFICE
O-RING	519	3	PCS	O-RING
VERTICAL SHAFT (60HZ)	501	1	PCS	VERTICAL SHAFT (60HZ)
LOCK WASHER	605	3	PCS	LOCK WASHER
BUSH (1)	G14	1	PCS	BUSH (1)
BEARING CAP (2)	518	1	PCS	BEARING CAP (2)
FLAT SPRING	520	2	PCS	FLAT SPRING
GEAR (1)	G24	1	PCS	GEAR (1)
BEARING CASE (1)	510	1	PCS	BEARING CASE (1)
BEARING CASE (2)	528	2	PCS	BEARING CASE (2)
HORIZONTAL SHAFT	601	1	PCS	HORIZONTAL SHAFT
RETAINING RING (C)	606	1	PCS	RETAINING RING (C)
O-RING	G02	2	PCS	O-RING
DRIVE GEAR	G19	1	PCS	DRIVE GEAR
GEAR (2)	G25	1	PCS	GEAR (2)
SOCKET CAP SCREW	302	6	PCS	SOCKET CAP SCREW
LOCK WASHER	503	2	PCS	LOCK WASHER
O-RING	517	3	PCS	O-RING
KEY	530	1	PCS	KEY
BEARING (3)	532	1	PCS	BEARING (3)
SPIRAL GEAR (60HZ)	616	1	PCS	SPIRAL GEAR (60HZ)
BUSH (2)	G15	1	PCS	BUSH (2)
BEARING CAP (1)	516	1	PCS	BEARING CAP (1)
BUSH	G13	1	PCS	BUSH
BALL BEARING (1)	602	1	PCS	BALL BEARING (1)
O-RING	505	2	PCS	O-RING
BEARING (1)	511	1	PCS	BEARING (1)
BEARING (2)	529	1	PCS	BEARING (2)
BEARING CASE (3)	531	2	PCS	BEARING CASE (3)
KEY	533	1	PCS	KEY
NE I		1	PCS	LOCK NUT
LOCK NUT	604			

Piece ▼

This material information shows the amount of hazarduos materials contained in 1

Table	Material Name		Threshold level	Present above thershold level	lf yes, material mass		If yes,information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No		_	
	Polychlorinated bip	henyls (PCBs)	50 mg/kg	No		▼	
		Chlorofluorocarbons (CFCs	-	No		▼	
		Halons		No		▼	
		Otherfully halogenated CFCs		No		▼	
		Caroon tetrachroride	•	No		_	
Table A**	Ozon depleting	1,1,1-Trichlroethane		No		▼	
materials listed in appendix 1 of the	Substance	Hydrochlorofluorocarbans	no thershold level	No		▼	
Convention		Hydrobromofluorocarbans		No		_	
		Methyl bromide		No		▼	
		Bromochloromethane		No		V	
	Anti-fouling system of as a biocide	containg organotin compounds	2500 mg total tin/kg	No		\	
	Cadmium and cadmi	ium compounds	100 mg/kg	No		_	ALCO ALCO ALCO ALCO ALCO ALCO ALCO ALCO
	Hexavalent chromius compunds	m and hexavalent chromium	1,000 mg/kg	No		_	1 to
Table B**	Lead and Lead comp		1,000 mg/kg	No		▼	100
	Mercury and mercury	· · · · · · · · · · · · · · · · · · ·	1,000 mg/kg	No		▼	- OMANININI
materials listed in	Polyprominated bipl	• • • •	50 mg/kg	No			- 111/1/11/11/01 -
appendix 2 of the Convention	71 1	henyl ethers (PBDEs)	1,000 mg/kg	No		▼]	_ 1 -1 11 11/ 1/1/ 1/
Convention	Polychloronaphthale		50 mg/kg	No		 	- 10(1VI) VO / -
	Radioactive substan		no thershold level	No			3
	Certain shortchain chlorinated		1%	No			X
Annex II***	Perfluoroocatne sulf	fonic acid (PFOS)	100 mg/kg****	No			
(Additional materials)	Brominated Flame	Retardant(HBCDD)	100 mg/kg	No		_	

^{*} Please refer to footnote 18 on the "Form of Material Declaration in the IMO Guidlines Resolution MEPC 269(68)

Important Notice: The content and Specification of this form may not be changed or amended. Any Changes or Amendments by others than the author of this form constitute a breach on copyright law

^{**} Hongkong International convention for the safe and Environmentally Sound Recycing of Ships 2009 (SR CONF 45)

recipion of the Europian Parliment and the Council of 20 November 2013 on ship Recycling and amending Regulation EC No 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials dated 2016-10-28

^{****} Concentrations of PFOS above 10 mg/kg (0.001% by Weight) when it occurs in substances or in preparations or in concentrations of PFOS in semi-finished products or orticles or parts thereof equal to orabove than 0.1% by weight calculated with reference to the mass of structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1ug/m2 of the coated material