INVENTORY OF HAZARDOUS MATERIALS

## Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.:	Multi-SDoC-688928				
2) Issuer's name:	Servway Ltd.				
Issuer's address:	Andrea Araouzou 2, Bld. Stefano Plaza, Limassol, Cyprus				
Object(s) of declaration:	1)	Rattery For Iro Joy 1800 VD	R Acoustic Beacon / Protecti		
	1)	Battery For he hey-1800 VD	Acoustic Beacon / Protecti		
• • •	eclaration described above ns or other stipulated requi	•	the following documents:		
Document No.	Title	Edition	Date of issue		
MEPC.269(68)	Guidelines for the development of the IH	Guidelines for the 2015-05 development of the IHM			
EU SRR	Regulation (EU) No 1257/2013		2013-11-20		
EMSA	Best Practice Guide on IHM		2016-10-28		
SR/CONF/45	Hong Kong Internation Convention	nal	SR/CONF/45		
6) Additional Information: Signed for and on behalf of:					
Place of issue	Date of issu 25/04/2023				
7) Name function	Signature				
35	Load Sign	Load Signature			

## **Material Declaration**

Date of Declaration>	Date	2023-04-26
MD ID number>		•
N	ID-ID-No.	MD-94696
Other information>		
	Remark 1	
	Remark 2	

<supplier (respondent)="" information=""></supplier>			
Company name	Servway Ltd.		
Division name			
	Andrea Araouzou 2, Bld		
Address	Stefano Plaza, Limassol,		
	Cyprus		
Contact person	Servway Ltd.		
Telephone number			
Fax number			
E-mail address	ss isuru@tglslanka.com		
SDoC ID-No.	Multi-SDoC-688928		

## <Product information>

Product name	Product number	Deliver	Product information	
		Amount	Unit	Product Information
Battery For Jrc Jcy-1800 VDR Acoustic	CRN-005/2023d/94696			
Beacon / Protective Capsule Unitbattery		,	PCE	
Make - Novega Battery Model - Pt9C-		PCE	PCE	
Proof For Vdr Acoustic Beacon Battery				

<Material information>

Unit

This materials information shows the amount of hazardous materials contained in 1

Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
Table A (materials listed in appendix 1 of the Convention	Polychlorinated biphenyls(PCBs)		no threshold level	No			
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			L
		Methyl bromide		No			
		Bromochloromethane		No			
			2,500 mg total tin/kg	No			
Table	Table Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on
				Yes/No	Mass	Unit	where it is used
Table B (materials listed in appendix 2 of the Convention	Cadmium and cadmium compounds		100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead compounds		1 g/kg	No		Unit	
	Mercury and mercury compounds		1 g/kg	No		Unit	
	Polybrominated biphenyl (PBBs)		1 g/kg	No		Unit	
	Polybrominated dephenyl ethers (PBDEs)		1 g/kg	No		Unit	
	Polychloronaphthalenes (Cl >= 3)		no threshold level	No		Unit	
	Radioactive substances		no threshold level	No		Unit	
	Certain shortchain chlorinated paraffins		10 g/kg	No		Unit	
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No		Unit	
Aimex II (Additional materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No		Unit	

<sup>\*</sup>Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

<sup>\*\*</sup>Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

<sup>\*\*\*</sup>Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

<sup>\*\*\*\*</sup>Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.