



### SUPPLIER'S DECLARATION OF CONFORMITY

Supplier's Declaration of Conformity for Material Declaration (MD)

SDoC identification number	82844644_SDoC
Issuer's name	MAN Energy Solutions Teglholmsgade 41 DK-2450 COPENHAGEN SV
Object(s) of the declaration	Spare Parts

The object(s) of the declaration described above is in conformity with the following

Document No.	Title	Edition/date of issue
EU No. 1257/2013	Materials to be listed to fulfil the European Union Ship Recycling Regulation (EU SRR).	November 2013
MEPC.269(68)	Guidelines for the Development of the Inventory of Hazardous Materials	May 2015

Additional information	Your Reference: 852-22-0154
	Vessel Name: EPIC BORACAY
	IMO number: 9521588

Signed for and on behalf of MAN Energy Solutions

Christian Rasmussen Classification Department

Charmon DK-2450 COPENHAGEN SV, 2023-01-18

MAN Energy Solutions Branch of MAN Energy Solutions SE, Germany CVR No.: 31611792 Head office: Teglholmsgade 41 2450 Copenhagen SV, Denmark

# **MAN Energy Solutions**



#### Material Declaration

Date	2023-01-18	Customer Ref SDoC number MD number	852-22-0154 82844644_SDoC 82844644_MD_ZERO
Company Name Division Name Address Country	MAN Energy Solutions Classification Teglholmsgade 41, 2450 Copenhagen SV Denmark	Telephone No.	Christian Rasmussen +45 3385 1100 Classification2S@man-es.com

Product Name	Part or drawing number (MAN)	Delivered Unit		Remark
		Quantity	Unit	
		See list page 2		

Table	Materials Name		Threshold Level	Present above threshold value	If yes, Material Mass		If yes, Detailed Material Information
				Yes/No	Mass	Unit	
	Asbestos	Asbestos	1000 mg/kg	No			
	Polychlorinated Biphenyls (PCBs)	Polychlorinated Biphenyls (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A (Materials		Carbon Tetrachloride		No			
Listed in Appendix 1 of the	Ozon depleting substance	1,1,1 - Trichlorethane (Methylchloroform)	no threshold value	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Organotin	Tributyl Tins		No			
	Compounds	Triphenyl Tins	2500 mg/kg	No			
		Tributyl Tins Oxide (TBTO)		No			
EU SRR	Perfluorooctane sult	fonic acid (PFOS)	10 mg/kg	No			

Table	Material	Threshold Level	Present above threshold value	If yes, Substance Mass		If yes, Detailed Substance Information
			Yes/No	Mass	Unit	
	Cadmium and Cadmum Compounds	100 mg/kg	No			
	Hexavalent Chromium Compounds	1000 mg/kg	No			
Table B (Materials	Lead and Lead Compounds	1000 mg/kg	No			
Listed in Appendix	Mercury and Mercury Compounds	1000 mg/kg	No			
1 of the	Polybrominated Biphenyl (PBBs)	50 mg/kg	No			
Convention)	Polybrominated Dephenyl ethers (PBDEs)	1000 mg/kg	No			
	Polychloronaphtalanes (Cl=>3)	50 mg/kg	No			
	Radioactive Substances	no threshold value	No			
	Certain Shortchain Chlorinated Paraffins	1000 mg/kg	No			
EU SRR II	Brominated flame retardant (HBCDD)	100 mg/kg	No			

We hereby confirm that the products we deliver are declared to the best of our knowledge and may be based on information made available to us by third parties. Should corrections to this declaration be necessary for instance due to change in such information we will issue a corrected declaration as soon as possible. \*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 ( SR/CONF/45). \*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship

Regulation EO No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28 \*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 #g/m<sup>2</sup> of the coated material

# **MAN Energy Solutions**



### Material Declaration

Date

2023-01-18

Customer Ref 852-22-0154 82844644 SDoC SDoC number 82844644 MD ZERO MD number

Product Name	Part or drawing number (MAN)	Delivered Unit		Remark
		Quantity	Unit	
CYLINDER LINER	90302-0090 213	1	PC	
CYLINDER LINER	90302-0090 213	1	PC	
Clamp	90302-0090 130	4	PC	
Hex.socket head cap screw	90302-0090 142	24	PC	
NON-RETURN VALVE	90304-0037 011	2	PC	

We hereby confirm that the products we deliver are declared to the best of our knowledge and may be based on information made available to us by third parties. Should corrections to this declaration be necessary for instance due to change in such information we will issue a corrected declaration as soon as possible. \*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution

MEPC.269(68). \*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 ( SR/CONF/45). \*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28 \*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by ECOS

or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 #g/m<sup>2</sup> of the coated material