Supplier's Declaration of Conformity for Material Declaration Management

1)	SDoC No.:		TR-211-27070			
2)	Issuer's Name :		DELTA CO			
	Issuer's address :		2-1-20, TOKYO , 1060046			
3) Object(s) of declaration: 1)		1)	UPPER SPRING			
		2)	OPERATING WATER DISC			
		3)	BEARING CASE (2)			
		4)	LOCK WASHER			
		5)	O-RING			
		6)	BALL BEARING (3)			
		7)	STEEL BALL			
		8)	O-RING			
		9)	BALL BEARING (1)			
		10)	COLLAR			
		11)	O-RING			
		12)	PIN			
		13)	BEARING COVER (1)			
		14)	OPERATING WATER CHAMBER			
		15)	CHAMBER COVER			
		16)	BALL BEARING (1)			
		17)	FLAT SPRING			
		18)	SPIRAL GEAR			
		19)	LOWER SPRING			
		20)	BEARING COVER (1)			
		21)	O-RING			
		22)	SPACER (2)			
		23)	OPERATING WATER NOZZLE			
		24)	PACKING			
		25)	BALL BEARING (2)			
		26)	IMPELLER (2)			
		27)	BEARING CAP (1)			
		28)	BEARING CAP (2)			
		29)	BEARING CASE (3)			
		30)	SPRING SEAT			

1)	SDoC No.:	TR-211-27070			
2)	Issuer's Name :	DELTA CO			
	Issuer's address :	2-1-20, TOKYO , 1060046			
4)	The object(s) of the declaration d	escribed above is/are in conformity with the following document	s		
5)	Applicable Regulations or other	er stipulated requirements and documents			
	Document No. Title	Edition	Date of Issue		
M	EPC. 269(68) Guidlines for	or the development for the Inventory of Hazardous Materials	15-05-2015		
E	U SRR Regulation (EU) No 1257	/2013	20-11-2013		
EMSA Best Practice Guide on the IHM 2016 28-10-2016					
Н	ong Kong Int.Convention for the sa	afe and environmentally sound recycling of Ships , 2009 Regulat	ion 5 Para 3.		
6)	Additional Information:	NON ASBESTOS			
Т	Signed for and on behalf of	6	CONNO:		
Pla	ace of Issue		3		

10-11-2022

Name, function

Hashimoto

Date of Issue

Material Declaration

Date: 10-11-2022

DL2214853	MD-ID No :	DL2214853
-----------	------------	-----------

Remark 1	2022/11/08
Remark 2	842-22-0170
Remark 3	EPIC SALINA

Company Name	DELTA CO LTD
Division Name	FORWARDING LOGISTICS DEPT
Address	2-1-20, TOKYO, 1060046
Contact Person	HASIMOTO
Telephone Number	03-5449-1421
Fax Number	03-5449-3871
E-Mail Address	
SDoC ID-No	TR-211-27070

Product Name	oduct Name Product Number Delivered Unit		red Unit	Product Information		
		Amount	Unit			
UPPER SPRING	510010001	2	SET	UPPER SPRING		
OPERATING WATER DISC	510010033	1	PCE	OPERATING WATER DISC		
BEARING CASE (2)	510010021	1	PCE	BEARING CASE (2)		
LOCK WASHER	510009995	2	PCE	LOCK WASHER		
O-RING	510010010	2	PCE	O-RING		
BALL BEARING (3)	510010025	1	PCE	BALL BEARING (3)		
STEEL BALL	510010029	2	PCE	STEEL BALL		
O-RING	510010040	4	PCE	O-RING		
BALL BEARING (1)	510010054	2	PCE	BALL BEARING (1)		
COLLAR	510010031	1	PCE	COLLAR		
O-RING	510009998	4	PCE	O-RING		
PIN	510010026	4	PCE	PIN		
BEARING COVER (1)	510010030	1	PCE	BEARING COVER (1)		
OPERATING WATER CHAM	510010037	1	PCE	OPERATING WATER CHAMBER		
CHAMBER COVER	510010041	1	PCE	CHAMBER COVER		
BALL BEARING (1)	510010004	1	PCE	BALL BEARING (1)		
FLAT SPRING	510010013	2	PCE	FLAT SPRING		
SPIRAL GEAR	510010068	1	PCE	SPIRAL GEAR		
LOWER SPRING	510010032	1	PCE	LOWER SPRING		
BEARING COVER (1)	510010006	2	PCE	BEARING COVER (1)		
O-RING	510010012	2	PCE	O-RING		
SPACER (2)	510010027	1	PCE	SPACER (2)		
OPERATING WATER NOZZI	510010035	1	PCE	OPERATING WATER NOZZLE		
PACKING	9M-1/16	2	PCE	PACKING		
BALL BEARING (2)	510010022	1	PCE	BALL BEARING (2)		
IMPELLER (2)	510009927	2	PCE	IMPELLER (2)		
BEARING CAP (1)	510010009	2	PCE	BEARING CAP (1)		
BEARING CAP (2)	510010011	2	PCE	BEARING CAP (2)		
BEARING CASE (3)	510010024	1	PCE	BEARING CASE (3)		
SPRING SEAT	510010028	1	PCE	SPRING SEAT		

Piece ▼

This material information shows the amount of hazarduos materials contained in 1

Table	Material Name		Threshold level	Present above thershold level	If ye materia	s, al mass	If yes,information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No		_	
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No		▼	
		Chlorofluorocarbons (CFCs		No		▼	
		Halons		No		▼	
		Otherfully halogenated CFCs		No		▼	
		Caroon tetrachroride	•	No		_	
Table A**	Ozon depleting	1,1,1-Trichlroethane		No		▼	
materials listed in appendix 1 of the	Substance	Hydrochlorofluorocarbans	no thershold level	No		▼	
Convention		Hydrobromofluorocarbans		No		_	
		Methyl bromide		No		▼	
		Bromochloromethane		No		V	
	Anti-fouling system containg organotin compounds as a biocide		2500 mg total tin/kg	No		\	
	Cadmium and cadmi	ium compounds	100 mg/kg	No		_	ALCO ALCO ALCO ALCO ALCO ALCO ALCO ALCO
	Hexavalent chromius compunds	m and hexavalent chromium	1,000 mg/kg	No		_	1 to
Table B**	Lead and Lead comp		1,000 mg/kg	No		▼	100
	Mercury and mercury	· · · · · · · · · · · · · · · · · · ·	1,000 mg/kg	No		▼	- OMANININI
materials listed in	Polyprominated bipl	• • • •	50 mg/kg	No			- 111/1/11/11/01 -
appendix 2 of the Convention	71 1	henyl ethers (PBDEs)	1,000 mg/kg	No		▼]	_ 1 -1 11 11/ 1/1/ 1/
Convention	Polychloronaphthale		50 mg/kg	No		 	- 10(1VI) VO / -
	Radioactive substan		no thershold level	No			3
	Certain shortchain c	Certain shortchain chlorinated paraffins		No			X
Annex II***	Perfluoroocatne sulf	fonic acid (PFOS)	100 mg/kg****	No			
(Additional materials)	Brominated Flame Retardant(HBCDD)		100 mg/kg	No		_	

^{*} Please refer to footnote 18 on the "Form of Material Declaration in the IMO Guidlines Resolution MEPC 269(68)

Important Notice: The content and Specification of this form may not be changed or amended. Any Changes or Amendments by others than the author of this form constitute a breach on copyright law

^{**} Hongkong International convention for the safe and Environmentally Sound Recycing of Ships 2009 (SR CONF 45)

recipion of the Europian Parliment and the Council of 20 November 2013 on ship Recycling and amending Regulation EC No 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials dated 2016-10-28

^{****} Concentrations of PFOS above 10 mg/kg (0.001% by Weight) when it occurs in substances or in preparations or in concentrations of PFOS in semi-finished products or orticles or parts thereof equal to orabove than 0.1% by weight calculated with reference to the mass of structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1ug/m2 of the coated material