INVENTORY OF HAZARDOUS MATERIALS

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.:	Multi-SDoC-365941				
2) Issuer's name:	NOAH MARINE AND OFFSHORE PTE. LTD.				
Issuer's address:					
Object(s) of					
declaration:					
	1) ROCKET PARACHUTE FLARE RED				
	2)	BUOYANT SMOKE SIGNAL			
	3)	HAND FLARE			
	4)	GAUGE PRESSURE W/GLYCERINE, BOTTOM/BACK 0-6BAR			
	GAUGE PRESSURE W/GLYCERINE, BOTTOM/BACK 0-25BAR				
	6)	Automatic controls for refrigerant. Thermostatic expansion			

- 4) The object(s) of the declaration described above is/are in conformity with the following documents:
- 5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional

behalf of:

DRA-058/2022d, SAP-022/2022e

Information:

Signed for and on

NOAH MARINE & OFFSHORE PTE LTD

Place of issue

SINGAPORE

Date of issue 30/03/2023

7) Name function

Signature

SANEESH JOHNY MANAGER Load Signature

Date of Declaration>	
Date	2023-03-30
MD ID number>	
MD-ID-No.	MD-68561
Other information>	
Remark 1	
Remark 2	

<supplier (respondent)="" information=""></supplier>	
Company name	NOAH MARINE AND OFFSHORE PTE. LTD.
Division name	
Address	
Contact person	NOAH MARINE AND OFFSHORE PTE. LTD.
Telephone number	
Fax number	
E-mail address	NSM_SALES1@NORTHSTAR- MARINE.COM
SDoC ID-No.	Multi-SDoC-365941

<Product information>

	Product number	Delive		
Product name		Amount	Unit	Product information
ROCKET PARACHUTE FLARE RED	DRA-058/2022d/68561	4	PCE	
-Material informations		11		

This materials information shows the amount of hazardous materials contained in

1

Table			Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	where it is asea
	Asbsestos		no threshold level	No			
	Polychlorinated biphenyls(PCBs)		no threshold level	No		_	
		Chlorofluorocarbons(CFCs)	-	No			
		Halons	_	No			
		Other fully halogenated CFCs		No			
Table A (materials listed in	Ozon depleting	Carbon tetrachloride	_	No			
appendix 1 of the Convention	substance	1,1,1-Trichloroethane	no threshold level	No			
appendix 1 of the contention	Januarice	Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
Table	Material name		Threshold level	Present above threshold level	lf yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Cadmium and cadmium compounds		100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead compounds		1 g/kg	No		Unit	
Table B (materials listed in	Mercury and mercury compounds		1 g/kg	No		Unit	
appendix 2 of the Convention	Polybrominated biphenyl (PBBs)		1 g/kg	No		Unit	
	Polybrominated dephenyl ethers (PBDEs)		1 g/kg	No		Unit	
	Polychloronaphthale	nes (CI > = 3)	no threshold level	No		Unit	
	Radioactive substan	ces	no threshold level	No		Unit	
	Certain shortchain c	hlorinated paraffins	10 g/kg	No		Unit	
A II *** / A - -	Perfluorooctane sulf	onic acid (PFOS)	10 mg/kg****	No		Unit	
Annex II*** (Additional materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No		Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μ g/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

	Date	2023-03-30
:MD ID number>		
	MD-ID-No.	MD-68562
Other information	1>	
	Remark 1	
	Remark 2	
	Remark 3	

This materials information shows the amount of hazardous materials

NOAH MARINE AND OFFSHORE PTE. LTD.
NOAH MARINE AND OFFSHORE PTE. LTD.
NSM_SALES1@NORTHSTAR- MARINE.COM
Multi-SDoC-365941

<Product information>

contained in

	Product number	Delivered unit			
Product name		Amou	nt	Unit	Product information
BUOYANT SMOKE SIGNAL	DRA-058/2022d/68562	2		PCE	
<material information=""></material>			Unit		

1

Present above If yes, matrial mass If yes, information on Table Threshold level threshold level **Material name** where it is used Yes/No Mass Asbsestos no threshold level Nο Polychlorinated biphenyls(PCBs) no threshold level Νo Chlorofluorocarbons(CFCs) Nο Halons No Other fully halogenated CFCs Nο Carbon tetrachloride Nο Table A (materials listed in Ozon depleting 1.1.1-Trichloroethane no threshold level No appendix 1 of the Convention substance Hydrochorofluorocarbons No Hydrochorofluorocarbons Νo Methyl bromide Νo Bromochloromethane Nο Anti-fouling systems containing organotin 2,500 mg total No compounds as a biocide tin/kg Present above If yes, matrial mass If yes, information on Threshold level threshold level Table Material name where it is used Yes/No Mass Unit Cadmium and cadmium compounds 100 mg/kg Nο Unit Hexavalent chromium and hexavalent chromium 1 g/kg Nο Unit compounds Lead and lead compounds 1 g/kg Νo Unit Mercury and mercury compounds 1 g/kg Nο Unit Table B (materials listed in appendix 2 of the Convention Polybrominated biphenyl (PBBs) 1 g/kg Nο Unit Polybrominated dephenyl ethers (PBDEs) 1 g/kg Νo Unit Polychloronaphthalenes (Cl > = 3) no threshold level Nο Unit Radioactive substances no threshold level Nο Unit Certain shortchain chlorinated paraffins 10 g/kg Nο Unit 10 mg/kg**** Perfluorooctane sulfonic acid (PFOS) Nο Unit Annex II*** (Additional materials) Brominated Flame Retardant (HBCDD) 100 mg/kg No Unit

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μ g/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Date of Declaration>	
Date	2023-03-30
MD ID number>	
MD-ID-No.	MD-68563
Other information>	
Remark 1	
Remark 2	

Supplier (respondent) information>	
Company name	NOAH MARINE AND OFFSHORE PTE. LTD.
Division name	
Address	
Contact person	NOAH MARINE AND OFFSHORE PTE. LTD.
Telephone number	
Fax number	
E-mail address	NSM_SALES1@NORTHSTAR- MARINE.COM
SDoC ID-No.	Multi-SDoC-365941

<Product information>

and the second second	Product number	Delive		
Product name		Amount	Unit	Product information
HAND FLARE	DRA-058/2022d/68563	6	PCE	
<material information=""></material>		Unit		

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbsestos		no threshold level	No			
	Polychlorinated biphenyls(PCBs)		no threshold level	No		-	
		Chlorofluorocarbons(CFCs)		No		-	
		Halons		No		-	
		Other fully halogenated CFCs		No		-	
Table A (materials listed in	Ozon depleting	Carbon tetrachloride	_	No			
appendix 1 of the Convention	substance	1,1,1-Trichloroethane	no threshold level	No			
appendix 1 or the contention	Substance	Hydrochorofluorocarbons	_	No			
		Hydrochorofluorocarbons		No			
		Methyl bromide		No			
	Bromochloromethane			No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
Table M		Material name Threshold level		Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
	Cadmium and cadmium compounds		100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead compounds		1 g/kg	No		Unit	
Table B (materials listed in	Mercury and mercury compounds		1 g/kg	No		Unit	
appendix 2 of the Convention	Polybrominated biphenyl (PBBs)		1 g/kg	No		Unit	
	Polybrominated dephenyl ethers (PBDEs)		1 g/kg	No		Unit	
	Polychloronaphthal	enes (CI > = 3)	no threshold level	No		Unit	
	Radioactive substan	ces	no threshold level	No		Unit	
	Certain shortchain o	hlorinated paraffins	10 g/kg	No		Unit	
Annex II*** (Additional materials)			10 mg/kg****	No		Unit	
	Brominated Flame Retardant (HBCDD)						

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than $1 \mu g/m^2$ of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Date of Declaration>	
Date	2023-03-30
<md id="" number=""></md>	
MD-ID-No.	MD-88483
Other information>	
Remark 1	
Remark 2	
Pomark 2	

NOAH MARINE AND OFFSHORE PTE. LTD.
NOAH MARINE AND OFFSHORE PTE. LTD.
NSM_SALES1@NORTHSTAR- MARINE.COM
Multi-SDoC-365941

<Pre><Product information>

| Product name | | | Delive | Bandand information | |
|--------------|--------------------------------------|---------------------|--------|---------------------|---------------------|
| | | Product number | Amount | Unit | Product information |
| | GAUGE PRESSURE W/GLYCERINE, | SAP-022/2022e/88483 | 15 | PCE | |
| | BOTTOM/BACK 0-6BAR 100MM | | | <u> </u> | |
| | <material information=""></material> | | Unit | | |

<Material information>

This materials information shows the amount of hazardous materials contained in

1

Present above If yes, matrial mass If yes, information on Threshold level threshold level Table **Material name** where it is used Unit Yes/No Mass Asbsestos no threshold level Νo Polychlorinated biphenyls(PCBs) no threshold level No Chlorofluorocarbons(CFCs) No Nο Halons Other fully halogenated CFCs Nο Carbon tetrachloride Nο Table A (materials listed in Ozon depleting 1,1,1-Trichloroethane no threshold level Nο appendix 1 of the Convention substance Hydrochorofluorocarbons No Hydrochorofluorocarbons Nο Methyl bromide Nο Bromochloromethane No Anti-fouling systems containing organotin 2,500 mg total Νo compounds as a biocide tin/kg Present above If yes, matrial mass If yes, information on Table Material name Threshold level threshold level where it is used Mass Unit Yes/No Cadmium and cadmium compounds 100 mg/kg Nο Unit Hexavalent chromium and hexavalent chromium 1 g/kg Nο Unit compounds Lead and lead compounds 1 g/kg Nο Unit Νo Unit Table B (materials listed in Mercury and mercury compounds 1 g/kg appendix 2 of the Convention Polybrominated biphenyl (PBBs) 1 g/kg Nο Unit Polybrominated dephenyl ethers (PBDEs) 1 g/kg Nο Unit Polychloronaphthalenes (CI > = 3) no threshold level Nο Unit Radioactive substances no threshold level No Unit Unit Certain shortchain chlorinated paraffins 10 g/kg Nο Perfluorooctane sulfonic acid (PFOS) 10 mg/kg**** Νo Unit Annex II*** (Additional materials) Unit Brominated Flame Retardant (HBCDD) 100 mg/kg Nο

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68)

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m2 of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

| <date declaration="" of=""></date> | |
|------------------------------------|------------|
| Date | 2023-03-30 |
| <md id="" number=""></md> | |
| MD-ID-No. | MD-88484 |
| <other information=""></other> | |
| Remark 1 | |
| Remark 2 | |
| | |

| Supplier (respondent) information> | |
|------------------------------------|---------------------------------------|
| Company name | NOAH MARINE AND
OFFSHORE PTE. LTD. |
| Division name | |
| Address | |
| Contact person | NOAH MARINE AND
OFFSHORE PTE. LTD. |
| Telephone number | |
| Fax number | |
| E-mail address | NSM_SALES1@NORTHSTAR-
MARINE.COM |
| SDoC ID-No. | Multi-SDoC-365941 |
| | |

<Product information>

| | | Deliver | | |
|--------------------------------------|---------------------|---------|------|---------------------|
| Product name | Product number | Amount | Unit | Product information |
| GAUGE PRESSURE W/GLYCERINE, | SAP-022/2022e/88484 | 10 | PCE | |
| BOTTOM/BACK 0-25BAR 63MM | SAP-022/2022e/88484 | 110 | PCE | |
| <material information=""></material> | | Unit | | |

<Material information>

This materials information shows the amount of hazardous materials

| Table | Material name | | Threshold level | Present above If yes, matri | | ass | If yes, information on |
|---------------------------------------------------------|------------------------------------------------------------------|------------------------------|--------------------------|-------------------------------|----------------------|-------|--------------------------------------------|
| | | material name | | Yes/No | Mass | Unit | where it is used |
| | Asbsestos | | no threshold level | No | | | |
| | Polychlorinated biphenyls(PCBs) | | no threshold level | No | | | |
| | Chlorofluorocarbons(CFCs) | | | No | | | |
| | | Halons | s | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| able A (materials listed in ppendix 1 of the Convention | Ozon depleting substance | 1,1,1-Trichloroethane | no threshold level | No | | | |
| ppendix 1 of the Convention | substance | Hydrochorofluorocarbons | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| | | Bromochloromethane | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | | 2,500 mg total
tin/kg | No | | | |
| Table | Material name | | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on
where it is used |
| | | | | Yes/No | Mass | Unit | where it is used |
| | Cadmium and cadmium compounds | | 100 mg/kg | No | | Unit | |
| | Hexavalent chromium and hexavalent chromium compounds | | 1 g/kg | No | | Unit | |
| | Lead and lead compounds | | 1 g/kg | No | | Unit | |
| able B (materials listed in | Mercury and mercury compounds | | 1 g/kg | No | | Unit | |
| ppendix 2 of the Convention | Polybrominated biphenyl (PBBs) | | 1 g/kg | No | | Unit | |
| | Polybrominated dephenyl ethers (PBDEs) | | 1 g/kg | No | | Unit | |
| | Polychloronaphtha | lenes (CI >= 3) | no threshold level | No | · | Unit | |
| | Radioactive substa | nces | no threshold level | No | | Unit | |
| | Certain shortchain chlorinated paraffins | | 10 g/kg | No | | Unit | |
| | Perfluorooctane sulfonic acid (PFOS) | | 10 mg/kg**** | No | | Unit | |
| Annex II*** (Additional materials) | Perfluorooctane su | Itonic acid (PFOS) | IU mg/kg***** | 140 | | JOINT | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than $1 \mu g/m^2$ of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

| Date | 2023-03-30 |
|--------------------------------|------------|
| <md id="" number=""></md> | |
| MD-ID-No. | MD-88485 |
| <other information=""></other> | |
| Remark 1 | |
| Remark 2 | |
| Pomark 2 | |

| <supplier (respondent)="" information=""></supplier> | |
|------------------------------------------------------|---------------------------------------|
| Company name | NOAH MARINE AND
OFFSHORE PTE. LTD. |
| Division name | |
| Address | |
| Contact person | NOAH MARINE AND
OFFSHORE PTE. LTD. |
| Telephone number | |
| Fax number | |
| E-mail address | NSM_SALES1@NORTHSTAR-
MARINE.COM |
| SDoC ID-No. | Multi-SDoC-365941 |
| | |

<Pre><Product information>

| | | Delive | | |
|--------------------------------------|---------------------|--------|------|---------------------|
| Product name | Product number | Amount | Unit | Product information |
| Automatic controls for refrigerant. | SAP-022/2022e/88485 | 2 | PCE | |
| Thermostatic expansion valves. | SAP-022/2022e/88485 | 2 | PCE | |
| <material information=""></material> | | Unit | | |

<Material information>

This materials information shows the amount of hazardous materials contained in

1

Present above If yes, matrial mass If yes, information on Threshold level threshold level Table **Material name** where it is used Yes/No Unit Mass Asbsestos no threshold level Νo Polychlorinated biphenyls(PCBs) no threshold level No Chlorofluorocarbons(CFCs) No Nο Halons Other fully halogenated CFCs Nο Carbon tetrachloride Nο Table A (materials listed in Ozon depleting 1,1,1-Trichloroethane no threshold level Nο appendix 1 of the Convention substance Hydrochorofluorocarbons No Hydrochorofluorocarbons Nο Methyl bromide Nο Bromochloromethane No Anti-fouling systems containing organotin 2,500 mg total Νo compounds as a biocide tin/kg Present above If yes, matrial mass If yes, information on Table Material name Threshold level threshold level where it is used Unit Yes/No Mass Cadmium and cadmium compounds 100 mg/kg Nο Unit Hexavalent chromium and hexavalent chromium 1 g/kg Nο Unit compounds Lead and lead compounds 1 g/kg Nο Unit Νo Unit Table B (materials listed in Mercury and mercury compounds 1 g/kg appendix 2 of the Convention Polybrominated biphenyl (PBBs) 1 g/kg Nο Unit Polybrominated dephenyl ethers (PBDEs) 1 g/kg Nο Unit Polychloronaphthalenes (CI > = 3) no threshold level Nο Unit Radioactive substances no threshold level No Unit Unit Certain shortchain chlorinated paraffins 10 g/kg Nο Perfluorooctane sulfonic acid (PFOS) 10 mg/kg**** Νo Unit Annex II*** (Additional materials) Unit Brominated Flame Retardant (HBCDD) 100 mg/kg Nο

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68)

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m2 of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.