

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: SDoC-674546
 2) Issuer's name: Allex Ships Equipment LLC
 Issuer's address: -

3) Object(s) of declaration:

| | |
|-----|--|
| 3) | EJECTOR HOUSING 964 12200-10 FOR FRESH WATER GEN |
| 3) | O RING 984 40000 03 FOR FRESH WATER GENERATOR |
| 3) | SET SCREW M12 x 10 LHM M12 MRS 09007-15 FOR FRES |
| 4) | PRESSURE GAUGE D 8 BAR 984 10207 03 FOR FRESH W |
| 5) | SET SCREW M16 x 40 LHM M12 MRS 09007-15 FOR FRES |
| 6) | RUBBER SLEEVE 881 58100 01 FOR FRESH WATER GENE |
| 7) | ELECTRICAL (FOR SC-3000126-20) MRS 42005-05 FOR FR |
| 8) | VACUUM PIPE 984 58205 80 FOR FRESH WATER GENE |
| 9) | PRESSURE GAUGE 0-3 BAR 984 10200-00 FOR FRESH W |
| 10) | WATER METER 984 42000 03 FOR FRESH WATER GENE |
| 11) | HOUSING FOR ELECTRIC 1/2 |
| 12) | RUBBER SLEEVE 984 58004 01 FOR FRESH WATER GENE |
| 13) | LATCH FOR FRONT COVER 984 58006-01 FOR FRESH |
| 14) | GASKET DIA 142/DIA 75 x 2 984 58004 01 FOR FRESH |
| 15) | PERKINSON RIBBLE 1/2 |
| 16) | ELBOW 1/2 |
| 17) | RUBBER SLEEVE 984 58005-01 FOR FRESH WATER GENE |
| 18) | SALLY VALVE 3 |
| 19) | TEMPERATURE W/PACKET 984 10500-00 FOR FRESH W |
| 20) | NEON BE LIGHT LAMP DIA 50 DIA 00338 10 FOR FRESH W |
| 21) | PLATE DIA 80 DIA/50 DIA/15 984 58006-01 FOR FRESH |
| 22) | GASKET FOR PLATE 12200 1084 6 FOR FRESH WATER |
| 23) | CUMPLE D 10 W FRESH WATER 984 58005-10 FOR FRESH |
| 24) | ZINC ANODE 984 58001 80 FOR FRESH WATER GENE |
| 25) | NOZZLE DIA 11/4 984 12000-00 FOR FRESH WATER GP |
| 26) | NOZZLE DIA 24 984 12000 50 FOR FRESH WATER GENE |

4) The object(s) of the declaration described above is/are in conformity with the following documents:
 5) Applicable Regulations or other stipulated requirements and documents:

| Document No. | Title | Edition | Date of issue |
|--------------|---|---------|---------------|
| MEPC.269(68) | Guidelines for the development of the IHM | | 2015-05-15 |
| EU SRR | Regulation (EU) No 1257/2013 | | 2013-11-20 |
| EMSA | Best Practice Guide on IHM | | 2016-10-28 |
| CR/CONF/45 | Hong Kong International Convention | | CR/CONF/45 |
| | | | |

6) Additional information:

Signed for and on behalf of:

Place of issue

Date of issue
14/06/2024

7) Name function

Signature

Lead Signature



Material Declaration

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169534

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| EJECTOR HOUSING 984 12200-10 FOR FRESH WATER GENERATOR | SI07011-HES-013/2024E/169534 | 1 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|--|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | no threshold level | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| | Bromochloromethane | | No | | | | |
| | 2,500 mg total tin/kg | | No | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| | | | Yes/No | Mass | Unit | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | Unit | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | Unit | |
| | Lead and lead compounds | 1 g/kg | No | | | Unit | |
| | Mercury and mercury compounds | 1 g/kg | No | | | Unit | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | Unit | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | Unit | |
| | Polychloronaphthalenes (C1 >= 3) | no threshold level | No | | | Unit | |
| | Radioactive substances | no threshold level | No | | | Unit | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | Unit | |
| Annex II**** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | Unit | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | Unit | |

*Please refer to footnote 10 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.**Important Notice:** The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-07-29 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169536 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| SET SCREW M12 x 40 DIN 912 985 0002-15 FOR FRESH WATER GENERATOR | SI07011-HES-013/2024E/169536 | 1 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | | |
|--|--|------------------------------|---|-----------------------|------|---|--|--|
| | | | Yes/No | Mass | Unit | | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | | |
| | | Halons | | No | | | | |
| | | Other fully halogenated CFCs | | No | | | | |
| | | Carbon tetrachloride | | No | | | | |
| | | 1,1,1-Trichloroethane | | No | | | | |
| | | Hydrochlorofluorocarbons | | No | | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | 2,500 mg total tin/kg | No | | | | |
| | | Methyl bromide | | No | | | | |
| Table B (materials listed in appendix 2 of the Convention) | | | Present above threshold level | If yes, material mass | | If yes, information on where it is used | | |
| | | | Yes/No | Mass | Unit | | | |
| | | | Cadmium and cadmium compounds | 100 mg/kg | No | | | |
| | | | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | |
| | | | Lead and lead compounds | 1 g/kg | No | | | |
| | | | Mercury and mercury compounds | 1 g/kg | No | | | |
| | | | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | |
| | | | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | |
| | | | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | | |
| | | | Radioactive substances | no threshold level | No | | | |
| Annex II**** (Additional materials) | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CINF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-07-29 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169537 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|---|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| PRESSURE GAUGE 0-6 BAR 984 10297-00 FOR FRESH WATER GENERATOR | SI07011-HES-013/2024E/169537 | 1 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|--|-------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Bromochloromethane | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | |
| | Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | |
| Hexavalent chromium and hexavalent chromium compounds | | 1 g/kg | No | | | | |
| Lead and lead compounds | | 1 g/kg | No | | | | |
| Mercury and mercury compounds | | 1 g/kg | No | | | | |
| Polybrominated biphenyl (PBBs) | | 1 g/kg | No | | | | |
| Polybrominated diphenyl ethers (PBDEs) | | 1 g/kg | No | | | | |
| Polychloronaphthalenes (C1 >= 3) | | no threshold level | No | | | | |
| Radioactive substances | | no threshold level | No | | | | |
| Certain shortchain chlorinated paraffins | | 10 g/kg | No | | | | |
| Perfluorooctane sulfonic acid (PFOS) | | 10 mg/kg**** | No | | | | |
| Annex II**** (Additional materials) | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/16/EC (EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28)

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

Date 2024-07-29

<MD ID number>

MD-ID-No. MD-169538

<Other information>

Remark 1
 Remark 2
 Remark 3

<Supplier (respondent) information>

Company name Afflex Ships Equipment LLC
 Division name
 Address
 Contact person
 Telephone number
 Fax number
 E-mail address sales@aflex.ae
 SDoC ID-No. SDoC-673536

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|---|-------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| SET SCREW M16 x 40 DIN 912 985 00002-16 FOR FRESH WATER GENERATOR | SI107011-HES-013/2024E/169538 | 16 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|--|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Bromochloromethane | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | |
| | 1 | | Unit | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| Yes/No | Mass | Unit | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | | |
| | Lead and lead compounds | 1 g/kg | No | | | | |
| | Mercury and mercury compounds | 1 g/kg | No | | | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | | | |
| | Radioactive substances | no threshold level | No | | | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | | |
| Annex II**** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | | |

*Please refer to footnote 10 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CINF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

=Supplier (respondent) information=

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169539 |
|-----------|-----------|

=Other information=

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | -- |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

=Product information=

| Product name | Product number | Amount | Delivered unit | Unit | Product information |
|--|------------------------------|--------|----------------|------|---------------------|
| RUBBER SLEEVE 984 58120-01 FOR FRESH WATER GENERATOR | S107011-HES-013/2024E/169539 | 3 | | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Unit | Present above threshold level | | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|--------------------|-------------------------------|------|-----------------------|--|---|--|
| | | | 1 | Yes/No | Mass | Unit | | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | | No | | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | | No | | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | | No | | | | |
| | | Halons | | | No | | | | |
| | | Other fully halogenated CFCs | | | No | | | | |
| | | Carbon tetrachloride | | | No | | | | |
| | | 1,1,1-Trichloroethane | | | No | | | | |
| | | Hydrochlorofluorocarbons | | | No | | | | |
| | | Hydrochlorofluorocarbons | | | No | | | | |
| | Methyl bromide | | No | | | | | | |
| Bromochloromethane | | No | | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | | No | | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | | No | | | | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | | No | | | | | |
| | Lead and lead compounds | 1 g/kg | | No | | | | | |
| | Mercury and mercury compounds | 1 g/kg | | No | | | | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | | No | | | | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | | No | | | | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | | No | | | | | |
| | Radioactive substances | no threshold level | | No | | | | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | | No | | | | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | | No | | | | | |
| Annex II*** (Additional materials) | Brominated Flame Retardant (BFR/DD) | 100 mg/kg | | No | | | | | |

*Please refer to footnote III on the "Form of Material Declaration" in the IMO Guidelines Resolution MSC.260(88).

**Hague Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/18/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-26

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight (calculated with reference to the mass of structurally or non-structurally distinct parts that contain PFOS) or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/in² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169540

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|-------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| ELECTRODE (FOR SL-3000,DS-20) 985 42985-05 FOR FRESH WATER GENERATOR | SI107011-HES-013/2024E/169540 | 2 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | | | |
|--|--|------------------------------|---|-----------------------|------|---|--|------|--|
| | | | Yes/No | Mass | Unit | | | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | | | |
| | | Halons | | No | | | | | |
| | | Other fully halogenated CFCs | | No | | | | | |
| | | Carbon tetrachloride | | No | | | | | |
| | | 1,1,1-Trichloroethane | | No | | | | | |
| | | Hydrochlorofluorocarbons | | No | | | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | 2,500 mg total tin/kg | No | | | | | |
| | | Methyl bromide | | No | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | | | |
| | | | Yes/No | Mass | Unit | | | | |
| | | | Cadmium and cadmium compounds | 100 mg/kg | No | | | Unit | |
| | | | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | Unit | |
| | | | Lead and lead compounds | 1 g/kg | No | | | Unit | |
| | | | Mercury and mercury compounds | 1 g/kg | No | | | Unit | |
| | | | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | Unit | |
| | | | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | Unit | |
| | | | Polychloronaphthalenes (C1 >= 3) | no threshold level | No | | | Unit | |
| | | | Radioactive substances | no threshold level | No | | | Unit | |
| Annex II**** (Additional materials) | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | | | | |

*Please refer to footnote 10 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CINF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/16/EC (EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28)

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

=Supplier (respondent) information=

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169541 |
|-----------|-----------|

=Other information=

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | -- |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

=Product information=

| Product name | Product number | Delivered unit | | Product information |
|--|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| VACUUM PIPE 984 58295-80 FOR FRESH WATER GENERATOR | S107011-HES-013/2024E/169541 | 1 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | Methyl bromide | No | | | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| | | 1 | | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| Yes/No | Mass | Unit | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | Unit | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | | |
| | Radioactive substances | no threshold level | No | | Unit | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | |
| Annex II*** (Additional materials) | Brominated Flame Retardant (BRCDD) | 100 mg/kg | No | | Unit | | |

*Please refer to footnote III on the "Form of Material Declaration" in the IMO Guidelines Resolution MSC.260(88).

**Hague Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/18/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-26

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight (calculated with reference to the mass of structurally or non-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/in² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169542 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|---|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| PRESSURE GAUGE 0-3 BAR 984 1029B-00 FOR FRESH WATER GENERATOR | SI07011-HES-013/2024E/169542 | 2 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|--|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | no threshold level | No | | | |
| | | Methyl bromide | | No | | | |
| | Bromochloromethane | | No | | | | |
| | 2,500 mg total tin/kg | | No | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| | | | Yes/No | Mass | Unit | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | | |
| | Lead and lead compounds | 1 g/kg | No | | | | |
| | Mercury and mercury compounds | 1 g/kg | No | | | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | | | |
| | Radioactive substances | no threshold level | No | | | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | | |
| Annex II**** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | | |

*Please refer to footnote 10 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

=Supplier (respondent) information=

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169543 |
|-----------|-----------|

=Other information=

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

=Product information=

| Product name | Product number | Delivered unit | Product information |
|--|------------------------------|----------------|---------------------|
| | | Amount | Unit |
| WATER METER 985-42600-03 FOR FRESH WATER GENERATOR | S107011-HES-013/2024E/169543 | 1 | pcs |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | Methyl bromide | No | | | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| 1 | | | | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| | | | Yes/No | Mass | Unit | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | Unit | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | | |
| | Radioactive substances | no threshold level | No | | Unit | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | |
| Annex II*** (Additional materials) | Brominated Flame Retardant (BRCDD) | 100 mg/kg | No | | Unit | | |

*Please refer to footnote III on the "Form of Material Declaration" in the IMO Guidelines Resolution MSC.260(88).

**Hague-Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/18/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-26

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or non-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169544 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| HOUSING FOR ELECTRODE 1/2" 984 2212-00 FOR FRESH WATER GENERATOR | SI07011-HES-013/2024E/169544 | 1 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | | | |
|--|--|------------------------------|---|-----------------------|------|---|--|------|--|
| | | | Yes/No | Mass | Unit | | | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | | | |
| | | Halons | | No | | | | | |
| | | Other fully halogenated CFCs | | No | | | | | |
| | | Carbon tetrachloride | | No | | | | | |
| | | 1,1,1-Trichloroethane | | No | | | | | |
| | | Hydrochlorofluorocarbons | | No | | | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | 2,500 mg total tin/kg | No | | | | | |
| | | Methyl bromide | | No | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | | | |
| | | | Yes/No | Mass | Unit | | | | |
| | | | Cadmium and cadmium compounds | 100 mg/kg | No | | | Unit | |
| | | | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | Unit | |
| | | | Lead and lead compounds | 1 g/kg | No | | | Unit | |
| | | | Mercury and mercury compounds | 1 g/kg | No | | | Unit | |
| | | | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | Unit | |
| | | | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | Unit | |
| | | | Polychloronaphthalenes (C1 >= 3) | no threshold level | No | | | Unit | |
| | | | Radioactive substances | no threshold level | No | | | Unit | |
| Annex II**** (Additional materials) | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

«Supplier (respondent) information»

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169545 |
|-----------|-----------|

«Other information»

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | -- |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

«Product information»

| Product name | Product number | Amount | Delivered unit | Unit | Product information |
|--|------------------------------|--------|----------------|------|---------------------|
| RUBBER SLEEVE 984 58084-01 FOR FRESH WATER GENERATOR | S107011-HES-013/2024E/169545 | 2 | | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| 1 | Unit |
|---|------|
| | |

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | Methyl bromide | No | | | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| Yes/No | Mass | Unit | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | Unit | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | | |
| | Radioactive substances | no threshold level | No | | Unit | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | |
| Annex II*** (Additional materials) | Brominated Flame Retardant (BHCDD) | 100 mg/kg | No | | Unit | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MSC.260(88).

**Hàng Kông International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/18/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2018-10-28

****Concentrations of PFOS above 10 mg/kg (0,001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0,1% by weight (calculated with reference to the mass of structurally or non-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/in² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169546 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|---|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| GASKET FOR FRONT COVER 984 58058-01 FOR FRESH WATER GENERATOR | 5107011-HES-013/2024E/169546 | 2 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|--|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | 2,500 mg total tin/kg | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| | Bromochloromethane | | No | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| Yes/No | Mass | Unit | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | | |
| | Lead and lead compounds | 1 g/kg | No | | | | |
| | Mercury and mercury compounds | 1 g/kg | No | | | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | | |
| | Polychloronaphthalenes (C1 >= 3) | no threshold level | No | | | | |
| | Radioactive substances | no threshold level | No | | | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | | |
| Annex II**** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2008 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169547 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| GASKET DIA 142/DIA 75 + 2 984 58094-01 FOR FRESH WATER GENERATOR | 5107011-HES-013/2024E/169547 | 1 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|--|-------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Bromochloromethane | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | |
| | Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | |
| Hexavalent chromium and hexavalent chromium compounds | | 1 g/kg | No | | | | |
| Lead and lead compounds | | 1 g/kg | No | | | | |
| Mercury and mercury compounds | | 1 g/kg | No | | | | |
| Polybrominated biphenyl (PBBs) | | 1 g/kg | No | | | | |
| Polybrominated diphenyl ethers (PBDEs) | | 1 g/kg | No | | | | |
| Polychloronaphthalenes (C1 >= 3) | | no threshold level | No | | | | |
| Radioactive substances | | no threshold level | No | | | | |
| Certain shortchain chlorinated paraffins | | 10 g/kg | No | | | | |
| Perfluorooctane sulfonic acid (PFOS) | | 10 mg/kg**** | No | | | | |
| Annex II**** (Additional materials) | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CINF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169548

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| HEXAGON NIPPLE 1/2" BSP 985 52721-03 FOR FRESH WATER GENERATOR | 5107011-HES-013/2024E/169548 | 1 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|--|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | 2,500 mg total tin/kg | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| | Bromochloromethane | | No | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| Table B (materials listed in appendix 2 of the Convention) | | | Yes/No | Mass | Unit | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | Unit | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | Unit | |
| | Lead and lead compounds | 1 g/kg | No | | | Unit | |
| | Mercury and mercury compounds | 1 g/kg | No | | | Unit | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | Unit | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | Unit | |
| | Polychloronaphthalenes (C1 >= 3) | no threshold level | No | | | Unit | |
| | Radioactive substances | no threshold level | No | | | Unit | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | Unit | |
| Annex II**** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | Unit | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | Unit | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

=Supplier (respondent) information=

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169549

=Other information=

Remark 1

Remark 2

Remark 3

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

=Product information=

| Product name | Product number | Delivered unit | | Product information |
|---|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| ELBOW 1/2" BSP 985 52700-03 FOR FRESH WATER GENERATOR | S107011-HES-013/2024E/169549 | 1 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | Methyl bromide | No | | | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| | | 1 | | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| Yes/No | Mass | Unit | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | Unit | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | | |
| | Radioactive substances | no threshold level | No | | Unit | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | |
| Annex II*** (Additional materials) | Brominated Flame Retardant (BHCDD) | 100 mg/kg | No | | Unit | | |

*Please refer to footnote III on the "Form of Material Declaration" in the IMO Guidelines Resolution MSC.260(88).

**Hague Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/18/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-26

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight (calculated with reference to the mass of structurally or non-structurally distinct parts that contain PFOS) or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

=Supplier (respondent) information=

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169550 |
|-----------|-----------|

=Other information=

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

=Product information=

| Product name | Product number | Delivered unit | | Product information |
|--|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| RUBBER SLEEVE 984 58085-01 FOR FRESH WATER GENERATOR | S107011-HES-013/2024E/169550 | 4 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | Methyl bromide | No | | | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| Yes/No | Mass | Unit | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | Unit | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | | |
| | Radioactive substances | no threshold level | No | | Unit | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | |
| Annex II*** (Additional materials) | Brominated Flame Retardant (BRCDD) | 100 mg/kg | No | | Unit | | |

*Please refer to footnote III on the "Form of Material Declaration" in the IMO Guidelines Resolution MSC.260(88).

**Hague Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/18/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-26

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or non-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169551

<Other information>

Remark 1
 Remark 2
 Remark 3

<Supplier (respondent) information>

Company name Afflex Ships Equipment LLC
 Division name
 Address
 Contact person
 Telephone number
 Fax number
 E-mail address sales@aflex.ae
 SDoC ID-No. SDoC-673536

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| SAFETY VALVE 1" BSP 984 35360-00 FOR FRESH WATER GENERATOR | SI07011-HES-013/2024E/169551 | 1 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|--|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | no threshold level | No | | | |
| | | Methyl bromide | | No | | | |
| | | 2,500 mg total tin/kg | No | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| | | | Yes/No | Mass | Unit | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | | |
| | Lead and lead compounds | 1 g/kg | No | | | | |
| | Mercury and mercury compounds | 1 g/kg | No | | | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | | |
| | Polychloronaphthalenes (C1 >= 3) | no threshold level | No | | | | |
| | Radioactive substances | no threshold level | No | | | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | | |
| Annex II**** (Additional materials) | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2008 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169552

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|---|-------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| THERMOMETER W/POCKET 984 30366-00 FOR FRESH WATER GENERATOR | SI107011-HES-013/2024E/169552 | 8 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|--|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | 2,500 mg total tin/kg | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| | Bromochloromethane | | No | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| Table B (materials listed in appendix 2 of the Convention) | | | Yes/No | Mass | Unit | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | Unit | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | Unit | |
| | Lead and lead compounds | 1 g/kg | No | | | Unit | |
| | Mercury and mercury compounds | 1 g/kg | No | | | Unit | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | Unit | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | Unit | |
| | Polychloronaphthalenes (C1 >= 3) | no threshold level | No | | | Unit | |
| | Radioactive substances | no threshold level | No | | | Unit | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | Unit | |
| Annex II**** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | Unit | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | Unit | |

*Please refer to footnote 10 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169553 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|---|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| NON RETURN FLAP DIA 50 985-00036-39 FOR FRESH WATER GENERATOR | SI07011-HES-013/2024E/169553 | 4 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|--|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | no threshold level | No | | | |
| | | Methyl bromide | | No | | | |
| | Bromochloromethane | | No | | | | |
| | 2,500 mg total tin/kg | | No | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| | | | Yes/No | Mass | Unit | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | | |
| | Lead and lead compounds | 1 g/kg | No | | | | |
| | Mercury and mercury compounds | 1 g/kg | No | | | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | | |
| | Polychloronaphthalenes (C1 >= 3) | no threshold level | No | | | | |
| | Radioactive substances | no threshold level | No | | | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | | |
| Annex II**** (Additional materials) | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CINF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Supplier (respondent) information>

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169554

<Other information>

Remark 1

Remark 2

Remark 3

| | |
|------------------|---------------------------|
| Company name | Affex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@affex.us |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Amount | Delivered unit | Unit | Product information |
|--|------------------------------|--------|----------------|------|---------------------|
| FLANG DIA 80 DIN/ANSI/JIS 584 58068-03 FOR FRESH WATER GENERATOR | 5107011-HES-013/2024E/169554 | 2 | | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| | | | 1 | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| Yes/No | Mass | Unit | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | Unit | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | | |
| | Radioactive substances | no threshold level | No | | Unit | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | |
| Annex II*** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC 209(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and Amending Regulation (EC) No. 1013/2006 and Directive 2009/16/EC-EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-20

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.**Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.**

Material Declaration

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169555

<Other information>

Remark 1

Remark 2

Remark 3

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|-------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| GASKET (FOR PLATES) 32263-1964-6 FOR FRESH WATER GENERATOR | SI107011-HES-013/2024E/169555 | 50 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | | | |
|--|--|------------------------------|---|-----------------------|------|---|--|------|--|
| | | | Yes/No | Mass | Unit | | | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | | | |
| | | Halons | | No | | | | | |
| | | Other fully halogenated CFCs | | No | | | | | |
| | | Carbon tetrachloride | | No | | | | | |
| | | 1,1,1-Trichloroethane | | No | | | | | |
| | | Hydrochlorofluorocarbons | | No | | | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | 2,500 mg total tin/kg | No | | | | | |
| | | Methyl bromide | | No | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | | | |
| | | | Yes/No | Mass | Unit | | | | |
| | | | Cadmium and cadmium compounds | 100 mg/kg | No | | | Unit | |
| | | | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | Unit | |
| | | | Lead and lead compounds | 1 g/kg | No | | | Unit | |
| | | | Mercury and mercury compounds | 1 g/kg | No | | | Unit | |
| | | | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | Unit | |
| | | | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | Unit | |
| | | | Polychloronaphthalenes (C1 >= 3) | no threshold level | No | | | Unit | |
| | | | Radioactive substances | no threshold level | No | | | Unit | |
| Annex II**** (Additional materials) | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.**Important Notice:** The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-06-14 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-169556 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Supplier (respondent) information>

| | |
|------------------|---------------------------|
| Company name | Aflex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@aflex.ae |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| ORIFICE D=10,9 FEED WATER 984 57861-20 FOR FRESH WATER GENERATOR | SI07011-HES-013/2024E/169556 | 2 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | | | |
|--|--|------------------------------|---|-----------------------|------|---|--|------|--|
| | | | Yes/No | Mass | Unit | | | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | | | |
| | | Halons | | No | | | | | |
| | | Other fully halogenated CFCs | | No | | | | | |
| | | Carbon tetrachloride | | No | | | | | |
| | | 1,1,1-Trichloroethane | | No | | | | | |
| | | Hydrochlorofluorocarbons | | No | | | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | Hydrochlorofluorocarbons | 2,500 mg total tin/kg | No | | | | | |
| | | Methyl bromide | | No | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | | | |
| | | | Yes/No | Mass | Unit | | | | |
| | | | Cadmium and cadmium compounds | 100 mg/kg | No | | | Unit | |
| | | | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | Unit | |
| | | | Lead and lead compounds | 1 g/kg | No | | | Unit | |
| | | | Mercury and mercury compounds | 1 g/kg | No | | | Unit | |
| | | | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | Unit | |
| | | | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | Unit | |
| | | | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | | Unit | |
| | | | Radioactive substances | no threshold level | No | | | Unit | |
| Annex II**** (Additional materials) | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Supplier (respondent) information>

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169557

<Other information>

Remark 1
Remark 2
Remark 3

| | |
|------------------|---------------------------|
| Company name | Affex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@affex.us |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Amount | Delivered unit | Unit | Product information |
|---|------------------------------|--------|----------------|------|---------------------|
| ZINC ANODE 984 58053-80 FOR FRESH WATER GENERATOR | 5107011-HES-013/2024E/169557 | 2 | | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Unit |
|------|
| 1 |

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozone depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| | | | Yes/No | Mass | Unit | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | Unit | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | | |
| | Radioactive substances | no threshold level | No | | Unit | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | |
| Annex II*** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC 209(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and Amending Regulation (EC) No. 1013/2006 and Directive 2009/16/EC-EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-20

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Supplier (respondent) information>

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169558

<Other information>

Remark 1

Remark 2

Remark 3

| | |
|------------------|---------------------------|
| Company name | Affex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@affex.us |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Amount | Delivered unit | Unit | Product information |
|--|------------------------------|--------|----------------|------|---------------------|
| NOZZLE DIA 33.4 984 12288-60 FOR FRESH WATER GENERATOR | 5107011-HES-013/2024E/169558 | 2 | | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozone depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| | | | Yes/No | Mass | Unit | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | Unit | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | | |
| | Radioactive substances | no threshold level | No | | Unit | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | |
| Annex II*** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC 209(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and Amending Regulation (EC) No. 1013/2006 and Directive 2009/16/EC, EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-20

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.**Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.**

Material Declaration

<Supplier (respondent) information>

<Date of Declaration>

Date 2024-06-14

<MD ID number>

MD-ID-No. MD-169559

<Other information>

Remark 1
Remark 2
Remark 3

| | |
|------------------|---------------------------|
| Company name | Affex Ships Equipment LLC |
| Division name | |
| Address | |
| Contact person | |
| Telephone number | |
| Fax number | |
| E-mail address | sales@affex.us |
| SDoC ID-No. | SDoC-673536 |

<Product information>

| Product name | Product number | Amount | Delivered unit | Unit | Product information |
|--|------------------------------|--------|----------------|------|---------------------|
| NOZZLE DIA 24 984 12288-50 FOR FRESH WATER GENERATOR | 5107011-HES-013/2024E/169559 | 2 | | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Unit |
|------|
| 1 |

| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|-------------------------------|-----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozone depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, material mass | | If yes, information on where it is used | |
| | | | Yes/No | Mass | Unit | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | Unit | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | | |
| | Radioactive substances | no threshold level | No | | Unit | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | |
| Annex II*** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC 209(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and Amending Regulation (EC) No. 1013/2006 and Directive 2009/16/EC, EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-20

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.