

Material Declaration

<Date of declaration>

Date	2024/06/13
------	------------

<MD ID number>

MD-ID-No.	MD-2024-06-13-01
-----------	------------------

<Supplier (respondent) information>

Company name	Seago Marine Engineering & Services Limited
Division name	
Address	
Contact person	Luna Lu
Telephone number	8651380102963
Fax number	
E-mail address	sales@seagomarine.com
SDoC ID-No.	SDoC-240613-01

<Other information>

Remark 1	LAZAR Shipping
Remark 2	
Remark 3	

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
VALVE SPINDLE		1		

<Material information>

This materials information shows the amount of hazardous materials contained in

1	Unit
---	------

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A** (materials listed in appendix 1 of the Convention)	Asbestos	0.1%*					
	Polychlorinated biphenyls (PCBs)	50 mg/kg					
	Ozon depleting substance	Chlorofluorocarbons (CFCs)	no threshold level				
		Halons					
		Other fully halogenated CFCs					
		Carbon tetrachloride					
		1,1,1-Trichloroethane					
		Hydrochlorofluorocarbons					
		Hydrobromofluorocarbons					
	Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg					
Table B** (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg					
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg					
	Lead and lead compounds	1,000 mg/kg					
	Mercury and mercury compounds	1,000 mg/kg					
	Polybrominated biphenyl (PBBs)	50 mg/kg					
	Polybrominated diphenyl ethers (PBDEs)	1,000 mg/kg					
	Polychloronaphthalenes (Cl >= 3)	50 mg/kg					
	Radioactive substances	no threshold level					
Annex II*** (Additional materials)	Certain shortchain chlorinated paraffins	1%					
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****					
	Brominated Flame Retardant (HBCDD)	100 mg/kg					

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, of parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.



Material Declaration

<Date of declaration>

Date	2024/06/13
------	------------

<MD ID number>

MD-ID-No.	MD-2024-06-13-02
-----------	------------------

<Supplier (respondent) information>

Company name	Seago Marine Engineering & Services Limited
Division name	
Address	
Contact person	Luna Lu
Telephone number	8651380102963
Fax number	
E-mail address	sales@seagomarine.com
SDoC ID-No.	SDoC-240613-01

<Other information>

Remark 1	LAZAR Shipping
Remark 2	
Remark 3	

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
VALVE SEAT		1		

<Material information>

This materials information shows the amount of hazardous materials contained in

1	Unit
---	------

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A** (materials listed in appendix 1 of the Convention)	Asbestos	0.1%*					
	Polychlorinated biphenyls (PCBs)	50 mg/kg					
	Ozon depleting substance	Chlorofluorocarbons (CFCs)	no threshold level				
		Halons					
		Other fully halogenated CFCs					
		Carbon tetrachloride					
		1,1,1-Trichloroethane					
		Hydrochlorofluorocarbons					
		Hydrobromofluorocarbons					
		Methyl bromide					
Bromochloromethane							
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg						
Table B** (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg					
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg					
	Lead and lead compounds	1,000 mg/kg					
	Mercury and mercury compounds	1,000 mg/kg					
	Polybrominated biphenyl (PBBs)	50 mg/kg					
	Polybrominated dephenyl ethers (PBDEs)	1,000 mg/kg					
	Polychloronaphthalenes (Cl >= 3)	50 mg/kg					
	Radioactive substances	no threshold level					
Certain shortchain chlorinated paraffins	1%						
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****					
	Brominated Flame Retardant (HBCDD)	100 mg/kg					

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

****EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material



Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of declaration>

Date	2024/06/13
------	------------

<MD ID number>

MD-ID-No.	MD-2024-06-13-03
-----------	------------------

<Supplier (respondent) information>

Company name	Seago Marine Engineering & Services Limited
Division name	
Address	
Contact person	Luna Lu
Telephone number	8651380102963
Fax number	
E-mail address	sales@seagomarine.com
SDoC ID-No.	SDoC-240613-01

<Other information>

Remark 1	LAZAR Shipping
Remark 2	
Remark 3	

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
SEALING RING		1		

<Material information>

This materials information shows the amount of hazardous materials contained in

1	Unit
---	------

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A** <small>(materials listed in appendix 1 of the Convention)</small>	Asbestos	0.1%*					
	Polychlorinated biphenyls (PCBs)	50 mg/kg					
	Ozon depleting substance	Chlorofluorocarbons (CFCs)	no threshold level				
		Halons					
		Other fully halogenated CFCs					
		Carbon tetrachloride					
		1,1,1-Trichloroethane					
		Hydrochlorofluorocarbons					
		Hydrobromofluorocarbons					
	Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg					
Table B** <small>(materials listed in appendix 2 of the Convention)</small>	Cadmium and cadmium compounds	100 mg/kg					
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg					
	Lead and lead compounds	1,000 mg/kg					
	Mercury and mercury compounds	1,000 mg/kg					
	Polybrominated biphenyl (PBBs)	50 mg/kg					
	Polybrominated diphenyl ethers (PBDEs)	1,000 mg/kg					
	Polychloronaphthalenes (Cl >= 3)	50 mg/kg					
	Radioactive substances	no threshold level					
Annex II*** <small>(Additional materials)</small>	Certain shortchain chlorinated paraffins	1%					
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****					
	Brominated Flame Retardant (HBCDD)	100 mg/kg					



*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/18/EC
 EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 ****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Date of declaration>

Date	2024/06/13
------	------------

<MD ID number>

MD-ID-No.	MD-2024-06-13-04
-----------	------------------

<Supplier (respondent) information>

Company name	Seago Marine Engineering & Services Limited
Division name	
Address	
Contact person	Luna Lu
Telephone number	8651380102963
Fax number	
E-mail address	sales@seagomarine.com
SDoC ID-No.	SDoC-240613-01

<Other information>

Remark 1	LAZAR Shipping
Remark 2	
Remark 3	

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
STUD		1		

<Material information>

This materials information shows the amount of hazardous materials contained in

1

Unit

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A** (materials listed in appendix 1 of the Convention)	Asbestos	0.1%*					
	Polychlorinated biphenyls (PCBs)	50 mg/kg					
	Ozon depleting substance	Chlorofluorocarbons (CFCs)	no threshold level				
		Halons					
		Other fully halogenated CFCs					
		Carbon tetrachloride					
		1,1,1-Trichloroethane					
		Hydrochlorofluorocarbons					
		Hydrobromofluorocarbons					
	Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg					
Table B** (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg					
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg					
	Lead and lead compounds	1,000 mg/kg					
	Mercury and mercury compounds	1,000 mg/kg					
	Polybrominated biphenyl (PBBs)	50 mg/kg					
	Polybrominated dephenyl ethers (PBDEs)	1,000 mg/kg					
	Polychloronaphthalenes (Cl >= 3)	50 mg/kg					
	Radioactive substances	no threshold level					
Annex II*** (Additional materials)	Certain shortchain chlorinated paraffins	1%					
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****					
	Brominated Flame Retardant (HBCDD)	100 mg/kg					



*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC 269(68).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC
 EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 ****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.