Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.:	Multi-SDoC-920566 SAFETY OCEAN MARINE SERVICE., LTD.			
2) Issuer's name:				
Issuer's address:	China, , GanJingZi District ,			
Object(s) of declaration:				
	1)	BALL VALVE DIN FORGED BRASS, FULL BORE SCREWED		
	2)	BALL VALVE DIN FORGED BRASS, FULL BORE SCREWED		
	3)	BALL VALVE DIN FORGED BRASS, FULL BORE SCREWED		

4) The object(s) of the declaration described above is/are in conformity with the following documents:

5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHI	м	2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong Internation Convention	al	SR/CONF/45

6) Additional	
Information:	
Signed for and on	
behalf of:	

Place of issue	Date of issue
	18/09/2024

For and on behalf of SAFETY Name function SERVICE LIMITED

Signature

AM GUM

=Load Signature

Material Declaration

<supplier< th=""><th>(respondent)</th><th>) information</th></supplier<>	(respondent)) information

<date declaration="" of=""></date>	
Date	2024-09-18
<md id="" number=""></md>	
MD-ID-No.	MD-178027
<other information=""></other>	
Remark 1	
Remark 2	
Remark 3	

<supplier (respondent)="" information=""></supplier>	
Company name	SAFETY OCEAN MARINE SERVICE., LTD.
Division name	
Address	China, , GanJingZi District
Contact person	Street: 4th Building ,NO.19 XinFeng Street ,
Telephone number	op@somarineservice.com
Fax number	
E-mail address	info@somarineservice.com
SDoC ID-No.	Multi-SDoC-920566

<Product information>

Product name	Donalis of second co	Deliver	Description of the second of t		
Product name	Product number	Amount	Unit	Product information	
BALL VALVE DIN FORGED BRASS, FULL BORE SCREWED #1607 3/4"	5402011-TIM-097/2024E/178027	12	pcs		

<Material information>
This materials information shows the amount of hazardous materials

Unit

Table Material name		Material name	Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
	Asbsestos	_	no threshold level	No			
	Polychlorinated biph	enyls(PCBs)	no threshold level	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
T-1-1- A (41-1-11-41111		Carbon tetrachloride		No			
Table A (materials listed in appendix 1 of the Convention	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
i of the convention	substance	Hydrochorofluorocarbons	7	No			
		Hydrochorofluorocarbons	7	No			
		Methyl bromide]	No			
		Bromochloromethane	1	No			
			2,500 mg total tin/kg	No			
Table	Material name		Threshold level	Present above shold level threshold level If yes, n			If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
	Cadmium and cadmi	um compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead compounds		1 g/kg	No		Unit	
Table B (materials listed in appendix	Mercury and mercury compounds		1 g/kg	No		Unit	
2 of the Convention	Polybrominated biphenyl (PBBs)		1 g/kg	No		Unit	
	Polybrominated dephenyl ethers (PBDEs)		1 g/kg	No		Unit	
	Polychloronaphthalenes (Cl >= 3)		no threshold level	No		Unit	
	Radioactive substances		no threshold level	No		Unit	
	Certain shortchain cl	ertain shortchain chlorinated paraffins		No		Unit	
	Perfluoroctane sulfonic acid (PEOS)		40 (1 4444	NI-		1	
Annex II*** (Additional materials)	Perfluorooctane sulf	onic acid (PFOS)	10 mg/kg****	No		Unit	

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

^{**}Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

^{***}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

^{****}Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Material Declaration

<supplier< th=""><th>(respondent)</th><th>) information</th></supplier<>	(respondent)) information

2024-09-18
MD-178028

<supplier (respondent)="" information=""></supplier>	
Company name	SAFETY OCEAN MARINE SERVICE., LTD.
Division name	
Address	China, , GanJingZi District ,
Contact person	Street: 4th Building ,NO.19 XinFeng Street ,
Telephone number	op@somarineservice.com
Fax number	
E-mail address	info@somarineservice.com
SDoC ID-No.	Multi-SDoC-920566

<Product information>

Donald and assessed	Donal and mount on	Deliver	B 1 42 6 42	
Product name	Product number	Amount	Unit	Product information
BALL VALVE DIN FORGED BRASS, FULL BORE SCREWED #1607 3/8"	5402011-TIM-097/2024E/178028	4	pcs	

<Material information>

This materials information shows the amount of hazardous materials

Unit

Table	Material name		Threshold level	Present above threshold level Yes/No	If yes, matrial mass		If yes, information on
					Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
	Polychlorinated biph	nenyls(PCBs)	no threshold level	No			
		Chlorofluorocarbons(CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Tabla A (4iala li-4d idi		Carbon tetrachloride		No			
Table A (materials listed in appendix I of the Convention	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
of the Convention	substance	Hydrochorofluorocarbons	7 1	No			
		Hydrochorofluorocarbons	7 1	No			
		Methyl bromide	-	No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
Table			Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
Table B (materials listed in appendix 2 of the Convention	Cadmium and cadmium compounds		100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead compounds		1 g/kg	No		Unit	
	Mercury and mercury compounds		1 g/kg	No		Unit	
	Polybrominated biphenyl (PBBs)		1 g/kg	No		Unit	
	Polybrominated dephenyl ethers (PBDEs)		1 g/kg	No		Unit	
	Polychloronaphthalenes (Cl >= 3)		no threshold level	No		Unit	
	Radioactive substances		no threshold level	No		Unit	
	Certain shortchain chlorinated paraffins		10 g/kg	No		Unit	
	Perfluorooctane sulfonic acid (PFOS)						
Annex II*** (Additional materials)	Perfluorooctane sulf	onic acid (PFOS)	10 mg/kg****	No		Unit	

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

^{**}Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

^{***}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

^{****}Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Material Declaration

<supplier< th=""><th>(respondent)</th><th>) information:</th></supplier<>	(respondent)) information:

<date declaration="" of=""></date>	
Date	2024-09-18
<md id="" number=""></md>	
MD-ID-No.	MD-178029
<other information=""></other>	
Remark 1	
Remark 2	
Remark 3	

<supplier (respondent)="" information=""></supplier>				
Company name	SAFETY OCEAN MARINE SERVICE., LTD.			
Division name				
Address	China, , GanJingZi District			
Contact person	Street: 4th Building ,NO.19 XinFeng Street ,			
Telephone number	op@somarineservice.com			
Fax number				
E-mail address	info@somarineservice.com			
SDoC ID-No.	Multi-SDoC-920566			

<Product information>

Donalds of second	Donal and mount on	Deliver		
Product name	Product number	Amount	Unit	Product information
BALL VALVE DIN FORGED BRASS, FULL BORE SCREWED #1607 1"	5402011-TIM-097/2024E/178029	4	pcs	

<Material information>
This materials information shows the amount of hazardous materials

Unit

Table	Material name		Threshold level	Present above threshold level Yes/No	If yes, matrial mass		If yes, information on
					Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
	Polychlorinated biph	nenyls(PCBs)	no threshold level	No			
		Chlorofluorocarbons(CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Tabla A (4iala li-4d idi		Carbon tetrachloride		No			
Table A (materials listed in appendix I of the Convention	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
of the Convention	substance	Hydrochorofluorocarbons	7 1	No			
		Hydrochorofluorocarbons	7 1	No			
		Methyl bromide	-	No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
Table			Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
Table B (materials listed in appendix 2 of the Convention	Cadmium and cadmium compounds		100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead compounds		1 g/kg	No		Unit	
	Mercury and mercury compounds		1 g/kg	No		Unit	
	Polybrominated biphenyl (PBBs)		1 g/kg	No		Unit	
	Polybrominated dephenyl ethers (PBDEs)		1 g/kg	No		Unit	
	Polychloronaphthalenes (Cl >= 3)		no threshold level	No		Unit	
	Radioactive substances		no threshold level	No		Unit	
	Certain shortchain chlorinated paraffins		10 g/kg	No		Unit	
	Perfluorooctane sulfonic acid (PFOS)						
Annex II*** (Additional materials)	Perfluorooctane sulf	onic acid (PFOS)	10 mg/kg****	No		Unit	

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

^{**}Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

^{***}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

^{****}Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.