MATERIAL DECLARATION

<date declaration="" of=""></date>					
Date:	2024/6/4				
<md id="" number<="" th=""><th>></th></md>	>				
MD-ID-No.	MD-OMSG2023101779D & GZG2024031884D				
<other informat<="" th=""><td>ion (e.g Shipyard, Hull Number if applicable.)></td></other>	ion (e.g Shipyard, Hull Number if applicable.)>				
Remark 1	LAZAR SHIPPING LLC				
Remark 2	OUREA				
Remark 3					

<supplier (respondent)="" information=""></supplier>					
Company name	OCEAN RICH MARINE ENGINEERING CO				
Division name					
Address	Room 1508, Qingdao Metro Plaza, No. 118 Changjiang West Road, Huangdao District, Qingdao Ci				
Contact person	Kavin Mu				
Telephone no	+86-18866396561				
Fax no					
E-mail adress	info@oceanrichmarine.com				
SDoC ID no	SDoC-OMSG2023101779D & GZG2024031884D				

- roudet information				
Product Name	Product Number	Product Number Delivered Unit		Product Information
Floduct Name	Floduct Number	Amount	Unit	Floduct illioillation
PO NUMBER:LZR-ORE-019/2023e PO NUMBER:5107008-ORE-019/2024E		1	piece	V-BELT FOR A/C FAN, ITEM NO. XPB 2410 V-BELT FOR A/C COMPRESSOR, ITEM NO. XPB 2120 V-BELT FOR REF. COMPRESSOR, ITEM NO. XPA 1800 HIMC 40 MAGNETIC CONTACTOR MAKER: HYUNDAI, MODEL: HIMC 40 COIL VOLTAGE: 220V

This material information shows the amount of hazardous materials contained in

Unit:					
1	piece				

\wateriai i	information>						
	Material Name		Fhreshold leve	Present above	IF YES Material Mass		IF YES
Table				threshold level			Information
				Yes or No	Amount	Unit	on where it is used
	Asbestos	Asbestos	0,1% *	No			
Table A**	PCB's	Polychlorinated Biphenyls (PCBs)	50 mg/kg	No			
		Chlorofluorcarbons (CFC's)		No			
Materials		Halons		No			
listed in		Other fully Halogenated CFC's		No			
appendix 1	Ozone depleting	Carbon Tetrachloride		No			
of the	Substances	1,1,1-Trichloroethane	No threshold leve	No			
Convention		Hydrochlorofluorcarbons		No			
		Hydrobromofluorcarbons		No			
		Methyl Bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems			No			
	containing organotin		500 mg total tin/k				
	compounds as a						
	biocide						

Table	Material Name	Threshold leve	Present above threshold level			IF YES Information
			Yes or No	Amount	Unit	on where it is used
	Cadmium & Cadmium Compounds	100 mg/kg	No			
Table B**	Hexavalent Chromium and Hexavalent Chromium Compounds	1,000 mg/kg	No			
	Lead and Lead Compounds	1,000 mg/kg	No			
Materials	Mercury and Mercury Compounds	1,000 mg/kg	No			
listed in	Polybromated Biphenyl (PBB's)	50 mg/kg	No			
appendix 2	Polybrominated Dephenyl Ethers (PBDE's)	1,000 mg/kg	No			
of the	Polychloronaphtalenes (CI>=3)	50 mg/kg	No			
Convention	Radioactive substances	No thr.level	No			
	Certain Shortchain Chlorinated Paraffins	1%	No			
Annex II*** (Additional	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			
	Flame Retardant (HBCDD)	100 ma/ka	Nο			

(Date, Signature and Stamp)

IMPORTANT NOTICE: Any significant change in material content may render this declaration invalid.

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC 269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

***Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference ENGTIVE Intucturally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above than 1 µg/m² of the coated amount of PFOS is equal to or above