INVENTORY OF HAZARDOUS MATERIALS



Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.:	Multi-SDoC-527318

2) Issuer's name: Shinpo Navigation Pte. Ltd.

Issuer's address: BLK 3 ANG MO KIO INDUSTRIAL PARK 2A, #06-02,AMK TECH 1 SINGAPORE, SINGAPORE, Singapore

3) Object(s) of declaration:

1) MAGNETRON MG5436 FOR FURUNO X BAND RADAR

4) The object(s) of the declaration described above is/are in conformity with the following documents:

5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue	
MEDC 3CO/CO)	Guidelines for th	ie	2015 05 15	
MEPC.269(68)	development of	the IHM	2015-05-15	
EU SRR	Regulation (EU) 1257/2013	No	2013-11-20	
EMSA	Best Practice Guide on IHM		2016-10-28	
SR/CONF/45	Hong Kong Inte	rnational	SR/CONF/45	

6) Additional	
Information:	
Signed for and on	
behalf of:	

Place of issue	Date of issue
	04/07/2024

7) Name function Signature

■Load Signature





Material Declaration

<date declaration="" of=""></date>	
Date	2024-07-04
<md id="" number=""></md>	
MD-ID-No.	MD-171957
<other information=""></other>	
Remark 1	
Remark 2	
Remark 3	

<supplier (respondent)="" information=""></supplier>	
Company name	Shinpo Navigation Pte. Ltd.
Division name	
Address	BLK 3 ANG MO KIO INDUSTRIAL PARK 2A, #06- 02,AMK TECH 1 SINGAPORE, SINGAPORE, Singapore
Contact person	
Telephone number	
Fax number	
E-mail address	service@shinponavigation.com
SDoC ID-No.	SDoC-527318

<Product information>

Duradicat conse	Product number	Deliver	Donators information	
Product name		Amount	Unit	Product information
MAGNETRON MG5436 FOR	5402012-SAP-	1	pcs	
FURUNO X BAND RADAR	033/2024D/171957	-	pcs	

<Material information>
Unit

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass	If yes, information on
				Yes/No	Mass Ur	it where it is used
Asbsestos			no threshold level	No		
Polychlorinated biphenyl		biphenyls (PCBs)	no threshold level	No		
		Chlorofluorocarbons(CFCs)	-	No		
		Halons		No		
		Other fully halogenated CFCs		No		
		Carbon tetrachloride		No		
	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No		
	substance	Hydrochorofluorocarbons	1	No		
		Hydrochorofluorocarbons	1	No		
	l N	Methyl bromide	1	No		
		Bromochloromethane	1	No		
	Anti-fouling sys	tems containing organotin biocide	2,500 mg total tin/kg	No		
Table		Material name	Threshold level	Present above threshold level	If yes, matrial mass	If yes, information on where it is used
				Yes/No	Mass Ur	it where it is used
	Heyavalent chromium and heyavalent		100 mg/kg	No	Ur	iit
			1 g/kg	No	Ur	iit
	Lead and lead co	ompounds	1 g/kg	No	Ur	it
Table B (materials listed	Mercury and me	rcury compounds	1 g/kg	No	Ur	nit
in appendix 2 of the	Polybrominated	biphenyl (PBBs)	1 g/kg	No	Ur	it
Convention	Polybrominated dephenyl ethers (PBDEs)		1 g/kg	No	Ur	it
	Polychloronaphthalenes (Cl >= 3)		no threshold level	No	Ur	iit
	Radioactive substances		no threshold level	No	Ur	it
	Certain shortchain chlorinated paraffins		10 g/kg	No	Ur	it
A TI*** (A - -	Perfluorooctane	sulfonic acid (PFOS)	10 mg/kg****	No	Ur	it
Annex II*** (Additional materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No	Ur	it

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other ATIO coated materials, if the amount of PFOS is equal to or above than 1 μ g/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.