

MATERIAL DECLARATION

<Date of declaration>

Date:	2024/03/02
-------	------------

<MD ID Number>

MD-ID-No.	MD5402005-RAN-004/2024E-0001
-----------	------------------------------

<Supplier (Respondent) Information>

Company name	NEW CHANNEL (CHINA) INTERNATIONAL CO., LIMITED
Division name	
Address	
Contact person	
Telephone no	
Fax no	
E-mail address	WWW.NEWCHANNELCN.COM
SDoC ID no	SDOC5402005-RAN-004/2024E-0001

<Other Information (e.g Shipyard, Hull Number if applicable.)>

Remark 1	DRACO BUREN SHIPPING PTE LTD
Remark 2	RANTANPLAN
Remark 3	

<Product Information>

Product Name	Product Number	Delivered Unit		Product Information
		Amount	Unit	
BLOWER/EXHAUSTER ELEC EFI75, 12" 2,500 CFM 3/4HP 115V/230V		1	PCE	
SOCKET WRENCH SET 6.35MM/SQ, 5-13MM 8SOCKET & 4TOOL #1850M		1	SET	
PLIER VISE-GRIP COMBINATION, 125MM		1	PAIRS	
PLIER SIDE-CUTTING INSULATED, 125MM		2	PAIRS	
PLIER LONG NEEDLE NOSE, PLASTIC COVERED HANDLE 125MM		2	PAIRS	
CUTTER DIAGONAL INSULATED UPTO, 1000V L:125MM		1	PAIRS	
ELECTRIC CABLE STRIPPER FOR, 0.5-2.0MM SINGLE CABLE		1	PAIRS	
KNIFE ELECTRICIAN'S		1	PCE	
SCREWDRIVER SET SPARK-TESTING, HIGH-VOLTAGE 6'S		1	SET	
SCREWDRIVER RATCHET WITH BITS, INTERCHANGEABLE -5/-7/#1/#2		1	SET	
SCREWDRIVER SET HAMMERING, IMPACT-TYPE 6 BITS		1	SET	
SCREWDRIVER WITH GRIPPING, SLOTTED 4.5X100MM		1	PCE	
SCREWDRIVER WITH GRIPPING, SLOTTED 2.6X100MM		1	PCE	
SCREWDRIVER WITH GRIPPING, PHILLIPS NO.00 75MM		1	PCE	
SCREWDRIVER WITH GRIPPING, PHILLIPS NO.20 100MM		1	PCE	
WRENCH SET ALLEN HEXAGON, 2.5-12MM 8'S		2	SET	
GAP GAUGE FOR MOTOR 500MM, 0.04-0.3MM		1	PCE	
LAMP FLUORESCENT COOL WHITE, FL-20SW 20W 32.5X580MM		150	PCE	
FL-LAMP BALLAST FBM-C-20, 100-115V 20W 0.360AMP		20	PCE	
FL-LAMP BALLAST FBM-T-40, 100-115V 40W 0.970/0.840AMP		20	PCE	
STARTER FOR FL LAMP FG-1P		200	PCE	
STARTER FOR FL LAMP FG-4P		200	PCE	
GLASS GLOBE SCREW TYPE S90A		10	PCE	
TABLE LIGHT UNIVERSAL 100W, INCANDESCENT W/TABLE BASE		2	SET	

HAND LAMP WATERTIGHT E-26 60W, (EX. JIS)	10	PCE	
CABLE REEL EXTENSION AC110V, 20MTR	5	SET	
CABLE REEL EXTENSION AC110V, 50MTR	2	SET	
CABLE SHOE CLAMPING TYPE-R, NOMINAL SIZE 1.25-3	100	PCE	
CABLE SHOE CLAMPING TYPE-R, NOMINAL SIZE 1.25-4	100	PCE	
CABLE SHOE CLAMPING TYPE-R, NOMINAL SIZE 1.25-5	100	PCE	
CABLE SHOE CLAMPING TYPE-R, NOMINAL SIZE 2.0-5	100	PCE	
CABLE SHOE CLAMPING TYPE-R, NOMINAL SIZE 2.0-8	100	PCE	
CABLE SHOE CLAMPING TYPE-R, NOMINAL SIZE 5.5-5	100	PCE	
CABLE SHOE CLAMPING TYPE-R, NOMINAL SIZE 5.5-6	100	PCE	
CABLE SHOE CLAMPING TYPE-R, NOMINAL SIZE 5.5-10	100	PCE	
CABLE SHOE CLAMPING TYPE-R, NOMINAL SIZE 8.0-6	100	PCE	
CABLE SHOE CLAMPING TYPE-R, NOMINAL SIZE 8.0-10	100	PCE	
CABLE GLAND WATERTIGHT, FOR ELECTRIC APPLIANCE 10MM	10	PCE	
CABLE GLAND WATERTIGHT, FOR ELECTRIC APPLIANCE 20MM	10	PCE	
CABLE GLAND WATERTIGHT, FOR ELECTRIC APPLIANCE 30MM	8	PCE	
CABLE GLAND WATERTIGHT, FOR ELECTRIC APPLIANCE 15MM	10	PCE	
CABLE GLAND WATERTIGHT, FOR ELECTRIC APPLIANCE 25MM	10	PCE	
JOINT BOX W. T. CAST IRON TYPE1, 20AMP 3-P 2-GLANDS	15	PCE	
CABLE BAND PLASTIC 200MM	300	PCE	
CABLE BAND PLASTIC 300MM	300	PCE	
SOLDERING IRON ELECTRIC, I-ROUND 110V 100W	1	PCE	
SOLDERING WIRE RESIN CORED, 450GRM	2	PCE	
TIP CLEANER FOR SOLDERING IRON	1	PCE	
DESOLDERING GUN VACUUM, SUCTION TYPE	1	PCE	
TAPE PVC INSULATION 19MMX20MTR	20	PCE	
RELAY CLEANER ELECTRIC CONTACT, 260GRM SPRAY TIN	8	TN	
MULTI TESTER DIGITAL COMPACT, MODEL CD- 800a	1	SET	
GREASE GUN LEVER TYPE KH-35, STANDARD 400CC	2	PCE	
V-BELT A-24	5	PCE	
V-BELT A-22	5	PCE	

This material information shows the amount of hazardous materials contained in

1	piece
---	-------

<Material Information>

Table	Material Name	Threshold level	Present above threshold level Yes or No	IF YES		IF YES Information on where it is used
				Material Mass		
				Amount	Unit	

Table A** Materials listed in appendix 1 of the Convention	Asbestos	Asbestos	0, 1% *	No			
	PCB's	Polychlorinated Biphenyls (PCBs)	50 mg/kg	No			
	Ozone depleting Substances	Chlorofluorocarbons (CFC's)	No threshold level	No			
		Halons		No			
		Other fully Halogenated CFC's		No			
		Carbon Tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl Bromide		No			
Bromochloromethane	No						

Table	Material Name	Threshold level	Present above threshold level Yes or No	IF YES Material Mass		IF YES Information on where it is used
				Amount	Unit	
Table B** Materials listed in appendix 2 of the Convention	Cadmium & Cadmium Compounds	100 mg/kg	No			
	Hexavalent Chromium and Hexavalent Chromium Compounds	1,000 mg/kg	No			
	Lead and Lead Compounds	1,000 mg/kg	No			
	Mercury and Mercury Compounds	1,000 mg/kg	No			
	Polybromated Biphenyl (PBB's)	50 mg/kg	No			
	Polybrominated Diphenyl Ethers (PBDE's)	1,000 mg/kg	No			
	Polychloronaphthalenes (Cl>=3)	50 mg/kg	No			
	Radioactive substances	No thr. level	No			
Certain Shortchain Chlorinated Paraffins	1%	No				

Annex II*** (Additional)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			
	Flame Retardant (HBCDD)	100 mg/kg	No			

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal

to or above than 1 µg/m² of the coated material

