

INVENTORY OF HAZARDOUS MATERIALS

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration

<Supplier (respondent) information>

Company name	Shinpo Engineering Pte Ltd.
Division name	
Address	Street 1 Tuas South Avenue 6 #05-20, The Westcom Singapore, Singapore, Singapore
Contact person	
Telephone number	
Fax number	
E-mail address	sales@shinpoengineering.com
SDoC ID-No.	SDoC-542140

<Date of Declaration>

Date 2024-10-28

<MD ID number>

MD-ID-No. MD-179971

<Other information>

Remark 1
Remark 2
Remark 3

<Product information>

Product name	Product number	Amount	Delivered unit	Unit	Product information
LIFEBOAT FENDERS LENGTH 22CM HEIGHT 14CM WIDTH 9.5CM WITH 4 HOLES	5114001-IKA-061/2024D/179971	8		pcs	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit		
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit		
	Lead and lead compounds	1 g/kg	No		Unit		
	Mercury and mercury compounds	1 g/kg	No		Unit		
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit		
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit		
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No		Unit		
	Radioactive substances	no threshold level	No		Unit		
	Certain shortchain chlorinated paraffins	10 g/kg	No		Unit		
	Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Brominated Flame Retardant (HBCDD)		100 mg/kg	No		Unit		

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration

<Supplier (respondent) information>

<Date of Declaration>	
Date	2024-10-28
<MD ID number>	
MD-ID-No.	MD-180151
<Other information>	
Remark 1	
Remark 2	
Remark 3	

Company name	Shinpo Engineering Pte Ltd.
Division name	
Address	Street 1 Tuas South Avenue 6 #05-20, The Westcom Singapore, Singapore, Singapore
Contact person	
Telephone number	
Fax number	
E-mail address	sales@shinpoengineering.com
SDoC ID-No.	SDoC-542140

<Product information>

Product name	Product number	Amount	Delivered unit		Product information
			Unit		
CIL FAN MODEL - CK250C - 60HZ FOR FOAM ROOM EXHAUSTE	5114050-BRN-025/2024E/180151	1		pcs	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No				
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No				
	Radioactive substances	no threshold level	No				
Certain shortchain chlorinated paraffins	10 g/kg	No					
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration

<Supplier (respondent) information>

<Date of Declaration>	
Date	2024-10-28
<MD ID number>	
MD-ID-No.	MD-180153
<Other information>	
Remark 1	
Remark 2	
Remark 3	

Company name	Shinpo Engineering Pte Ltd.
Division name	
Address	Street 1 Tuas South Avenue 6 #05-20, The Westcom Singapore, Singapore, Singapore
Contact person	
Telephone number	
Fax number	
E-mail address	sales@shinpoengineering.com
SDoC ID-No.	SDoC-542140

<Product information>

Product name	Product number	Amount	Delivered unit	Unit	Product information
MOTORS FOR ELECTRICAL WORKSHOP AIR CONDITION	5114050-BRN-027/2024E/180153	1		pcs	

<Material information>

This materials information shows the amount of hazardous materials contained in

1	Unit
---	------

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Chlorofluorocarbons(CFCs)	no threshold level	No				
			No				
	Halogens	no threshold level	No				
			No				
	Ozon depleting substance	Other fully halogenated CFCs	no threshold level	No			
		Carbon tetrachloride	no threshold level	No			
		1,1,1-Trichloroethane	no threshold level	No			
		Hydrochlorofluorocarbons	no threshold level	No			
Hydrochlorofluorocarbons		no threshold level	No				
Methyl bromide		no threshold level	No				
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
Yes/No	Mass	Unit					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit		
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit		
	Lead and lead compounds	1 g/kg	No		Unit		
	Mercury and mercury compounds	1 g/kg	No		Unit		
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit		
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit		
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No		Unit		
	Radioactive substances	no threshold level	No		Unit		
	Certain shortchain chlorinated paraffins	10 g/kg	No		Unit		
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit		
Annex II**** (Additional materials)	Brominated Flame Retardant (HBCDD)	100 mg/kg	No		Unit		

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

Material Declaration

<Supplier (respondent) information>

<Date of Declaration>	
Date	2024-10-28
<MD ID number>	
MD-ID-No.	MD-180184
<Other information>	
Remark 1	
Remark 2	
Remark 3	

Company name		Shinpo Engineering Pte Ltd.
Division name		
Address		Street 1 Tuas South Avenue 6 #05-20, The Westcom Singapore, Singapore, Singapore
Contact person		
Telephone number		
Fax number		
E-mail address		sales@shinpoengineering.com
SDoC ID-No.		SDoC-542140

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
3 PHASE MOTOR FOR CONTROL AIR COMPRESSOR "3 PHASE MOTOR FOR CONTROL AIR COMPRESSOR MOTOR DETAILS: MAKER: SIEMENS D-91066 ERLANGEN 3 PHASE 60HZ, 440-460V, 22KW, 36A	5114045-SCY-074/2024E/180184	1	pcs	

<Material information>

This materials information shows the amount of hazardous materials contained in

1	Unit
---	------

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit		
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit		
	Lead and lead compounds	1 g/kg	No		Unit		
	Mercury and mercury compounds	1 g/kg	No		Unit		
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit		
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit		
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No		Unit		
	Radioactive substances	no threshold level	No		Unit		
Certain shortchain chlorinated paraffins	10 g/kg	No		Unit			
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit		
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No		Unit		

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials. If the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

INVENTORY OF HAZARDOUS MATERIALS

**Supplier's Declaration of Conformity
for Material Declaration Management**

1) SDoC No.: SDoC-542140
 2) Issuer's name: Shinpo Engineering Pte Ltd.
 Issuer's address: Street 1 Tuas South Avenue 6 #05-20, The Westcom Singapore, Singapore, Singapore

3) Object(s) of declaration:

1)	LIFEBOAT FENDERS LENGTH 22CM HEIGHT 14CM WIDTH 9.5CM
2)	CIL FAN MODEL - CK250C - 60HZ FOR FOAM ROOM EXHAUST
3)	MOTORS FOR ELECTRICAL WORKSHOP AIR CONDITION
4)	3 PHASE MOTOR FOR CONTROL AIR COMPRESSOR

4) The object(s) of the declaration described above is/are in conformity with the following documents:
 5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional Information:
 Signed for and on behalf of: _____

Place of issue _____ Date of issue _____

7) Name function _____ Signature _____
 _____ Load Signature _____

Babitha Tripathi

