## **Supplier's Declaration of Conformity for Material Declaration Management**

1)	SDoC No.:	TR-310-37450						
2)	Issuer's Name :	DELTA CO						
	Issuer's address :	2-1-20, TOKYO , 106004	6					
3)	Object(s) of declaration: 1)	BILGE TRANSFER PUMP	STATOR					
4)	The object(s) of the declaration des	cribed above is/are in con	formity with the following documents					
5) Applicable Regulations or other stipulated requirements and documents  Document No. Title Edition Date of Issue								
ME		the development for the In	ventory of Hazardous Materials	15-05-2015				
E	U SRR Regulation (EU) No 1257/20	•	,	20-11-2013				
EN	//ISA Best Practice Guide on the IHM	2016		28-10-2016				
Ho	ong Kong Int.Convention for the safe	and environmentally sour	nd recycling of Ships , 2009 Regulation 5	Para 3.				
6) Additional Information:  NON ASBESTOS  Signed for and on behalf of								
Т	OKYO			0KYO)				
Pla	ace of Issue		Lo's	0				
1	6-10-2023							
Da	te of Issue		(c) \ ( D)	+				
7)	Hashimoto		L. Hashi	mela				
N	ame, function		Signature	<u> </u>				

Date: 16-10-2023

MD-ID No : DL2315984

Company Name	DELTA CO LTD
Division Name	FORWARDING LOGISTICS DEPT
Address	2-1-20, TOKYO, 1060046
Contact Person	HASIMOTO
Telephone Number	03-5449-1421
Fax Number	03-5449-3871
E-Mail Address	gana@deltaship.co.jp
SDoC ID-No	TR-310-37450

Product Name	Product Number	Delivered Unit		Product Information
		Amount	Unit	
BILGE TRANSFER PUMP S1	001	2	PCS	BILGE TRANSFER PUMP STATOR

Unit

This material information shows the amount of hazarduos materials contained in 1

Table	Material Name		Threshold level	Present above thershold level	If yes, material mass		If yes,information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No		▼]	
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No		<b>\</b>	
	Ozon depleting Substance	Chlorofluorocarbons (CFCs		No		▼	
		Halons		No		V	
		Otherfully halogenated CFCs		No		▼	
		Caroon tetrachroride		No		▼	
Table A**		1,1,1-Trichlroethane		No		▼	
materials listed in appendix 1 of the		Hydrochlorofluorocarbans		No		▼	
Convention		Hydrobromofluorocarbans		No		▼	
		Methyl bromide		No		▼	
		Bromochloromethane		No		▼	
	Anti-fouling system containg organotin compounds as a biocide		2500 mg total tin/kg	No		▼	
	Cadmium and cadmium compounds		100 mg/kg	No		▼	and the same of th
	Hexavalent chromium and hexavalent chromium compunds		1,000 mg/kg	No		<b>V</b>	/alt
Table B**	Lead and Lead compounds		1,000 mg/kg	No		<b>•</b>	100
	Mercury and mercury componds		1,000 mg/kg	No		▼1	- OMANNIN . I
materials listed in			50 mg/kg	No		▼	1111/1/11/11
appendix 2 of the	Polyprominated dephenyl ethers (PBDEs)		1,000 mg/kg	No		▼	_ N1
Convention	Polychloronaphthalenes (CI >= 3)		50 mg/kg	No		▼	10/10/11/0
	Radioactive substances		no thershold level	No		▼]	
	Certain shortchain chlorinated paraffins		1%	No		▼	XT
Annex II***	Perfluoroocatne sulfonic acid (PFOS)		100 mg/kg****	No		▼	
(Additional materials)	Brominated Flame Retardant(HBCDD)		100 mg/kg	No		<b>V</b>	

<sup>\*</sup> Please refer to footnote 18 on the "Form of Material Declaration in the IMO Guidlines Resolution MEPC 269(68)

Important Notice: The content and Specification of this form may not be changed or amended. Any Changes or Amendments by others than the author of this form constitute a breach on copyright law

<sup>\*\*</sup> Hongkong International convention for the safe and Environmentally Sound Recycing of Ships 2009 (SR CONF 45)

<sup>\*\*\*</sup> Regulation EU No 1257/2013 of the Europian Parliment and the Council of 20 November 2013 on ship Recycling and amending Regulation EC No 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials dated 2016-10-28

<sup>\*\*\*\*</sup> Concentrations of PFOS above 10 mg/kg (0.00% by Weight) when it occurs in substances or in preparations or in concentrations of PFOS in semi-finished products or orticles or parts thereof equal to orabove than 0.1% by weight calculated with reference to the mass of structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1ug/m2 of the coated material