MATERIAL DECLARATION

<Date of declaration>

Date:

2023/09/22

<MD ID Number>

MD-ID-No.

MDY0G-092/2023e-0001

<Other Information (e.g Shipyard, Hull Number if applicable.)>

| Remark 1 | DRACO BUREN SHIPPING PTE LTD |
|----------|------------------------------|
| Remark 2 | YOGI |
| Remark 3 | |

<Supplier (Respondent) Information>

| Company name | NEW CHANNEL (CHINA) INTERNATIONAL CO., LIMITED |
|----------------|---|
| Division name | |
| Address | |
| Contact person | |
| Telephone no | |
| Fax no | |
| E-mail adress | WWW. NEWCHANNELCN. COM |
| SDoC ID no | SD0CY0G-092/2023e-0001 |

<Product Information>

| | Product Number | Delivered Unit | | | |
|---|----------------|----------------|------|---------------------|--|
| Product Name | | Amount | Unit | Product Information | |
| RAG COTTON OVER 90% STERILIZED, WHITE | | 200 | KGS | | |
| RAG STERILIZED COLOR | | 100 | KGS | | |
| GLOVES WORKING COTTON ORDINARY | | 30 | PRS | | |
| LUBRICANT WD-40 SPRAY 360ML | | 12 | TIN | | |
| VASELINE 500GRM | | 2 | JAR | | |
| ANTI-SEIZE COMPOUND 500GRM | | 2 | CAN | | |
| TAPE SEAL TEFLON, 0. 1X13MMX5MTR | | 30 | рс | | |
| TEFLON SHEET 1.5X300X300MM | | 3 | SHT | | |
| OIL JUG PLASTIC 2LTR | | 3 | PCS | | |
| REPLACEABLE HEAD FOR YACHT MOP | | 30 | PCS | | |
| EAR PLUG FOR HI-LOW PITCH, NOISE | | 60 | PCS | | |
| SMALL KNIFE CARBON STEEL, STANDARD 120MM | | 3 | PCS | | |
| MICROWAVE OVEN 17LTR 110V | | 1 | PCS | | |
| SEALING AGENT PERMATEX, FORM-A GASKET NO. 2 110Z | | 4 | TUB | | |
| AIR FILTER 15X1600MM | | 20 | MTR | | |
| AIR FILTER 10X1600MM | | 30 | MTR | | |
| HOSE BAND GALV STEEL 8-14MM | | 30 | PCS | | |
| HOSE BAND GALV STEEL 15-24MM | | 30 | PCS | | |
| HOSE BAND GALV STEEL 22-32MM | | 30 | PCS | | |
| HOSE BAND GALV STEEL 44-56MM | | 12 | PCS | | |
| JOINT SHEET GRAPHITE HIGH TEMP, PILLAR NO. 6633 2. 0X1000X1000MM | | 2 | SET | | |
| JOINT SHEET NATURAL RUBBER, 5.0X1000X1000MM | | 2 | PCE | | |
| JOINT SHEET NATURAL RUBBER, 2.0X1000X1000MM | | 1 | MTR | | |
| JOINT SHT GASKET PILLAR#5611, NON- ASBESTOS 2.0X1200X1200MM | | 1 | SET | | |

| JOINT SHT GASKET PILLAR #5611, NON- | 1 | SET | |
|---|----|-----------|--|
| ASBESTOS 1.0X1200X1200MM O-RING SPLICING KIT LOCTITE | 1 | SET | |
| 0-RING KIT 17SIZES/222PCS, IN ACRYL CASE | 1 | SET | |
| NOZZLE CLEANER 8PCS/SET | 1 | SET | |
| COPPER RING KIT 30SIZES/568PCS, IN ACRYL | 1 | SET | |
| CASE PUTTY UNDERWATER DEVCON 500GRM | 2 | SET | |
| STAINLESS STEEL PUTTY, DEVCON ST 500GRM | 2 | SET | |
| CORDOBOND STRONG-BACK PUTTY, 226GRM | 3 | SET | |
| | | | |
| GLOVES RUBBER NATURAL LONG TUBE BICYCLE INTERIOR USED, WITH FURTHER | 3 | PRS | |
| DETAIL EYEWEAR PROTECTIVE ANTIFOG , CLEAR LENS | 12 | PCS | |
| #10026005 | 12 | PRS | |
| WRINGER MOP BUCKET | 2 | PCS | |
| WRENCH SET ALLEN HEXAGON, 2.5-12MM 8'S | 1 | SET | |
| WIRE GALVANIZED IRON 1.2MM | 1 | KGS | |
| WRENCH ADJUSTABLE HEAVY-DUTY, 300MM | 1 | PCS | |
| WRENCH ADJUSTABLE HEAVY-DUTY, 450MM | 1 | PCS | |
| WRENCH SET 12-P DOUBLE OFFSET, #0F0620 8X10-24X27MM 6'S | 1 | SET | |
| WRENCH DOUBLE OPEN END 24X27MM | 2 | PCS | |
| RATCHET HANDLE MALE, 12.7MM/SQ DRIVE 270MM | 2 | PCS | |
| HEX HEAD BOLT/NUT STAINLESS, STEEL M8 X 55MM | 24 | SET | |
| HEX HEAD BOLT/NUT STAINLESS, STEEL M10 X55MM | 30 | SET | |
| HEX HEAD BOLT/NUT STAINLESS, STEEL M12 X60MM | 30 | SET | |
| HEX HEAD BOLT/NUT STAINLESS, STEEL M14 X60MM | 30 | SET | |
| HEX HEAD BOLT/NUT STAINLESS, STEEL M16 | 24 | SET | |
| HEX HEAD BOLT/NUT STAINLESS, STEEL M18 X60MM | 30 | SET | |
| HEX HEAD BOLT/NUT STAINLESS, STEEL M20 X70MM | 24 | SET | |
| SILICONE SEALANT, RED COLOUR, HIGH TEMPERATURE | 6 | TUB | |
| PLIER ROUND NOSE INSULATED, UPTO 1000V L:160MM | 2 | PRS | |
| BRUSH TUBE NYLON CONDENSER, 16MM X 1/4" MALE THREAD | 4 | PCS | |
| GREASE NIPPLE PIN TYPE, PF1/8 PLATED | 12 | PCS | |
| STEEL FLASH LIGHT, RECHARGEABLE (SMALL SIZE) | 6 | SET | |
| OIL ABSORBENT SHEET 500X500MM, 200SHEET | 4 | BOX | |
| RESINOID CUT-OFF WHEELS (SIZE- | 30 | SET | |
| 125X1.5X22MM) SPARE MINI ROLLER 100MM WIDTH | 30 | | |
| TAPE MEASURING STAINLESS STEEL, WITH | | pc PCS | |
| METAL CASE 10MTR | 1 | SET | |
| PERMANENT MARKER SCREWDRIVER PLASTIC HANDLE, SQUARE-BLADE | | | |
| SLOTTED 8X250MM SCREWDRIVER PLASTIC HANDLE, SQUARE-BLADE | 2 | PCS | |
| (+) NO. 4 200MM | 2 | PCS | |
| PULLER GEAR & WHEEL 3-ARM, 0-200MM BLADE HACKSAW HAND, HIGH SPEED STEEL | 1 | SET | |
| 300MMX24TEETH | 5 | PCS | |
| ROPE WIRE GALV 6X19, 6MM DIAX200MTRTHERMOMETER SIKA 291B 150X36MM, PT1/2 0- | 1 | SET | |
| THERMOMETER STRA 291B 150X30MM, P11/2 0- 200DEG. C 63MM-STEM THERMOMETER STRA 292B 150X36MM, PT1/2 0- | 6 | PCS | |
| 1HERMOMETER STRA 292B 150330MM, P11/2 0- 200DEG. C 63MM-STEM | 6 | SET | |

| GAUGE PRESSUREW/GLYCERINE, BOTTOM/DIRECT 0-16BAR 63MM | 6 | PCS | |
|--|---|-----|--|
| GAUGE PRESSUREW/GLYCERINE, BOTTOM/DIRECT 0-10BAR 63MM | 6 | PCS | |

This material information shows the amount of hazardous materials contained in

| 1 | piece |
|---|-------|

<Material Information>

| Material | | | 1 | 1 | | | |
|------------------------------------|--|----------------------------------|-----------------------|--------------------|---------------|------|---------------------|
| | Material Name | | Threshold level | Present above | IF Y | YES | IF YES |
| Table | | | | threshold level | Material Mass | | Information |
| | | | | Yes or No | Amount | Unit | on where it is used |
| | Asbestos | Asbestos | 0,1% * | No | | | |
| | PCB' s | Polychlorinated Biphenyls (PCBs) | 50 mg/kg | No | | | |
| | | Chlorofluorcarbons (CFC's) | | No | | | |
| | | Halons | | No | | | |
| Table A** | | Other fully Halogenated CFC's | | No | | | |
| Materials listed in | | Carbon Tetrachloride | | No | | | |
| appendix 1 of the Convention | Ozone depleting Substances | 1,1,1-Trichloroethane | No threshold level | No | | | |
| | | Hydrochlorofluorcarbons | | No | | | |
| | | Hydrobromofluorcarbons | | No | | | |
| | | Methyl Bromide | | No | | | |
| | | Bromochloromethane | | No | | | |
| | Material Name | | Threshold level | Present above | e IF YES | | IF YES |
| Table | | | | threshold level | Material Mass | | Information |
| | | | | Yes or No | Amount | Unit | on where it is used |
| | Cadmium & Cadmium | | 100 mg/kg | No | | | |
| | Hexavalent Chromi Compounds | um and Hexavalent Chromium | 1,000 mg/kg | No | | | |
| | Lead and Lead Com | pounds | 1,000 mg/kg | No | | | |
| Table B** | Mercury and Mercury Compounds | | 1,000 mg/kg | No | | | |
| | Polybromated Biphenyl (PBB's) | | 50 mg/kg | No | | | |
| appendix 2 of the Convention | Polybrominated Dephenyl Ethers (PBDE's) | | 1,000 mg/kg | No | | | |
| | Polychloronaphtalenes (C1>=3) | | 50 mg/kg | No | | | |
| | Radioactive substances | | No thr.level | No | | | |
| | Certain Shortchain Chlorinated Paraffins | | 1% | No | | | |
| 4 | Perfluorooctane sulfonic acid (PFOS) | | i | | | | |
| Annex II*** | Perfluorooctane s | ulfonic acid (PFOS) | 10 mg/kg**** | No | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC. 269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to

or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal

to or above than 1 $\mu g/m^2$ of the coated material

