MATERIAL DECLARATION (MD)

<June 6, 2024>

Date June 6, 2024	Date	June 6, 2024
-------------------	------	--------------

<MD identification number>

ID-No.	M2406094
	5107009-OCG-011/2024D-O001

<Other information>

Remark 1	Vessel: OCEANUS GAS
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	MIDDLE EAST FUJI L.L.C
Division name	MARINE SUPPLY
Address	Building No. 7, Street 4, Al Quoz Industrial Area 3, P.O.Box.19227, Dubai, United Arab Emirates
Contact person	Mr. Rooble Kuriakoose
Telephone number	+971 4 347-4444
Fax number	+971 4 347-2771
Email address	Tech1@mef.ae
SDoC ID number	M2406094

<Product information>

Product name	Product number	Deliver	ed unit	Product information	
Product name	Product number	Amount	Unit	Product information	
SPIRAL WOUND GASKETS-16 INCH X 150ASME	8118	12	PCS	SPIRAL WOUND GASKETS-16 INCH X 150ASME *** ROUND SHAPE "IOR" MATERIAL SUITABLE FOR LPG CARGO UPTO - 46 DEG C.	
SPIRAL WOUND GASKETS- 16INCH X 300ASME	8118	6	PCS	SPIRAL WOUND GASKETS- 16INCH X 300ASME *** ROUND SHAPE "IOR" MATERIAL SUITABLE FOR LPG CARGO UPTO - 46 DEG	
SPIRAL WOUND GASKETS - 12 INCH X 300 ASME	8118	8	PCS	SPIRAL WOUND GASKETS - 12 INCH X 300 ASME *** ROUND SHAPE "IOR" MATERIAL SUITABLE FOR LPG CARGO UPTO -46 DEG C.	
SPIRAL WOUND GASKETS - 12 INCH X 150 ASME	8118	8	PCS	SPIRAL WOUND GASKETS - 12 INCH X 150 ASME *** ROUND SHAPE "IOR" MATERIAL SUITABLE FOR LPG CARGO UPTO -46 DEG C.	

<Materials information>

This materials information shows the amount of hazardous materials contained in

	Unit					
1	PCS/PKT/SHT					

(Unit: kg, m, m^2 , m^3 , piece, etc.) of the product

Table	Material name	Threshold	Present above threshold value?	If yes, material mass		If yes, information on where	
			value	Yes / No	Mass	Unit	it is used
	Asbestos	Asbestos	0.1% *	No			
Table A (materials listed in appendix 1 of the Convention)	Polychlorinated biphenyls (PCBs)	Polychlorina ted biphenyls (PCBs)	50 mg/kg	No			
		Chlorofluoro carbons (CFCs)		No No			
	Ozone Depleting Substance (ODS)	Other fully halogenated CFCs	No threshold value	No			
		Carbon tetrachloride		No			
		1, 1, 1- Trichloroeth ane		No			

	Hydrochloro]	No		
	fluorocarbon				
	S				
	Hydrobromo	-	No		
	fluorocarbon				
	S				
	Methyl		No		
	bromide				
	Bromochlor		No		
	omethane				
	Anti-fouling systems containing organotin	2,500 mg total	No	<u> </u>	
	compounds as a biocide	tin/kg			
	Anti-fouling systems containing cybutryne as a biocide****	1000 mg/kg	No		
EU SRR **	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg	No		

Table	Material name	Threshold value	Present above threshold value?	If yes, material mass		If yes, information on where it is used
			Yes / No	Mass	Unit	
	Cadmium and cadmium compounds	100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds	1000 mg/kg	No			
Table B	Lead and lead compounds	1000 mg/kg	No			
(materials	Mercury and mercury compounds	1000 mg/kg	No			
listed in appendix 2 of	Polybrominated biphenyl (PBBs)	50 mg/kg	No			
the	Polybrominated diphenyl ethers (PBDEs)	1000 mg/kg	No			
Convention)	Polychloronaphthalenes (Cl >=3)	50 mg/kg	No			
	Radioactive substances	No threshold value	No			
	Certain shortchain chlorinated paraffins	1%	No			
EU SRR **	Brominated flame retardant (HBCDD)	100 mg/kg	No			

^{* 0.1%} in principle, if 1% is applied, it should be recorded in Remarks section

The object of declaration described above is in conformity with the "IMO Guidelines for the Development of Inventory of Hazardous Materials" Resolution MEPC.269(68) (and, for EU-Ships: EMSA's Best Practice Guidance on the Inventory of Hazardous Materials)

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitutes a breach of copyright law

^{** 50}ppm is to be used as threshold for reporting existing PCB only. NOTE: All new materials are to be free of any PCBs!

^{***} Additional material to be listed acc. to Annex 1 / Annex 2 of the 2013 EU Ship Recycling Regulation.

^{****} As per AFS-Convention from Jan. 1st, 2023: Threshold for wet paint (new products). When samples are taken from wet paint containers, average values of cybutryne should not be present above 1000 mg of cybutryne per kilogram of dry paint.

