INVENTORY OF HAZARDOUS MATERIALS

# Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.:	Multi-SDoC-692763			
2) Issuer's name:	s name: M A Corporation Pte. Ltd			
Issuer's address:	21, Bukit Batok Crescent,23-72, WCEGA Tower Singapore, Singapore, Singapore			
Object(s) of declaration:				
	1)	AUXILLARY RELAY OMRON TYPE: LY2F COIL: 110V, 60HZ,		
	2)	V-BELT ( XPA-1357), MODEL: MAC-44, ITEM NO.2010-0223		
	3)	OIL SEPARATOR ITEM NO.2010-03036		

- 4) The object(s) of the declaration described above is/are in conformity with the following documents:
- 5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM	ı	2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45 Hong Kong Internation Convention		I	SR/CONF/45

SR/CONF/45	Convention	SR/CONF/45
6) Additional Information:		
Signed for and on behalf of:		
Place of issue Singapore	Date of issue 11/06/2024	
7) Name function	Signature Oakin, Vak	hil.

Jabir Vakil, General Manager

## Material Declaration

<supplier (respondent)="" information=""></supplier>

Company name	M A Corporation Pte. Ltd
Division name	
Address	21, Bukit Batok Crescent,23-72, WCEGA Tower Singapore, Singapore, Singapore
Contact person	
Telephone number	
Fax number	
E-mail address	sales@macorporation.ne
SDoC ID-No.	SDoC-692763

#### <Product information>

<Date of Declaration>

<Other information>

<MD ID number>

Date

MD-ID-No.

Remark 1 Remark 2 Remark 3

Duradicat conse	Our door would be	Deliver	ed unit	Dan dan dalah dan merekana
Product name Product number		Amount	Unit	Product information
AUXILLARY RELAY OMRON TYPE: LY2F				
COIL: 110V, 60HZ, DRAWING NUMBER:	LZR-BOR-055/2023E/169307	8	pcs	
HF3425657BRI				

<Material information> This materials information shows the amount of hazardous materials contained

2024-06-11

MD-169307

Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on
				Yes/No	Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
	Polychlorinated biphenyls(PCBs)		no threshold level	No			
		Chlorofluorocarbons(CFCs)		No			
		Halons	-	No			
		Other fully halogenated CFCs		No			
Tolelo A (		Carbon tetrachloride		No			
Table A (materials listed in appendix 1 of the Convention	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention		Hydrochorofluorocarbons	1	No			
		Hydrochorofluorocarbons	1	No			
		Methyl bromide	1	No			
		Bromochloromethane	1	No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
Table	Mar	terial name	Threshold level	Present above threshold level	If yes, matrial ma	155	If yes, information on
				Yes/No	Mass	Unit	where it is used
	Cadmium and cadmium compounds		100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead compounds		1 g/kg	No		Unit	
Table B (materials listed in appendix 2 of the Convention	Mercury and mercury compounds		1 g/kg	No		Unit	
	Polybrominated biphenyl (PBBs)		1 g/kg	No		Unit	
	Polybrominated dephenyl ethers (PBDEs)		1 g/kg	No		Unit	
	Polychloronaphthalenes (	Cl > = 3)	no threshold level	No		Unit	
	Radioactive substances		no threshold level	No		Unit	
	Certain shortchain chlorinated paraffins						
	Certain shortchain chlorin	ated paraffins	10 g/kg	No		Unit	
Annex II*** (Additional materials)	Certain shortchain chlorin Perfluorooctane sulfonic a	•	10 g/kg 10 mg/kg****	No No		Unit Unit	

<sup>\*</sup>Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

<sup>\*\*</sup>Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

<sup>\*\*\*</sup>Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

<sup>\*\*\*\*</sup>Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated

## **Material Declaration**

<Supplier (respondent) information>

Date	2024-06-11
MD-ID-No.	MD-169308
	,
Remark 1	
Remark 2	
Remark 3	
	MD-ID-No. Remark 1 Remark 2

Company name	M A Corporation Pte. Ltd
Division name	
Address	21, Bukit Batok Crescent,23-72, WCEGA Tower Singapore, Singapore, Singapore
Contact person	
Telephone number	
Fax number	
E-mail address	sales@macorporation.net
SDoC ID-No.	SDoC-692763

#### <Product information>

David and an array	Donatura secondore	Deliver	Donate de la formación de	
Product name	Product number	Amount	Unit	Product information
V-BELT ( XPA-1357), MODEL: MAC-44, ITEM NO.2010-02239	LZR-BOR-055/2023E/169308	2	pcs	

<Material information>

This materials information shows the amount of hazardous materials contained in

Unit

1

If yes, information	tion on
nit Where It is u	
	isea
	If yes, information on
nit where it is u	ised
nit	
	where it is unit nit nit nit nit nit nit nit nit nit

<sup>\*</sup>Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

<sup>\*\*</sup>Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

<sup>\*\*\*</sup>Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

<sup>\*\*\*\*</sup>Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

## **Material Declaration**

<date declaration="" of=""></date>	
Date	2024-06-11
<md id="" number=""></md>	
MD-ID-No.	MD-169309
<other information=""></other>	•
Remark 1	
Bownelle 2	

<supplier (respondent)="" information=""></supplier>	
Company name	M A Corporation Pte. Ltd
Division name	
Address	21, Bukit Batok Crescent,23-72, WCEGA Tower Singapore, Singapore, Singapore
Contact person	
Telephone number	
Fax number	
E-mail address	sales@macorporation.net
SDoC ID-No.	SDoC-692763

#### <Product information>

Product name	Product number	Delive	Bandand information		
		Amount	Unit	Product information	
OIL SEPARATOR ITEM NO.2010-03036	LZR-BOR-055/2023E/169309	2	pcs		

<Material information>

This materials information shows the amount of hazardous materials contained in

Remark 3

1

in			'							
Table	Material name		Threshold level	Present above threshold level Yes/No		If yes, matrial mass		If yes, information on		
						M	ass	Unit	where it is used	
	Asbsestos		no threshold level		No					
	Polychlorinated biphenyls(PCBs)			no threshold level		No				
		Chlorofluor	rocarbons(CFCs)			No				
		Halons				No				
		Other fully	halogenated CFCs			No				
This A forest of the literal for a constitution of the		Carbon tetr	rachloride			No				
able A (materials listed in appendix 1 of the convention	Ozon depleting substance	1,1,1-Trichl	loroethane	no threshold level		No				
Convention		Hydrochord	ofluorocarbons			No				
		Hydrochord	ofluorocarbons			No				
		Methyl bro	mide			No				
		Bromochlo	romethane	7		No				
	Anti-fouling systems containing organotin compounds as a biocide			2,500 mg total tin/kg		No				
Table	Table Material name			Threshold level	Prese	nt above threshold level	If yes, matrial mass		If yes, information on	
					Yes/No	M	ass	Unit	where it is used	
Table B (materials listed in appendix 2 of the Convention	Cadmium and cadmium compounds			100 mg/kg		No			Unit	
	Hexavalent chromium and hexavalent chromium compounds			1 g/kg		No			Unit	
	Lead and lead compounds		1 g/kg		No			Unit		
	Mercury and mercury compounds		1 g/kg		No			Unit		
	Polybrominated biphenyl (PBBs)			1 g/kg		No			Unit	
	Polybrominated dephenyl ethers (PBDEs)		1 g/kg		No			Unit		
	Polychloronaphthalenes (Cl > = 3)		no threshold level		No			Unit		
	Radioactive substances			no threshold level	T	No			Unit	
	Certain shortchain chlorinated paraffins			10 g/kg		No			Unit	
	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****		No			Unit		
Annex II*** (Additional materials)	Brominated Flame Retarda			100 mg/kg	1	No			Unit	

<sup>\*</sup>Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

<sup>\*\*</sup>Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

<sup>\*\*\*</sup>Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

<sup>\*\*\*\*</sup>Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated materials.