Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.:	Multi-SDoC-8530	Multi-SDoC-853033			
2) Issuer's name:	Victoria Repair Group OU				
Issuer's address:		4 Tallinn, Estonia, ,			
Object(s) of declaration:					
	1)	E-MARINE A/C 060 - GREY			
	2)	E-MARINE A/C 445 - RED OXIDE			
	3)	U-MARINE FINISH 999 - BLACK			
	4)	E-MARINE FINISH 445 - RED BROWN			
	5)	Т600			
	6)	0-MARINE PRIMER - GREY			
	7)	0-MARINE FINISH 000 - WHITE			
	8)	0-MARINE FINISH 405 - DARK GREEN			
	9)	T100			

4) The object(s) of the declaration described above is/are in conformity with the following documents:

5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue		
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15		
EU SRR	Regulation (EU) No 1257/2013		2013-11-20		
EMSA	Best Practice Guide on IHM		2016-10-28		
SR/CONF/45	Hong Kong International Convention		SR/CONF/45		
Additional nformation:					
igned for and on ehalf of:					

Place of issue JALLINN, ESTOWIA	Date of issue
HALLIND, L SIONIN	10.09,27

7) Name function

Signature

gnature REPAI

<Date of Declaration>

Date

2024-09-16

<MD ID number>

MD-ID-No.

MD-177814

<Other information>

Remark 1

Remark 2

Remark 3

Company name	Victoria Repair Group OU
Division name	
Address	Puuvilla 19 10314 Tallinn, Estonia, ,
Contact person	Victoria Repair Group OU
Telephone number	
Fax number	
E-mail address	viktor@vrepair.ee
SDoC ID-No.	Multi-SDoC-853033

<Product information>

		Deli	Delivered unit		
Product name	Product number	Amount	Unit	Product information	
E-MARINE A/C 060 - GREY	118/177814	140	liters	4	
<material information=""></material>			Unit		

Material information?

This materials information shows the amount of hazardous materials contained in

Table	8	Material name		Present above threshold level	If yes, matrial mass		If yes, information on
				Yes/No	Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
	Polychlorinated	biphenyls(PCBs)	no threshold level	No		1	
	Chlorofluorocarbons(CFCs) Halons			No			
]	No			
		Other fully halogenated CFCs		No			
Table A (materials listed		Carbon tetrachloride		No			
in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention	substance	Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			
	Methyl bromide			No			
		Bromochloromethane	1	No			
	Anti-fouling sys compounds as a	tems containing organotin biocide	2,500 mg total tin/kg	No			
Table	Table Material name	Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on	
			Yes/No	Mass	Unit	where it is used	
	Cadmium and cadmium compounds		100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead co	ompounds	1 g/kg	No		Unit	
Table B (materials listed	Mercury and me	ercury compounds	1 g/kg	No		Unit	
in appendix 2 of the Convention	Polybrominated	biphenyl (PBBs)	1 g/kg	No		Unit	
Polybrominated dephenyl ethers (PB		dephenyl ethers (PBDEs)	1 g/kg	No		Unit	
Polychloronaphthalenes (Radioactive substances	Polychloronaphthalenes (Cl >= 3)		no threshold level	No		Unit	
	stances	no threshold level	No		Unit		
	Certain shortcha	ain chlorinated paraffins	10 g/kg	No		Unit	
Annex II*** (Additional	Perfluorooctane	sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
materials)	Brominated Flan	ne Retardant (HBCDD)	100 mg/kg	No		Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μ g/m² of the coated material.

	Date	2024-09-16
MD ID number	·>	
	MD-ID-No.	MD-177815
Other information	tion>	
	Remark 1	
	Remark 2	

<supplier (respondent)="" information=""> Company name</supplier>	Victoria Repair Group
	OU
Division name	
Address	Puuvilla 19 10314 Tallinn, Estonia, ,
Contact person	Victoria Repair Group OU
Telephone number	
Fax number	-8
E-mail address	viktor@vrepair.ee
SDoC ID-No.	Multi-SDoC-853033

<prod< th=""><th>uct</th><th>int</th><th>ormation></th><th></th></prod<>	uct	int	ormation>	
---	-----	-----	-----------	--

Broduct	Burnelman	Delive		
Product name	Product number	Amount	Unit	Product information
E-MARINE A/C 445 - RED OXIDE	118/177815	60	liters	4
			De la companya della companya della companya de la companya della	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
	Polychlorinated	biphenyls(PCBs)	no threshold level	No			
	Chlorofluorocarbons(CFCs)			No			
		Halons		No			
		Other fully halogenated CFCs		No			,
Table A (materials listed		Carbon tetrachloride		No			
in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention	substance	Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			
	Methyl bromide			No			3
	Bromochloromethane	No					
Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No				
Table Material name	Material name	Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used	
			Yes/No	Mass	Unit	where it is used	
	Cadmium and ca	dmium compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead co	ompounds	1 g/kg	No		Unit	
Table B (materials listed	Mercury and me	rcury compounds	1 g/kg	No		Unit	
in appendix 2 of the Convention	Polybrominated	biphenyl (PBBs)	1 g/kg	No		Unit	
Convention	nvention		1 g/kg	No		Unit	
		thalenes (Cl >= 3)	no threshold level	No		Unit	2
	Radioactive sub	stances	no threshold level	No		Unit	
	Certain shortcha	in chlorinated paraffins	10 g/kg	No		Unit	
	Perfluorooctane	sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Annex II*** (Additional materials)	Brominated Flan	ne Retardant (HBCDD)	100 mg/kg	No		Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μ g/m² of the coated material.

<Date of Declaration>

Date 2024-09-16

<MD ID number>

MD-ID-No. MD-177816

<Other information>

Remark 1

Remark 2

Remark 3

Company name	Victoria Repair Group OU
Division name	
Address	Puuvilla 19 10314 Tallinn, Estonia, ,
Contact person	Victoria Repair Group OU
Telephone numbe	-
Fax number	
E-mail address	viktor@vrepair.ee
SDoC ID-No.	Multi-SDoC-853033

<Product information>

		Delive			
Product name	Product number	Amount	Unit	Product information	
U-MARINE FINISH 999 - BLACK	118/177816	100	liters	4	
<material information=""></material>			Unit		

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, matrial mas	SS	If yes, information or
				Yes/No	Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
	Polychlorinated	biphenyls(PCBs)	no threshold level	No			
		Chlorofluorocarbons(CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
able A (materials listed		Carbon tetrachloride		No		3	
n appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
onvention	substance	Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information or where it is used
				Yes/No	Mass	Unit	where it is used
	Cadmium and ca	admium compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead co	Lead and lead compounds		No		Unit	
able B (materials listed	Mercury and me	ercury compounds	1 g/kg	No		Unit	
n appendix 2 of the onvention	Polybrominated	biphenyl (PBBs)	1 g/kg	No		Unit	
onvention	Polybrominated	dephenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychloronaph	thalenes (Cl >= 3)	no threshold level	No		Unit	
	Radioactive sub	stances	no threshold level	No		Unit	
	Certain shortcha	ain chlorinated paraffins	10 g/kg	No		Unit	
	Perfluorooctane	sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Annex II*** (Additional materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No		Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μ g/m² of the coated material.

<date declaration="" of=""></date>	Company name	
Date	2024-09-16	Division name
<md id="" number=""></md>		Address
MD-ID-No.	MD-177817	Address
<other information=""></other>		Contact person
Remark 1		Contact person
Remark 2		Telephone number
Remark 3		Fax number
A CONTRACTOR OF THE CONTRACTOR		

	Victoria Repair Group
Company name	ου
Division name	
Address	Puuvilla 19 10314 Tallinn, Estonia, ,
Contact person	Victoria Repair Group OU
Telephone number	
Fax number	
E-mail address	viktor@vrepair.ee
SDoC ID-No.	Multi-SDoC-853033

<	Prod	uct	inf	or	ma	tio	n>	

Parameter State Control of the Contr	Market and the Control of the Contro	Deliver	Barrier and the same of the sa	
Product name	Product number	Amount	Unit	Product information
E-MARINE FINISH 445 - RED BROWN	118/177817	200	liters	
	100			•

<Material information>

This materials information shows the amount of hazardous materials
contained in

Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on
				Yes/No	Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
	Polychlorinated	biphenyls(PCBs)	no threshold level	No			
		Chlorofluorocarbons(CFCs)		No			
		Halons]	No			
		Other fully halogenated CFCs		No			
Table A (materials listed		Carbon tetrachloride		No			
in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention	substance	Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			
	Methyl bromide	1	No				
		Bromochloromethane		No			
	Anti-fouling sys compounds as a	tems containing organotin biocide	2,500 mg total tin/kg	No			
Table	1	Material name		Present above threshold level	If yes, matrial mass		If yes, information on
				Yes/No	Mass	Unit	where it is used
	Cadmium and ca	admium compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
162162 1887 27 TBO 18	Lead and lead compounds		1 g/kg	No		Unit	
Table B (materials listed	Mercury and me	rcury compounds	1 g/kg	No		Unit	
in appendix 2 of the Convention	Polybrominated	biphenyl (PBBs)	1 g/kg	No		Unit	
Convention	Polybrominated	dephenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychloronaph	thalenes (Cl >= 3)	no threshold level	No		Unit	
	Radioactive sub	stances	no threshold level	No		Unit	
	Certain shortcha	ain chlorinated paraffins	10 g/kg	No		Unit	
Annex II*** (Additional	Perfluorooctane	sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
materials)	Prominated Flame Petardant (HPCDD)		100 mg/kg	No		Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of Declaration>

Date 2024-09-16

<MD ID number>

MD-ID-No. MD-177818

<Other information>

Remark 1

Remark 2

Remark 3

Company name	Victoria Repair Group OU
Division name	
Address	Puuvilla 19 10314 Tallinn, Estonia, ,
Contact person	Victoria Repair Group OU
Telephone number	
Fax number	
E-mail address	viktor@vrepair.ee
SDoC ID-No.	Multi-SDoC-853033

<Product information>

contained in

S4		Deliv	Delivered unit		
Product name	Product number	Amount	Unit	Product information	
T600	118/177818	60	liters	-	
<material information=""></material>			Unit		

This materials information shows the amount of hazardous materials

Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on
				Yes/No	Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
	Polychlorinated	biphenyls(PCBs)	no threshold level	No		j j	
		Chlorofluorocarbons(CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A (materials listed		Carbon tetrachloride		No			
in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention	substance	Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			
		Methyl bromide		No			
	Bromoc	Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
Table	ĥ.	Material name		Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
	Cadmium and ca	admium compounds	100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead compounds		1 g/kg	No		Unit	
Table B (materials listed	Mercury and me	rcury compounds	1 g/kg	No		Unit	
in appendix 2 of the Convention	Polybrominated	biphenyl (PBBs)	1 g/kg	No		Unit	
Convention	Polybrominated	dephenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychloronapht	thalenes (Cl >= 3)	no threshold level	No		Unit	
	Radioactive sub	stances	no threshold level	No		Unit	
	Certain shortcha	in chlorinated paraffins	10 g/kg	No	<u> </u>	Unit	<u> </u>
	Perfluorooctane	sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Annex II*** (Additional materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No		Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μ g/m² of the coated material.

<Date of Declaration>

Date 2024-09-16

<MD ID number>

MD-ID-No. MD-177819

<Other information>

Remark 1

Remark 2

Remark 3

Company name	Victoria Repair Group OU
Division name	
Address	Puuvilla 19 10314 Tallinn, Estonia, ,
Contact person	Victoria Repair Group OU
Telephone number	
Fax number	
E-mail address	viktor@vrepair.ee
SDoC ID-No.	Multi-SDoC-853033

<Product information>

contained in

Product name	Product number	Delivered unit			Product information
		Amount		Unit	Product Information
0-MARINE PRIMER - GREY	118/177819	100		liters	4
<material information=""></material>			Unit		
This materials information sho	ws the amount of hazardous materi	als _			

Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	wnere it is used
	Asbsestos		no threshold level	No			
	Polychlorinated	biphenyls(PCBs)	no threshold level	No			
		Chlorofluorocarbons(CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A (materials listed		Carbon tetrachloride		No			
in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention	substance	Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			
		Methyl bromide	1	No			
	Bromochloromethane		1	No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
	Heyavalent chromium and heyavalent		100 mg/kg	No		Unit	
			1 g/kg	No		Unit	
			1 g/kg	No		Unit	
Table B (materials listed	Mercury and me	rcury compounds	1 g/kg	No		Unit	
in appendix 2 of the Convention	Polybrominated	biphenyl (PBBs)	1 g/kg	No		Unit	
Convention	Polybrominated	dephenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychloronapht	halenes (Cl >= 3)	no threshold level	No		Unit	
	Radioactive sub	stances	no threshold level	No		Unit	
	Certain shortcha	in chlorinated paraffins	10 g/kg	No		Unit	·
	Perfluorooctane	sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Annex II*** (Additional materials)	Brominated Flame Retardant (HRCDD)		100 mg/kg				

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μ g/m² of the coated material.

<Date of Declaration>

Date 2024-09-16

<MD ID number>

MD-ID-No. MD-177820

<Other information>

Remark 1

Remark 2

Remark 3

Supplier (respondent) information>		
Company name	Victoria Repair Group OU	
Division name		
Address	Puuvilla 19 10314 Tallinn, Estonia, ,	
Contact person	Victoria Repair Group OU	
Telephone number		
Fax number		
E-mail address	viktor@vrepair.ee	
SDoC ID-No.	Multi-SDoC-853033	

- 0		uct	:			:	
< P	roc	uct	Int	Orn	паt	ion:	~

5-4		Delive	Product information		
Product name	Product number	Amount	Unit	Product Information	
0-MARINE FINISH 000 - WHITE	118/177820	100	liters	4	
<material information=""></material>			Unit		

- Waterial Informations

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, matrial m	ass	If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
	Polychlorinated	biphenyls(PCBs)	no threshold level	No		1	
		Chlorofluorocarbons(CFCs)		No			
		Halons]	No			
		Other fully halogenated CFCs		No			
Table A (materials listed		Carbon tetrachloride		No			
in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention	substance	Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No		1	
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
Table	Table Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
				Yes/No	Mass	Unit	where it is used
	Cadmium and cadmium compounds		100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
	Lead and lead compounds		1 g/kg	No		Unit	
Table B (materials listed	Mercury and me	rcury compounds	1 g/kg	No		Unit	
in appendix 2 of the Convention	Polybrominated	biphenyl (PBBs)	1 g/kg	No		Unit	
Convention	Polybrominated	dephenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychloronapht	thalenes (Cl >= 3)	no threshold level	No		Unit	
	Radioactive subs	stances	no threshold level	No		Unit	
	Certain shortcha	in chlorinated paraffins	10 g/kg	No		Unit	
	Perfluorooctane	sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Annex II*** (Additional materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No		Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μ g/m² of the coated material.

<date declaration="" of=""></date>		Company na
Date	2024-09-16	Division na
<md id="" number=""></md>		
MD-ID-No.	MD-177821	Address
<other information=""></other>	The second second	
Remark 1		Contact per
Remark 2		Telephone nu
Remark 3		Fax number

Victoria Repair Group
OU Crotta Repair Group
Puuvilla 19 10314 Tallinn, Estonia, ,
Victoria Repair Group OU
viktor@vrepair.ee
Multi-SDoC-853033

	<	Pι	ro	du	ıct	in	fo	rm	ıa	ti	or	1>	
--	---	----	----	----	-----	----	----	----	----	----	----	----	--

Product name	*** Charles for the participation of the participat	Deliver	Product information		
Product name	Product number	Amount	Unit	Product Information	
0-MARINE FINISH 405 - DARK GREEN	18/177821	100	liters		

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
100000000				Yes/No	Mass	Unit	where it is used
	Asbsestos		no threshold level	No			
	Polychlorinated	biphenyls(PCBs)	no threshold level	No			
	750	Chlorofluorocarbons(CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A (materials listed		Carbon tetrachloride		No			
in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention	substance	Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			
		Methyl bromide		No			
	Bromochloromethane			No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
Table	able Material name Cadmium and cadmium compounds		Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on
				Yes/No	Mass	Unit	where it is used
			100 mg/kg	No		Unit	
	Hexavalent chromium and hexavalent chromium compounds		1 g/kg	No		Unit	
teneral	Lead and lead compounds		1 g/kg	No		Unit	
Table B (materials listed	Mercury and mercury compounds		1 g/kg	No		Unit	
in appendix 2 of the Convention	Polybrominated	Polybrominated biphenyl (PBBs)		No		Unit	
Convention	Polybrominated	dephenyl ethers (PBDEs)	1 g/kg	No		Unit	
	Polychloronapht	thalenes (Cl >= 3)	no threshold level	No		Unit	
	Radioactive sub	stances	no threshold level	No		Unit	
	Certain shortcha	ain chlorinated paraffins	10 g/kg	No		Unit	
A	Perfluorooctane	sulfonic acid (PFOS)	10 mg/kg****	No		Unit	
Annex II*** (Additional materials)	Brominated Flan	ne Retardant (HBCDD)	100 mg/kg	No		Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μ g/m² of the coated material.

<Date of Declaration>

Date

2024-09-16

<MD ID number>

MD-ID-No.

MD-177822

<Other information>

Remark 1

Remark 2

Company name	Victoria Repair Group OU
Division name	
Address	Puuvilla 19 10314 Tallinn, Estonia, ,
Contact person	Victoria Repair Group OU
Telephone number	
Fax number	
E-mail address	viktor@vrepair.ee
SDoC ID-No.	Multi-SDoC-853033

<Product information>

contained in

Remark 3

Product na	me Product numbe		D	Product information		
Product na	ne Product numbe	Amount Unit		Product information		
T100	118/177822	40	1110/1805		liters	-
<material information<="" td=""><td>n></td><td></td><td></td><td>Unit</td><td></td><td></td></material>	n>			Unit		
This materials information shows the amount of hazardous materials			-			

1

Present above If yes, matrial mass If yes, information on Table Material name Threshold level threshold level where it is used Yes/No Unit Mass Asbsestos no threshold level No Polychlorinated biphenyls(PCBs) no threshold level No Chlorofluorocarbons(CFCs) No Halons No Other fully halogenated CFCs No Table A (materials listed Carbon tetrachloride No Ozon depleting in appendix 1 of the 1,1,1-Trichloroethane no threshold level No substance Convention Hydrochorofluorocarbons No Hydrochorofluorocarbons No Methyl bromide No Bromochloromethane No Anti-fouling systems containing organotin 2,500 mg total No compounds as a biocide tin/kg Present above If yes, matrial mass If yes, information on threshold level **Table Material** name Threshold level where it is used Yes/No Mass Unit Unit Cadmium and cadmium compounds 100 mg/kg No Hexavalent chromium and hexavalent Unit 1 g/kg No chromium compounds Lead and lead compounds Unit 1 g/kg No Table B (materials listed Mercury and mercury compounds Unit 1 g/kg No in appendix 2 of the Polybrominated biphenyl (PBBs) 1 g/kg No Unit Convention Polybrominated dephenyl ethers (PBDEs) 1 g/kg No Unit Polychloronaphthalenes (Cl >= 3) no threshold level Unit No no threshold level Radioactive substances No Unit Certain shortchain chlorinated paraffins 10 g/kg No Unit Perfluorooctane sulfonic acid (PFOS) 10 mg/kg**** Unit No Annex II*** (Additional Brominated Flame Retardant (HBCDD) materials) 100 mg/kg No Unit

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.