



### Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: SDoC-171273  
 2) Issuer's name: S&R World Marine Supply and Repair Co.,Ltd  
 Issuer's address: ----

3) Object(s) of declaration:

1)	MEMBRANE FUNCTION KEY MAKER GRAVINER TYPE MK
2)	AIR SUPPLY ATOMAZING 16KX40 ITEM NO.- 46 FOR DD
3)	STEAM SUPPLY ATOMAZING 20K40 ITEM NO.- 715 FOR
4)	STEAM SUPPLY ATOMAZING F TYPE 25A ITEM NO.- 703
5)	STEAM SUPPLY ATOMAZING F-TAYPE 25A ITEM NO.- 704
6)	STEAM SUPPLY BY-PASS CTRL F-TAYPE 25A ITEM NO.- 70
7)	FUEL OIL INLET 30KX50 ITEM NO.- 383 FOR DD AUX BOU
8)	STEAM SUPPLY ATOMAZING F-TAYPE 25A ITEM NO.- 712
9)	AIR SUPPLY ATOMAZING 16KX40 ITEM NO.- 47 FOR DD
10)	MANHOLE COVER W/L LANGE, TYPE (I)-942, LENGTH 600 N
11)	PRESSURE TRANSMITTER FOR CARGO-OIL TANK GT103M
12)	MAJOR OVERHAUL KIT FOR TURBOCHARGER METOSSE (I
13)	TEMPERATURE SWITCH TMS-III
14)	SILENCED VALVE DANFOSS MARINE SYSTEM TYPE MD1
15)	EG BLOW BY DISCHARGE VALVE DELYSIDNE CAPACITY CO

4) The object(s) of the declaration described above is/are in conformity with the following documents:  
 5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of Issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional Information:  
 Signed for behalf of \_\_\_\_\_

Place of issue: \_\_\_\_\_ Date of issue: 16/10/2024

7) Name and function: \_\_\_\_\_ Signature: \_\_\_\_\_

\_\_\_\_\_  
 Load Signature



## Material Declaration

## &lt;Supplier (respondent) information&gt;

## &lt;Date of Declaration&gt;

Date 2024-10-16

## &lt;MD ID number&gt;

MD-ID-No. MD-179858

## &lt;Other Information&gt;

Remark 1	
Remark 2	
Remark 3	

Company name	S&R World Marine Supply and Repair Co.,Ltd
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	robert@world-marine.com.cn
SDoC ID-No.	SDoC-171273

## &lt;Product information&gt;

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
MEMBRANE FUNCTION KEY MAKER: GRAVINER TYPE: MK 6 OIL MIST DETECTOR PART NO: 39155-K040	5114044-DAP-024/2024E/179858	1	pcs	

## &lt;Material information&gt;

This materials information shows the amount of hazardous materials contained in

UNIT
1

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
Yes/No	Mass	Unit					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit		
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit		
	Lead and lead compounds	1 g/kg	No		Unit		
	Mercury and mercury compounds	1 g/kg	No		Unit		
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit		
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit		
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No		Unit		
	Radioactive substances	no threshold level	No		Unit		
	Certain shortchain chlorinated paraffins	10 g/kg	No		Unit		
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit		
	Brominated Flame Retardant (BFCDD)	100 mg/kg	No		Unit		

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

\*\*Hong Kong International Convention for the safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC BMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material**Important Notice:** The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.



## Material Declaration

## &lt;Supplier (respondent) information&gt;

Company name	S&R World Marine Supply and Repair Co.,Ltd
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	robert@world-marine.com.cn
SDoC ID-No.	SDoC-171273

## &lt;Date of Declaration&gt;

Date	2024-10-16
------	------------

## &lt;MD ID number&gt;

MD-ID-No.	MD-179865
-----------	-----------

## &lt;Other information&gt;

Remark 1	
Remark 2	
Remark 3	

## &lt;Product information&gt;

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
STEAM SUPPLY ATOMAZING 20K40 ITEM NO.- 715 FOR DD AUX BOILER VALVE	5114044-DAP-043/2024E/179865	4	pcs	

## &lt;Material information&gt;

This materials information shows the amount of hazardous materials contained in

Amount	Unit
1	

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
Yes/No	Mass	Unit					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No				
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No				
	Radioactive substances	no threshold level	No				
	Certain shortchain chlorinated paraffins	10 g/kg	No				
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(66).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (LR/CONF/45)

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC (MSA's Best Practice Guidance on the inventory of Hazardous Materials, dated 2016-10-28)

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material.

**Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.**

## Material Declaration

## &lt;Supplier (respondent) information&gt;

Company name	S&R World Marine Supply and Repair Co.,Ltd
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	robert@world-marine.com.cn
SDoC ID-No.	SDoC-171273

## &lt;Date of Declaration&gt;

Date 2024-10-16

## &lt;MD ID number&gt;

MD-ID-No. MD-179866

## &lt;Other information&gt;

Remark 1	
Remark 2	
Remark 3	

## &lt;Product information&gt;

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
STEAM SUPPLY ATOMAZING F-TYPE 25A ITEM NO.- 703 FOR DD AUX BOILER VALVE	5114044-DAP-043/2024E/179866	2	pcs	

## &lt;Material information&gt;

This materials information shows the amount of hazardous materials contained in

1	Unit

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
Yes/No	Mass	Unit					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No				
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No				
	Radioactive substances	no threshold level	No				
	Certain shortchain chlorinated paraffins	10 g/kg	No				
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(66).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (IIR/CONF/45)

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC (MSA's Best Practice Guidance on the inventory of Hazardous Materials, dated 2016-10-28)

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material.**Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.**

## Material Declaration

## &lt;Supplier (respondent) information&gt;

Company name	S&R World Marine Supply and Repair Co.,Ltd
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	robert@world-marine.com.cn
SDoC ID-No.	SDoC-171273

## &lt;Date of Declaration&gt;

Date	2024-10-16
------	------------

## &lt;MD ID number&gt;

MD-ID-No.	MD-179867
-----------	-----------

## &lt;Other information&gt;

Remark 1	
Remark 2	
Remark 3	

## &lt;Product information&gt;

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
STEAM SUPPLY ATOMAZING F-TAYPE 25A ITEM NO.- 704 FOR DD AUX BOILER VALVE	5114044-DAP-043/2024E/179867	2	pcs	

## &lt;Material information&gt;

This materials information shows the amount of hazardous materials contained in

1	Unit

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
Yes/No	Mass	Unit					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No				
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No				
	Radioactive substances	no threshold level	No				
	Certain shortchain chlorinated paraffins	10 g/kg	No				
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
Brominated Flame Retardant (HBCDD)	100 mg/kg	No					

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(66).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (IIR/CONF/45)

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC (MSA's Best Practice Guidance on the inventory of Hazardous Materials, dated 2016-10-28)

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material.

**Important Notice:** The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

## Material Declaration

## &lt; Supplier (respondent) information &gt;

<Date of Declaration>	
Date	2024-10-16
<MD ID number>	
MD-ID-No.	MD-179868
<Other information>	
Remark 1	
Remark 2	
Remark 3	

Company name	S&R World Marine Supply and Repair Co.,Ltd
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	robert@world-marine.com.cn
SDoC ID-No.	SDoC-171273

## &lt;Product information&gt;

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
STEAM SUPPLY BY-PASS CTRL F-TAYPE 25A ITEM NO.- 705 FOR DD AUX BOILER VALVE	5114044-DAP-043/2024E/179868	2	pcs	

## &lt;Material information&gt;

This materials information shows the amount of hazardous materials contained in

1	Unit

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
Yes/No	Mass	Unit					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No				
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No				
	Radioactive substances	no threshold level	No				
	Certain shortchain chlorinated paraffins	10 g/kg	No				
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(66).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (IIR/CONF/45)

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC (MSA's Best Practice Guidance on the inventory of Hazardous Materials, dated 2016-10-28)

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material.

**Important Notice:** The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.







## Material Declaration

## &lt;Supplier (respondent) information&gt;

Company name	S&R World Marine Supply and Repair Co.,Ltd
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	robert@world-marine.com.cn
SDoC ID-No.	SDoC-171273

## &lt;Date of Declaration&gt;

Date 2024-10-16

## &lt;MD ID number&gt;

MD-ID-No. MD-179871

## &lt;Other information&gt;

Remark 1	
Remark 2	
Remark 3	

## &lt;Product information&gt;

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
AIR SUPPLY ATOMAZING 16KX40 ITEM NO.- 47 FOR DD AUX BOILER VALVE	5114044-DAP-043/2024E/179871	2	pcs	

## &lt;Material information&gt;

This materials information shows the amount of hazardous materials contained in

1	Unit

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No				
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No				
	Radioactive substances	no threshold level	No				
	Certain shortchain chlorinated paraffins	10 g/kg	No				
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(66).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (IIR/CONF/45)

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC (MSA's Best Practice Guidance on the inventory of Hazardous Materials, dated 2016-10-28)

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material.**Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.**

**Material Declaration**

<Supplier (respondent) information>

Company name	S&R World Marine Supply and Repair Co.,Ltd
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	robert@world-marine.com.cn
SDoC ID-No.	SDoC-171273

<Date of Declaration>

Date 2024-10-16

<MD ID number>

MD-ID-No. MD-179933

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
MANTLE CABLE W/FLANGE, TYPE GT-942, LENGTH 680 MM	5114055-ELL-054/2024D/179933	6	pcs	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
	Methyl bromide	No					
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
		1					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
Yes/No	Mass	Unit					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated dephenyl ethers (PBDEs)	1 g/kg	No				
	Polychloronaphthalenes (Cl > = 3)	no threshold level	No				
	Radioactive substances	no threshold level	No				
	Certain shortchain chlorinated paraffins	10 g/kg	No				
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
Annex II*** (Additional materials)	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMD Guidelines Resolution MEPC.269(68).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

**Important Notice:** The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

**Material Declaration**

<Supplier (respondent) Information>

<b>Company name</b>	S&R World Marine Supply and Repair Co.,Ltd
<b>Division name</b>	
<b>Address</b>	
<b>Contact person</b>	
<b>Telephone number</b>	
<b>Fax number</b>	
<b>E-mail address</b>	robert@world-marine.com.cn
<b>SDoC ID-No.</b>	SDoC-171273

<Date of Declaration>

Date 2024-10-16

<MD ID number>

MD-ID-No. MD-179934

<Other information>

<b>Remark 1</b>	
<b>Remark 2</b>	
<b>Remark 3</b>	

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
PRESSURE TRANSMITTER FOR CARGO OIL TANK, GT403A0C0.6K	5114055-ELL-054/2024D/179934	4	pcs	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
	Methyl bromide	No					
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
			1				
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
Yes/No	Mass	Unit					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated dephenyl ethers (PBDEs)	1 g/kg	No				
	Polychloronaphthalenes (Cl > = 3)	no threshold level	No				
	Radioactive substances	no threshold level	No				
	Certain shortchain chlorinated paraffins	10 g/kg	No				
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
Annex II*** (Additional materials)	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMD Guidelines Resolution MEPC.269(68).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

**Important Notice:** The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

## Material Declaration

## &lt;Supplier (respondent) information&gt;

Company name	S&R World Marine Supply and Repair Co., Ltd
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	robert@world-marine.com.cn
SDoC ID-No.	SDoC-171273

## &lt;Date of Declaration&gt;

Date	2024-10-16
------	------------

## &lt;MD ID number&gt;

MD-ID-No.	MD-179949
-----------	-----------

## &lt;Other information&gt;

Remark 1	
Remark 2	
Remark 3	

## &lt;Product information&gt;

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
MAJOR OVERHAUL KIT FOR TURBOCHARGER MET66SE (INCLUDING BEARINGS AND SEALS) HYUNDAI MITSUBISHI TYPE: MET66SE	5114055-ELL-064/2024E/179949	1	pcs	

## &lt;Material information&gt;

This materials information shows the amount of hazardous materials contained in

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit		
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit		
	Lead and lead compounds	1 g/kg	No		Unit		
	Mercury and mercury compounds	1 g/kg	No		Unit		
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit		
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit		
	Polychloronaphthalenes (Cl ≥ 3)	no threshold level	No		Unit		
	Radioactive substances	no threshold level	No		Unit		
	Certain shortchain chlorinated paraffins	10 g/kg	No		Unit		
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit		
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No		Unit		
Annex II*** (Additional materials)							

\*Please refer to footnote 16 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (S/RCONF/45)

\*\*\*Regulation E/ No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC (MSA's Best Practice Guidance on the inventory of Hazardous Materials, dated 2016-10-28)

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material.

**Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.**



## Material Declaration

## &lt;Supplier (respondent) information&gt;

Company name	S&R World Marine Supply and Repair Co., Ltd
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	robert@world-marine.com.cn
SDoC ID-No.	SDoC-171273

## &lt;Date of Declaration&gt;

Date	2024-10-16
------	------------

## &lt;MD ID number&gt;

MD-ID-No.	MD-180159
-----------	-----------

## &lt;Other information&gt;

Remark 1	
Remark 2	
Remark 3	

## &lt;Product information&gt;

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
SOLENOID VALVE DANFOSS MARINE SYSTEM TYPE: MD1D-RK/59N-A/DMS NO: 160L8002 PMAX: 350BAR POWER: 220V 60HZ	5114050-BRN-0010/2024D/180159	4	pcs	

## &lt;Material information&gt;

This materials information shows the amount of hazardous materials contained in

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No		Unit		
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No		Unit		
	Lead and lead compounds	1 g/kg	No		Unit		
	Mercury and mercury compounds	1 g/kg	No		Unit		
	Polybrominated biphenyl (PBBs)	1 g/kg	No		Unit		
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No		Unit		
	Polychloronaphthalenes (Cl ≥ 3)	no threshold level	No		Unit		
	Radioactive substances	no threshold level	No		Unit		
	Certain shortchain chlorinated paraffins	10 g/kg	No		Unit		
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No		Unit		
Brominated Flame Retardant (HBCDD)	100 mg/kg	No		Unit			

\*Please refer to footnote 16 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.259(68).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (S/RCONF/45)

\*\*\*Regulation (EU) No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1013/2006 and Directive 2009/16/EC (MSA's Best Practice Guidance on the inventory of Hazardous Materials, dated 2016-10-28)

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material.

**Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.**



## Material Declaration

## &lt;Supplier (respondent) information&gt;

Company name	S&R World Marine Supply and Repair Co.,Ltd
Division name	
Address	
Contact person	
Telephone number	
Fax number	
E-mail address	robert@world-marine.com.cn
SDoC ID-No.	SDoC-171273

## &lt;Date of Declaration&gt;

Date	2024-10-16
------	------------

## &lt;MD ID number&gt;

MD-ID-No.	MD-180417
-----------	-----------

## &lt;Other information&gt;

Remark 1	
Remark 2	
Remark 3	

## &lt;Product information&gt;

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
IG BLOWER DISCHARGE VALVE (KEYSTONE CAPACITY CONTROL VALVE)	5114033-EVN-040/2024E/180417	2	pcs	

## &lt;Material information&gt;

This materials information shows the amount of hazardous materials contained in

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrochlorofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
Yes/No	Mass	Unit					
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No				
	Lead and lead compounds	1 g/kg	No				
	Mercury and mercury compounds	1 g/kg	No				
	Polybrominated biphenyl (PBBs)	1 g/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1 g/kg	No				
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No				
	Radioactive substances	no threshold level	No				
	Certain shortchain chlorinated paraffins	10 g/kg	No				
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (LR/CONF/45)

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC (MSA's Best Practice Guidance on the inventory of Hazardous Materials, dated 2016-10-28)

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material.

**Important Notice:** The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.