

INVENTORY OF HAZARDOUS MATERIALS

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: Multi-SDoC-924015
 2) Issuer's name: V-Tech Instrumentation FZC
 Issuer's address: SHARJAH 123, SHARJAH United Arab Emirates, sharjah, United Arab Emirates

3) Object(s) of declaration:

- | | |
|----|--|
| 1) | MAIN CONTACTOR, MAKER: FUJI ELECTRIC FA, JAPAN M |
| 2) | MAIN CONTACTOR, MAKER: FUJI ELECTRIC FA, JAPAN M |
| 3) | MAIN CONTACTOR, MAKER: FUJI ELECTRIC FA, JAPAN M |

4) The object(s) of the declaration described above is/are in conformity with the following documents:
 5) Applicable Regulations or other stipulated requirements and documents

Document No.	Title	Edition	Date of issue
MEPC.269(68)	Guidelines for the development of the IHM		2015-05-15
EU SRR	Regulation (EU) No 1257/2013		2013-11-20
EMSA	Best Practice Guide on IHM		2016-10-28
SR/CONF/45	Hong Kong International Convention		SR/CONF/45

6) Additional Information:

Signed for and on behalf of:

Place of issue UAE Date of issue 11/06/2024

7) Name function

Santhoshkumar-Qhse

Signature

Load Signature



Material Declaration

<Supplier (respondent) information>

Company name	V-Tech Instrumentation FZC
Division name	
Address	SHARJAH 123, SHARJAH United Arab Emirates, sharjah, United Arab Emirates
Contact person	
Telephone number	
Fax number	
E-mail address	gopan@vtech.ae
SDoC ID-No.	SDoC-924015

<Date of Declaration>

Date	2024-06-11
------	------------

<MD ID number>

MD-ID-No.	MD-168751
-----------	-----------

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
MAIN CONTACTOR, MAKER: FUJI ELECTRIC FA, JAPAN MODEL: SC-N4, VOLTAGE RANGE: AC 400V, UI:1000V, UIMP: 8KV, CONTINUOUS CURRENT: 135A, MAX.FUSE: K5, RK5 150A, SHORT CIRCUIT 10KA, 600V	LZR-OCG-042/2023E/168751	1	pcs	

<Material information>

This materials information shows the amount of hazardous materials contained in

1	Unit
---	------

Table	Material name	Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochorofluorocarbons		No			
	Anti-fouling systems containing organotin compounds as a biocide	Hydrochorofluorocarbons	2,500 mg total tin/kg	No			
		Methyl bromide		No			
Bromochloromethane		No					

Table	Material name	Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used
			Yes/No	Mass	Unit	
Table B (materials listed in appendix 2 of the Convention	Cadmium and cadmium compounds	100 mg/kg	No			Unit
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No			Unit
	Lead and lead compounds	1 g/kg	No			Unit
	Mercury and mercury compounds	1 g/kg	No			Unit
	Polybrominated biphenyl (PBBs)	1 g/kg	No			Unit
	Polybrominated dephenyl ethers (PBDEs)	1 g/kg	No			Unit
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No			Unit
	Radioactive substances	no threshold level	No			Unit
	Certain shortchain chlorinated paraffins	10 g/kg	No			Unit
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			Unit
Annex II*** (Additional materials)	Brominated Flame Retardant (HBCDD)	100 mg/kg	No			Unit

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Supplier (respondent) information>

Company name	V-Tech Instrumentation FZC
Division name	
Address	SHARJAH 123, SHARJAH United Arab Emirates, sharjah, United Arab Emirates
Contact person	
Telephone number	
Fax number	
E-mail address	gopan@vtech.ae
SDoC ID-No.	SDoC-924015

<Date of Declaration>

Date	2024-06-11
------	------------

<MD ID number>

MD-ID-No.	MD-168752
-----------	-----------

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
MAIN CONTACTOR, MAKER: FUJI ELECTRIC FA, JAPAN MODEL: SC-N2S, VOLTAGE RANGE: AC 400V, CONTINUOUS CURRENT: 80A, AUX 2A2BU:1000V, UIMP: 8KV	LZR-OCG-042/2023E/168752	1	pcs	

<Material information>

This materials information shows the amount of hazardous materials contained in

1	Unit
---	------

Table	Material name	Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			
	Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No				
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No			Unit	
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No			Unit	
	Lead and lead compounds	1 g/kg	No			Unit	
	Mercury and mercury compounds	1 g/kg	No			Unit	
	Polybrominated biphenyl (PBBs)	1 g/kg	No			Unit	
	Polybrominated dephenyl ethers (PBDEs)	1 g/kg	No			Unit	
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No			Unit	
	Radioactive substances	no threshold level	No			Unit	
	Certain shortchain chlorinated paraffins	10 g/kg	No			Unit	
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			Unit	
Annex II**** (Additional materials)	Brominated Flame Retardant (HBCDD)	100 mg/kg	No			Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration

<Supplier (respondent) information>

Company name	V-Tech Instrumentation FZC
Division name	
Address	SHARJAH 123, SHARJAH United Arab Emirates, sharjah, United Arab Emirates
Contact person	
Telephone number	
Fax number	
E-mail address	gopan@vtech.ae
SDoC ID-No.	SDoC-924015

<Date of Declaration>

Date	2024-06-11
------	------------

<MD ID number>

MD-ID-No.	MD-168753
-----------	-----------

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
MAIN CONTACTOR, MAKER: FUJI ELECTRIC FA, JAPAN MODEL: SC-N1, VOLTAGE RANGE: AC 400V, CONTINUOUS CURRENT: 50A, AUX 2A2B UI:1000V, UIMP: 8KV	LZR-OCG-042/2023E/168753	1	pcs	

<Material information>

This materials information shows the amount of hazardous materials contained in

Amount	Unit
1	

Table	Material name	Threshold level	Present above threshold level	If yes, matrial mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	no threshold level	No				
	Polychlorinated biphenyls(PCBs)	no threshold level	No				
	Ozon depleting substance	Chlorofluorocarbons(CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochorofluorocarbons		No			
		Hydrochorofluorocarbons		No			
	Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No				
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No			Unit	
	Hexavalent chromium and hexavalent chromium compounds	1 g/kg	No			Unit	
	Lead and lead compounds	1 g/kg	No			Unit	
	Mercury and mercury compounds	1 g/kg	No			Unit	
	Polybrominated biphenyl (PBBs)	1 g/kg	No			Unit	
	Polybrominated dephenyl ethers (PBDEs)	1 g/kg	No			Unit	
	Polychloronaphthalenes (Cl >= 3)	no threshold level	No			Unit	
	Radioactive substances	no threshold level	No			Unit	
	Certain shortchain chlorinated paraffins	10 g/kg	No			Unit	
	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			Unit	
Annex II*** (Additional materials)	Brominated Flame Retardant (HBCDD)	100 mg/kg	No			Unit	

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.