

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: SDoC-823191
 2) Issuer's name: DENİZ SHIP SUPPLY
 Issuer's address: Aydintepe mh. Ünsiyet sk, TUZLA, No:6, Turkey

3) Object(s) of
declaration:

- | | |
|----|---|
| 1) | GLOBE VALVE DIN CAST IRON, FLANGED PN10/16 #241 |
| 2) | ELECTRICAL RUBBER MAT WITH CERTIFICATE |
| 3) | FORGED STEEL GLOBE VALVE EXTENDED STEM MODEL |
| 4) | GLOBE NON RETURN VALVEDRAWING NUMBER: 52801 |

4) The object(s) of the declaration described above is/are in conformity with the following documents:
 5) Applicable Regulations or other stipulated requirements and documents

| Document No. | Title | Edition | Date of issue |
|--------------|---|---------|---------------|
| MEPC.269(68) | Guidelines for the development of the IHM | | 2015-05-15 |
| EU SRR | Regulation (EU) No 1257/2013 | | 2013-11-20 |
| EMSA | Best Practice Guide on IHM | | 2016-10-28 |
| SR/CONF/45 | Hong Kong International Convention | | SR/CONF/45 |
| | | | |

6) Additional

Information:

Signed for and on
behalf of:

Place of issue

İSTANBUL / TÜRKİYE

Date of issue

17/07/2024

7) Name and function

Signature

Load Signature



Material Declaration

<Supplier (respondent) information>

| | |
|------------------|---|
| Company name | DENIZ SHIP SUPPLY |
| Division name | |
| Address | Aydıntepe mh. Ünsiyet sk. TUZLA, No:6, Turkey |
| Contact person | DENIZ SHIP SUPPLY |
| Telephone number | |
| Fax number | |
| E-mail address | sales@denizshipsupply.com |
| SDoC ID-No. | SDoC-823191 |

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-07-17 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-163318 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|----------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| ELECTRICAL RUBBER MAT WITH CERTIFICATE | HKM-177/2023E/163318 | 10 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Unit | If yes, material mass | | If yes, information on where it is used | |
|--|---|------------------------------|--------------------|-----------------------|------|---|--|
| | | | 1 | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | Methyl bromide | No | | | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | | |
| | Lead and lead compounds | 1 g/kg | No | | | | |
| | Mercury and mercury compounds | 1 g/kg | No | | | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1 g/kg | No | | | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | | | |
| | Radioactive substances | no threshold level | No | | | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | | |
| Annex II*** (Additional materials) | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1274/2002 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or of textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.



Material Declaration

<Supplier (respondent) information>

| | |
|------------------|---|
| Company name | DENİZ SHIP SUPPLY |
| Division name | |
| Address | Aydıntepe mh. Ünsiyet sk. TUZLA, No:6, Turkey |
| Contact person | DENİZ SHIP SUPPLY |
| Telephone number | |
| Fax number | |
| E-mail address | sales@denizshipsupply.com |
| SDoC ID-No. | SDoC-823191 |

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-07-17 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-171273 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|---|----------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| FORGED STEEL GLOBE VALVE EXTENDED STEM MODEL: FSG- 20-25 DR NO: 110104 SIZE: JIS 20K -25 | 5402014-HOP- 025/2024E/171273 | 1 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Unit | | If yes, information on where it is used | |
|--|--|------------------------------|---|-------------------------------|---|--|
| | | | Present above threshold level Yes/No | If yes, material mass Mass | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | |
| | | Halons | | No | | |
| | | Other fully halogenated CFCs | | No | | |
| | | Carbon tetrachloride | | No | | |
| | | 1,1,1-Trichloroethane | | No | | |
| | | Hydrochlorofluorocarbons | | No | | |
| | | Hydrochlorofluorocarbons | | No | | |
| | Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | |
| | Polybrominated dephenyl ethers (PBDEs) | 1 g/kg | No | | Unit | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | |
| | Radioactive substances | no threshold level | No | | Unit | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | |
| Annex II*** (Additional materials) | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1257/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished goods, particles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS, or textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.



Material Declaration

<Supplier (respondent) information>

| | |
|------------------|---|
| Company name | DENIZ SHIP SUPPLY |
| Division name | |
| Address | Aydintepe mh. Ünsiyet sk. TUZLA, No:6, Turkey |
| Contact person | DENIZ SHIP SUPPLY |
| Telephone number | |
| Fax number | |
| E-mail address | sales@denizshipsupply.com |
| SDoC ID-No. | SDoC-823191 |

<Date of Declaration>

| | |
|------|------------|
| Date | 2024-07-17 |
|------|------------|

<MD ID number>

| | |
|-----------|-----------|
| MD-ID-No. | MD-171274 |
|-----------|-----------|

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|---|------------------------------|----------------|------|---------------------|
| | | Amount | Unit | |
| GLOBE NON RETURN VALVEDRAWING NUMBER: 5280101 SIZE: JIS 20K-25 MATERIAL: SF 440 A | 5402014-HOP-025/2024E/171274 | 2 | pcs | |

<Material information>

This materials information shows the amount of hazardous materials contained in

| Table | Material name | Threshold level | Unit | If yes, matrial mass | | If yes, information on where it is used | |
|--|--|------------------------------|--------------------|----------------------|------|---|--|
| | | | 1 | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | Methyl bromide | No | | | | | |
| Bromochloromethane | No | | | | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | | |
| | Polybrominated dephenyl ethers (PBDEs) | 1 g/kg | No | | Unit | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | | |
| | Radioactive substances | no threshold level | No | | Unit | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | | |
| Annex II*** (Additional materials) | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | | |

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation (EC) No. 1257/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or in textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

