## SUPPLIERS DECLARATION OF CONFORMITY

## for Material Declaration Management

(Please refer to IMO Resolution MEPC.269(68))

1) SDoC ID No: SDOC5402009-HKM-043/2024E-O001 Submitted to (Customer): DRACO BUREN SHIPPING PTE LTD NEW CHANNEL (CHINA) INTERNATIONAL CO., LIMITED 2) Issuers name: Off. 1007-1009 Modern Communication Building, No. 201 Xin Jin Qiao Road. Issuers adress: Pudong, Shanghai.201206 LAMP FLUORESCENT COOL WHITE, FL-20SS-W/18 18W 28X580MM LAMP FLUORESCENT COOL WHITE, FL-20S/EL 20W 32.5X588.7MM 2 LAMP FLUORESCENT COOL WHITE, FL-40SW 40W 32.5X1198MM 3 4 STARTER FOR FL LAMP FG-7P 5 STARTER FOR FL LAMP FG-4P 6 STARTER FOR FL LAMP FG-1P 7 BATTERY DRY CELL R6P(UM-3), 1.5V LEAK-PROOF BATTERY DRY CELL R03(UM-4), 1.5V LEAK-PROOF 9 TAPE PVC INSULATION 19MMX20MTR 10 VARNISH INSULATION RED SPRAY, 300CC 11 CABLE BAND PLASTIC 350MM 12 CABLE BAND PLASTIC 200MM 13 TERMINAL LUG INSULATED, RECEPTACLE 2MM2 W:4MM BLUE 14 FUSE WIRE 1AMP 225GRM 15 FUSE WIRE 3AMP 225GRM 16 FUSE WIRE 5AMP 450GRM 17 TESTER CIRCUIT PENCIL TYPE, 80-600V 18 CABLE REEL EXTENSION AC220V, 30MTR 19 FLASHLIGHT RECHARGEABLE, AC220V OPERATION 70MIN 20 GLOVES WORKING COTTON, RUBBER COATED PALM 3) Object(s) of the declaration: 21 LADDER PLATFORM ALUM-ALLOY, 1.5MTR 22 PLIER LONG NEEDLE NOSE, PLASTIC COVERED HANDLE 150MM 23 SCREWDRIVER OFFSET DOUBLE, NO.1 & -5 24 SCREWDRIVER OFFSET DOUBLE, NO.2 & -6 25 WRENCH SET ALLEN HEXAGON, 2.5-12MM 8'S 26 LAMP HALOGEN TUBULAR SHAPE, E-39 200-240V 500W 27 LAMP PILOT TUBULAR CLEAR E-12, 6.3V 0.15A 13X33MM 28 LAMP PILOT TUBULAR CLEAR BA-9S, 6.3V 0.15A 10X28MM 29 LAMP PILOT TUBULAR CLEAR BA-9S, 24V 0.11A 10X28MM 30 PULLER GEAR & WHEEL 2-ARM, TYPE-GL 0-100MM 31 PULLER GEAR & WHEEL 2-ARM, TYPE-GL 0-300MM 32 PULLER GEAR & WHEEL 3-ARM, 0-125MM 33 PULLER GEAR & WHEEL 3-ARM, 0-200MM 34 PULLER GEAR & WHEEL 3-ARM, 0-450MM 35 LAMP PILOT TUBULAR CLEAR BA15D, 24V 40W 25X70MM 36 TOOL SET HANDY 14TOOLS, IN CARRYING CASE 37 ELECTRIC CABLE STRIPPER FOR, 0.9-5.5MM2 STRAND CABLE 38 PLIER STOP RING STRAIGHT, EXTERNAL 10-25MM 39 PLIER STOP RING STRAIGHT, EXTERNAL 32-80MM

40 PLIER STOP RING BENT, EXTERNAL 10-25MM

|    |   | 42         | PLIER STOP RING STRAIGHT, INTERNAL 15-25MM                                     |                |                |  |  |
|----|---|------------|--|----------------|----------------|--|--|
|    | Object(s) of the declaration:   | 43         | PLIER STOP RING STRAIGHT, INTERNAL 32-80MM                                     |                |                |  |  |
|    |   | 44         | PLIER STOP RING BENT, INTERNAL 12-25MM   |                |                |  |  |
|    |   | 45         | PLIER STOP RING BENT, INTERNAL 32-80MM   |                |                |  |  |
|    |   | 46         | SCISSORS CLOTH OVERALL 240MM   |                |                |  |  |
|    |   | 47         | FILE NEEDLE SET 170MM 12'S, SMOOTH   |                |                |  |  |
|    |   | 48         | WRENCH SET OPEN & 12-POINT BOX, 6X6 TO 19X                                     | 19MM 11'S      |                |  |  |
|    |   | 49         | WRENCH ADJUSTABLE HEAVY-DUTY, 100MM  |                |                |  |  |
|    |   | 50         | WRENCH ADJUSTABLE HEAVY-DUTY, 150MM  |                |                |  |  |
|    |   | 51         | SOCKET WRENCH SET 6.35MM/SQ, 4-14MM 12SOC                                      | KET/7TOOL 180  | OM             |  |  |
|    |   | 52         | PLIER VISE-GRIP COMBINATION, 125MM   |                |                |  |  |
|    |   | 53         | DRILL SET HSS STRAIGHT SHANK, 1.5-6.5MM 13'S                                   | IN POLY CASE   |                |  |  |
|    |   | 54         | IMPACT WRENCH CORDLESS, 1/2"SQ DRIVE   |                |                |  |  |
|    |   | 55         | JIG SAW ELECTRIC, 60MM AC220V 1-PHASE  |                |                |  |  |
|    |   | 56         | SPARE BLADE #2 WOOD/PLASTIC, H. RUBBER FOR                                     | R ELEC. JIGSAW | 5'S            |  |  |
|    |   | 57         | DRILL ELECTRIC PORTABLE 10MM, AC220V 1-PHA                                     |                |                |  |  |
|    |   | 58         | Insulated magnetic tip slotted screwdriver set                                 |                |                |  |  |
|    |   | 59         | Insulated magnetic tip philip screw driver set                                 |                |                |  |  |
|    |   | 60         | LED lamp, 220V, 10W, E27   |                |                |  |  |
|    |   | 61         | LED flood light, 220v, 200W  |                |                |  |  |
|    |   | 62         | Rechargeable head light(Compact), 220V   |                |                |  |  |
|    |   | 63         | Multiway receptacle with cord and plug   |                |                |  |  |
|    |   | 64         | Rechargeable battery,  |                |                |  |  |
| 3) |   | 65         | suez search light lamp, 220v,2000W   |                |                |  |  |
|    |   | 66         | PLC Battery  |                |                |  |  |
|    |   | 67         | Fluorescent lamp holder  |                |                |  |  |
|    |   | 68         | Fluorescent lamp holder  |                |                |  |  |
|    |   | 69         | Assorted spring washer kit for small nut bolts                                 |                |                |  |  |
|    |   | 70         | Assorted Plain washer kit for small nut bolts                                  |                |                |  |  |
|    |   | 71         | CLIP ALLIGATOR A-TYPE 73 MM  |                |                |  |  |
|    |   | 72         | CLIP ALLIGATOR A-TYPE 50 MM  |                |                |  |  |
|    |   | 73         | Adaptor  |                |                |  |  |
|    |   | 74         | FLEXIBLE EXTENSION HOSE PT 1/8, FOR PIN TYPE                                   | GREASE NIPPL   | .E             |  |  |
|    |   | 75         | BALL BEARING SINGLE ROW, DEEP GROOVE NO.6                                      | 3202ZZ         |                |  |  |
|    |   | 76         | BALL BEARING SINGLE ROW, DEEP GROOVE NO.6                                      | 3205ZZ         |                |  |  |
|    |   | 77         | BALL BEARING SINGLE ROW, DEEP GROOVE NO.6206ZZ                                 |                |                |  |  |
|    |   | 78         | BALL BEARING SINGLE ROW, DEEP GROOVE NO.6208ZZ                                 |                |                |  |  |
|    |   | 79         | AIR DUSTER CANNED 10 0Z  |                |                |  |  |
|    |   | 80         | GLOVES RUBBER INSULATION 7000V   |                |                |  |  |
|    |   | 81         | GLOVES RUBBER INSULATION 600V  |                |                |  |  |
|    |   | 82         | V-BELT A-63  |                |                |  |  |
|    |   | 83         | V-BELT A-27  |                |                |  |  |
|    |   | 84         | V-BELT A-43  |                |                |  |  |
|    |   | 85         | V-BELT B-33  |                |                |  |  |
|    |   | 86         | V-BELT B-36  |                |                |  |  |
|    |   | 87         | V-BELT B-67  |                |                |  |  |
|    |   | 88         | V-BELT B-68  |                |                |  |  |
|    | The abbase 6.1 1 0 1  | <b>.</b> . | alabara ta ta ara-fara na mana ara-fara da | and the second |                |  |  |
| 4) | The object of declaration described above is in conformity with the requirement of the following documents: |            |  |                |                |  |  |
| 5) | Document No.: Title:  |            |  | Edition        | Date of issue: |  |  |
|    | 1 IMO   | Guide      | lines in Resolution MEPC.269(68)   |                | 2015/5/15      |  |  |

41 PLIER STOP RING BENT, EXTERNAL 32-80MM

|    | 2                       | Regulation EU No. 1257/2013      |  |           | 2013/11/20 |
|----|-------------------------|----------------------------------|--|-----------|------------|
|    |                         |                                  |  |           |            |
|    | 3                       | EMSA's Best Practice Guidance on | the IHM  |           | 2016/10/28 |
|    |                         |                                  |  |           |            |
|    |                         |                                  |  |           |            |
|    |                         |                                  |  |           |            |
| 6) | Additional              |                                  |  |           |            |
|    | Information:            |                                  |  |           |            |
|    |                         |                                  | nal Co. /  |           |            |
|    | Signed for and on beh   | nalf of:                         | THE THE PARTY OF T |           |            |
|    | <b>NEW CHANNEL (CHI</b> | NA) INTERNATIONAL CO.,           |  |           |            |
|    |                         |                                  | 18 ( T ) 8 3 3   | January / |            |
|    | Shanghai, China         | 2024/05/09                       | (0)  | No.       |            |
|    | (Place of issue)        | Date of issue                    |  |           |            |
| 7) | Tommy, Shipping         |                                  |  |           |            |
|    | (Name, function)        |                                  | (Signature)  |           |            |