## **MATERIAL DECLARATION (MD)**

<Date of declaration>

	Date	22.07.2025	1						
· .	Date	122.07.2023	j		<supplier (respondent)="" information=""></supplier>				
	<md identifica<="" td=""><td>ation number&gt;</td><td></td><td></td><td>pany name</td><td><del></del></td><td colspan="3">Bluemast Marine Equipment &amp; Services</td></md>	ation number>			pany name	<del></del>	Bluemast Marine Equipment & Services		
	ID-No.		Division name						
	La	MD-BM-2025-029				Address		No.28, Aklavya CHS Ltd, Plot No. 69D, J&K	
		The state of the s					Sector 21 Kharghar, Navi Mumbai, India		
							410210		
*	<other inform<="" td=""><td>ation&gt;</td><td></td><td></td><td>-</td><td>Cont</td><td>act person</td><td>Mr. Ajay</td><td>Kumar</td></other>	ation>			-	Cont	act person	Mr. Ajay	Kumar
	Remark 1	Vessel: PM REGALIA	4				one number	(+91) 771	0932939
	Remark 2					<u> </u>	Fax number		
	Remark 3						Email address blue.ajay@blue.mast.com		
			*			SDoC	SDoC ID number   SDoC-BM-2025-029		
	<product infor<="" td=""><td>mation&gt;</td><td></td><td></td><td></td><td></td><td></td><td></td><td>- 1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (</td></product>	mation>							- 1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (
	Dv	oduct name	Duration		Delivered unit			Dro	oduct information
	PI	oduct name	Product numb	Jet	Amount	Unit		PR	Dauct Information
	LT Cooler (	Model: MX25-BFMS)			1	pcs	Gasket (NBR), Plate (Ti: 0.5 mm)		
	<materials info<="" td=""><td>ormation&gt;</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></materials>	ormation>							
		1 *					Unit	]	
	This ma	aterials information show	s the amount of hazardous	materials conta	ined in			(Unit: kg, m, m², m³, piece, etc.) of the	
		-			;		<b>'</b>	produ	
				( )	Present	above	If yes, mate	rial mass	
	Table	Mate	rial name	Threshold value	threshold value?			If yes, information on where it is used	
j				value	Yes / No		Mass	Unit	useu
		Asbestos	Asbestos	0.1% *	No				
		Polychlorinated	Polychlorinated biphenyls	50 mg/kg	No				
ę.,		biphenyls (PCBs)	(PCBs)						to the state of th
			Chlorofluorocarbons		No				
			(CFCs)		No				
							-		
i.	Table A		Other fully halogenated  CFCs		No				
	(materials	Ozone Depleting	Carbon tetrachloride			<del></del>			
	listed in appendix 1 of	Substance (ODS)	1, 1, 1-Trichloroethane	value	No No				
	the			/drochlorofluorocarbons /drobromofluorocarbons Methyl bromide	No				
	Convention)				<b></b>				<u> </u>
	and AFS				No	,			
	Convention				No				
			Bromochloromethane		No				
		Anti-fouling systems	ning organotin   e.g. Triphenyl tins (TPTs)	2500 mg total	No				
		containing organotin							
	compounds as a biocide				No			/XE	
1,			(TBTO)				1	/ <u>&amp;</u> /	RGHAR
	L	Cybutryne	Cybutryne	200 mg/kg	No		<u> </u>	3/	BCHAR M
							W.	<u>હિ</u> /^π∕	RGHAR
٠.							,	131	/ <del>.</del> ਵ//

 						1		
EU SRR **	 Parfluaracetana	sulfonic acid (PFQS)	10 mg/kg	No		1		
 EO. 3UV	r et ilugi ooctalle	sulforfic actu (F1 OS)	TO HIB/NB	1140		1		
	 		1	7		1 1	and the same of th	

Table	Material name	Threshold value	Present above threshold value?	If yes, material mass		If yes, information on where it is	
			Yes / No	Mass	Unit	used	
	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1000 mg/kg	No				
Table B	Lead and lead compounds	1000 mg/kg	No				
(materials	Mercury and mercury compounds	1000 mg/kg	No				
listed in appendix 2 of	Polybrominated biphenyl (PBBs)	50 mg/kg	No				
the	Polybrominated diphenyl ethers (PBDEs)	1000 mg/kg	No				
Convention)	Polychloronaphthalenes (Cl >=3)	50 mg/kg	No				
	Radioactive substances	No threshold value	No		_		
	Certain shortchain chlorinated paraffins	1%	No			3	
EU SRR **	Brominated flame retardant (HBCDD)	100 mg/kg	No				

- \* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCEGHS), the UN's Sub Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and declarations.
  - \*\* Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No. 1257/2013



This MD is to be completed in accordance with IMO Resolution MEPC.379(80) and should be accompanied by a Supplier's Declaration of Conformity (SDoC)

## SUPPLIER'S DECLARATION OF CONFORMITY FOR MATERIAL DECLARATION MANAGEMENT

1.	SDoC Identification Num	iber _	SDoC-BM-2025-029		
2.	Issuer's Name		Bluemast Marine Equipment & Service	es	
	Issuer's Address	No	o.28, Aklavya CHS Ltd,Plot No. 69D,J&I	K Sector 21 Khargh	ar,
		. · -	Navi Mumbai, India 410210		
3.	Object(s) of the Declarat	ion	LT Cooler (Model: MX25-BFMS)		
		-			
4.	The object(s) of the decl	aration describe	ed above is in conformity with the follo	wing documents:	eta erregio de la composición de la co La composición de la
	Document No.	<u>Title</u>			Edition/Date of Issue
	MEPC.379(80)	Guidelines for t	he development of the Inventory of Hazar	dous Materials	2023/07/07
	EU SRR	Regulation (EU)	No 1257/2013		2013/11/20
	EMSA	Best Practice Gu	uide on the IHM		2016/10/28
	AFS Convention	Control of Harm	nful AFS on ships, 2001 with amendments		2001/10/05
5.	Additional Information				
	Signed for and on behalf o	· ·			
6.	Bluemast Marine Equipm				
	Kharghar, 22/07/2025	ont as Bol vices			
<b>7.</b>	Place and date of Issue  Mateshwar Singh, Manag	ger (Operation)	HA OSK	EQUIPMENT	
	(Name, Function)		(Signature)	IARGHAR 0	