Material Declaration					
<pre><date declaration="" of=""></date></pre>					
<md id="" number=""></md>			<supplier (respondent)="" information=""></supplier>		
MD-ID-No.			Compar	ny name	
			Division name		
			Address		
<pre><other information=""></other></pre>			Contact person		
Remark 1			Telephone number		
Remark 2			Fax number		
Remark 3			E-mail address		
			SDoC	ID-No.	
<product information=""></product>					
Product name	Product number	Delivered unit		Product information	
		Amount	Unit		1 Todact Information
	(15,32,46,,68 ,100,150)				·

Unit

<Material information>

This materials information shows the amount of hazardous materials contained in

Present If yes, above threshold material mass Table Threshold level If yes, information on where it is used Material name level Yes/No Mass Unit 0.1%* 50 mg/kg Table A** (materials listed in appendix 1 of the Convention) Ozon depleting no threshold level substance 2,500 mg total tin/kg 100 mg/kg 1,000 mg/kg 1,000 mg/kg Table B** 1,000 mg/kg (materials listed in appendix 2 of the 50 mg/kg Convention) 1,000 mg/kg 50 mg/kg no threshold level 10 mg/kg**** Annex II***

materials)

100 mg/kg

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU to the Bafe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.