

## MATERIAL DECLARATION (MD)

<Date of declaration>

Date	2025/1/7
------	----------

<MD identification number>

ID-No.	YOG-MD-20250107-001
--------	---------------------

<Other information>

Remark 1	supplied item: Supply spare parts
Remark 2	vessel Details: YOGI
Remark 3	

<Supplier (respondent) information>

Company name	SHENZHEN OCEAN CONTROL AUTOMATION AND INSTRUMENT CO., LTD
Division name	
Address	Nanshan E-commerce Innovation Service Base, A603, Building G, Shekou United Industrial Village, South Park Road, Nanshan District, Shenzhen, Guangdong province, China.
Contact person	Wu Zhenglin
Telephone number	+86 13928406340
Fax number	
Email address	oceancontrol@vip.163.com
SDoC ID number	YOG-SDoC-OC20250107

<Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
CONTACTOR	S-N400	1	pce	CONTACTOR MAKER: MITSUBISHI ELECTRIC TYPE: S-N400 COIL VOLTAGE: 380-440V, 50/60 HZ
CONTACTOR	S-N220	1	pce	CONTACTOR MAKER: MITSUBISHI ELECTRIC TYPE: S-N220 COIL VOLTAGE: 380-440V, 50/60 HZ.
CONTACTOR	S-N150	1	pce	CONTACTOR MAKER: MITSUBISHI ELECTRIC TYPE: S-N150 COIL VOLTAGE: 380-440V, 50/60 HZ.
CONTACTOR	S-N300	1	pce	CONTACTOR MAKER: MITSUBISHI ELECTRIC TYPE: S-N300 COIL VOLTAGE: 380-440V, 50/60 HZ.
CONTACTOR	S-N65	1	pce	CONTACTOR MAKER: MITSUBISHI ELECTRIC TYPE: S-N65 COIL VOLTAGE: 380-440V, 50/60 HZ.
CONTACTOR	S-N125	1	pce	CONTACTOR MAKER: MITSUBISHI ELECTRIC TYPE: S-N125 COIL VOLTAGE: 380-440V, 50/60 HZ.
CONTACTOR	S-N21	1	pce	CONTACTOR MAKER: MITSUBISHI ELECTRIC TYPE: S-N21 COIL VOLTAGE: 380-440V, 50/60 HZ.
CONTACTOR	S-N50	1	pce	CONTACTOR MAKER: MITSUBISHI ELECTRIC TYPE: S-N50 COIL VOLTAGE: 380-440V, 50/60 HZ.
THERMAL OVERLOAD RELAY	TH-N220	1	pce	THERMAL OVERLOAD RELAY MAKER: MITSUBISHI ELECTRIC TYPE: TH-N220 RANGE: 140-220 AMPERE
THERMAL OVERLOAD RELAY	TH-N20 (5.2-8)	1	pce	THERMAL OVERLOAD RELAY MAKER: MITSUBISHI ELECTRIC TYPE: TH-N20 RANGE: 5.2-8 AMPERE
THERMAL OVERLOAD RELAY	TH-N20 (7-11)	1	pce	THERMAL OVERLOAD RELAY MAKER: MITSUBISHI ELECTRIC TYPE: TH-N20 RANGE: 7-11 AMPERE
THERMAL OVERLOAD RELAY	TH-N20TA	1	pce	THERMAL OVERLOAD RELAY MAKER: MITSUBISHI ELECTRIC TYPE: TH-N20TA RANGE: 8-26 AMPERE

<Materials information>

This materials information shows the amount of hazardous materials contained in

	Unit
1	

(Unit: kg, m, m<sup>2</sup>, m<sup>3</sup>, piece, etc.) of the product

Table	Material name		Threshold value	Present above threshold value?	If yes, material mass		If yes, information on where it is used	
				Yes / No	Mass	Unit		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	Asbestos	0.1% *	No				
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No				
	Ozone Depleting Substance (ODS)	Chlorofluorocarbons (CFCs)	No threshold value	No threshold value	No			
		Halons			No			
		Other fully halogenated CFCs			No			
		Carbon tetrachloride			No			
		1, 1, 1-Trichloroethane			No			
		Hydrochlorofluorocarbons			No			
		Hydrobromofluorocarbons			No			
		Methyl bromide			No			
		Bromochloromethane			No			
	Anti-fouling systems containing organotin compounds as a biocide	e.g. Tributyltin (TBT)	2500 mg total tin/kg	2500 mg total tin/kg	No			
		e.g. Triphenyltins (TPTs)			No			
		e.g. Tributyltin oxide (TBTO)			No			
EU SRR **	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg	No				

Table	Material name		Threshold value	Present above threshold value?	If yes, material mass		If yes, information on where it is used
				Yes / No	Mass	Unit	
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1000 mg/kg	No			
	Lead and lead compounds		1000 mg/kg	No			
	Mercury and mercury compounds		1000 mg/kg	No			
	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
	Polybrominated diphenyl ethers (PBDEs)		1000 mg/kg	No			
	Polychloronaphthalenes (Cl >=3)		50 mg/kg	No			
	Radioactive substances		No threshold value	No			
Certain shortchain chlorinated paraffins		1%	No				
EU SRR **	Brominated flame retardant (HBCDD)		100 mg/kg	No			

---

\* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and declarations.

\*\* Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013

---

This MD is to be completed in accordance with IMO Resolution MEPC.269(68) and should be accompanied by a Supplier's Declaration of Conformity (SDoC)

## SUPPLIER'S DECLARATION OF CONFORMITY FOR MATERIAL DECLARATION MANAGEMENT

1. SDoC Identification Number YOG-SDoC-OC20250107
2. Issuer's Name SHENZHEN OCEAN CONTROL AUTOMATION AND INSTRUMENT CO., LTD
- Issuer's Address Nanshan E-commerce Innovation Service Base,A603,Building G,Shekou United Industrial Village, South Park Road,Nanshan District,Shenzhen,Guangdong province,China.
3. Object(s) of the Declaration This declaration cover below MD:  
YOG-MD-20250107-001

4. The object(s) of the declaration described above is in conformity with the following documents:

<u>Document No.</u>	<u>Title</u>	<u>Edition/Date of Issue</u>
<u>MEPC.269(68)</u>	<u>Guidelines for the development of the Inventory of Hazardous Materials</u>	<u>2015/05/15</u>
<u>EU SRR</u>	<u>Regulation (EU) No 1257/2013</u>	<u>2013/11/20</u>
<u>EMSA</u>	<u>Best Practice Guide on the IHM</u>	<u>2016/10/28</u>

5. Additional Information \_\_\_\_\_  
\_\_\_\_\_

6. Signed for and on behalf of  
Wu Zhenglin  
Shenzhen, 2025/1/7

Place and date of Issue

7. Commercial Manger  
(Name, Function)



(Signature)