<date declara<="" of="" th=""><th>ation></th></date>	ation>
Date:	27/3/2025
<md id="" number<="" td=""><td>></td></md>	>
MD-ID-No.	
<other informat<="" td=""><td>ion (e.g Shipyard, Hull Number if applicable.)></td></other>	ion (e.g Shipyard, Hull Number if applicable.)>
Remark 1	
Remark 2	
Remark 3	

<supplier (respondent)="" information=""></supplier>					
Company name	name Apex Chemicals (S) Pte Ltd				
Division name					
Address	14 Tuas South Street 3 Singapore 638053				
Contact person	Christopher Choo				
Telephone no	+65 6483 5350				
Fax no	+65 6483 5359				
E-mail adress	chris.choo@apex-chemicals.com				
SDoC ID no					

<Product Information>

Product Name	Product Number	Delivered Unit		Product Information		
r roddor riamo	1 Todast Names	Amount	Unit	T TOUGHT INTO THE COLOR		
SEWERZYME BTC	A-22L (1L)	24	Ltr	12Btl x 1Ltr Per Carton		

Unit:

This material information shows the amount of hazardous materials contained in

-Material Informations

<iviaterial< th=""><th>intormation></th><th></th><th></th><th></th><th></th><th></th><th></th></iviaterial<>	intormation>						
Table	Material Name		Threshold level	Present above threshold level	IF YES Material Mass		IF YES Information
				Yes or No	Amount	Unit	on where it is used
	Asbestos	Asbestos	0,1% *	No			
Table A**	PCB's	Polychlorinated Biphenyls (PCBs)	50 mg/kg	No			
		Chlorofluorcarbons (CFC's)		No			
Materials		Halons		No			
listed in		Other fully Halogenated CFC's		No			
appendix 1	Ozone depleting	Carbon Tetrachloride		No			
of the	Substances	1,1,1-Trichloroethane	No threshold level	No			
Convention		Hydrochlorofluorcarbons		No			
		Hydrobromofluorcarbons		No			
		Methyl Bromide		No			
		Bromochloromethane		No			
A-4	Anti-fouling systems containing organotin compounds as a biocide		2500 mg total tin/kg	No			
	Anti-fouling systems containing cybutryne		1000 mg/kg	No			

Table	Material Name	Threshold level	Present above threshold level Yes or No	IF Y Materia Amount	/ES al Mass Unit	IF YES Information on where it is used
	Cadmium & Cadmium Compounds	100 mg/kg	No	Amount	Offic	On where it is used
	Hexavalent Chromium and Hexavalent Chromium Compounds	1,000 mg/kg	No			
	Lead and Lead Compounds	1,000 mg/kg	No			
Materials	Mercury and Mercury Compounds	1,000 mg/kg	No			
listed in	Polybromated Biphenyl (PBB's)	50 mg/kg	No			
appendix 2	Polybrominated Dephenyl Ethers (PBDE's)	1,000 mg/kg	No			
of the	Polychloronaphtalenes (CI>=3)	50 mg/kg	No			
Convention	Radioactive substances	No thr.level	No			
	Certain Shortchain Chlorinated Paraffins	1%	No			
Annex II***	D #					
(Additional	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			
Materials)	Flame Retardant (HBCDD)	100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.379(80).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45),

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μg/m² of the coated material

<date declara<="" of="" th=""><th>ation></th></date>	ation>
Date:	27/3/2025
<md id="" number<="" td=""><td>></td></md>	>
MD-ID-No.	
<other informat<="" td=""><td>ion (e.g Shipyard, Hull Number if applicable.)></td></other>	ion (e.g Shipyard, Hull Number if applicable.)>
Remark 1	
Remark 2	
INCIDIALN Z	
Remark 3	

<supplier (respondent)="" information=""></supplier>					
Company name	Apex Chemicals (S) Pte Ltd				
Division name					
Address	14 Tuas South Street 3 Singapore 638053				
Contact person	Christopher Choo				
Telephone no	+65 6483 5350				
Fax no	+65 6483 5359				
E-mail adress	chris.choo@apex-chemicals.com				
SDoC ID no					

<Product Information>

Product Name	Product Name Product Number Delivered Unit Amount Unit		Jnit	Product Information			
WATERLESS HAND CLEANER - 5 Kgs	A-230 (5Kg)	30	ka	WATERLESS HAND CLEANER - 5 Kgs			

Unit:

This material information shows the amount of hazardous materials contained in

Table		Material Name		Present above threshold level Yes or No	d level Material Mass		IF YES Information on where it is used
	Asbestos	Asbestos	0,1% *	No			
Table A**	PCB's	Polychlorinated Biphenyls (PCBs)	50 mg/kg	No			
		Chlorofluorcarbons (CFC's)		No			
Materials		Halons		No			
listed in		Other fully Halogenated CFC's		No			
appendix 1	Ozone depleting Carbon Tetrachloride			No			
of the	Substances	1,1,1-Trichloroethane	No threshold level	No			
Convention		Hydrochlorofluorcarbons		No			
		Hydrobromofluorcarbons		No			
		Methyl Bromide		No			
		Bromochloromethane		No			
A-4	Anti-fouling systems containing organotin compounds as a biocide		2500 mg total tin/kg	No			
	Anti-fouling systems containing cybutryne		1000 mg/kg	No			

Table	Material Name	Threshold level	Present above threshold level	Materia	/ES al Mass	IF YES Information
			Yes or No	Amount	Unit	on where it is used
	Cadmium & Cadmium Compounds	100 mg/kg	No			
Table B**	Hexavalent Chromium and Hexavalent Chromium Compounds	1,000 mg/kg	No			
	Lead and Lead Compounds	1,000 mg/kg	No			
Materials	Mercury and Mercury Compounds	1,000 mg/kg	No			
listed in	Polybromated Biphenyl (PBB's)	50 mg/kg	No			
appendix 2	Polybrominated Dephenyl Ethers (PBDE's)	1,000 mg/kg	No			
of the	Polychloronaphtalenes (Cl>=3)	50 mg/kg	No			
Convention	Radioactive substances	No thr.level	No			
	Certain Shortchain Chlorinated Paraffins	1%	No			
Annex II*** (Additional	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			
Materials)	Flame Retardant (HBCDD)	100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.379(80).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.010f by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μg/m² of the coated material

<date declara<="" of="" th=""><th>ation></th></date>	ation>
Date:	27/3/2025
<md id="" number<="" td=""><td>></td></md>	>
MD-ID-No.	
<other informat<="" td=""><td>ion (e.g Shipyard, Hull Number if applicable.)></td></other>	ion (e.g Shipyard, Hull Number if applicable.)>
Remark 1	
Remark 2	
Remark 3	

<supplier (respondent)="" information=""></supplier>						
Company name	Apex Chemicals (S) Pte Ltd					
Division name						
Address	14 Tuas South Street 3 Singapore 638053					
Contact person	Christopher Choo					
Telephone no	+65 6483 5350					
Fax no	+65 6483 5359					
E-mail adress	chris.choo@apex-chemicals.com					
SDoC ID no						

<Pre><Pre>coduct Information>

| | Product Name | Product Number | Delivered Unit | | Product Information |
|--|---------------------------|----------------|----------------|------|---------------------|
| | | | Amount | Unit | |
| | ULTRASONIC CLEANER- 1 Ltr | A-319 (1L) | 48 | Ltr | |

Unit: Ltr

This material information shows the amount of hazardous materials contained in

| Table | Material Name | | Threshold level | Present above
threshold level
Yes or No | el Material Mass | | IF YES Information on where it is used |
|------------|--|----------------------------------|----------------------|---|------------------|--|--|
| | Asbestos | Asbestos | 0,1% * | No | | | |
| Table A** | PCB's | Polychlorinated Biphenyls (PCBs) | 50 mg/kg | No | | | |
| | | Chlorofluorcarbons (CFC's) | | No | | | |
| Materials | | Halons | | No | | | |
| listed in | | Other fully Halogenated CFC's | | No | | | |
| appendix 1 | Ozone depleting Carbon Tetrachloride | | | No | | | |
| of the | Substances | 1,1,1-Trichloroethane | No threshold level | No | | | |
| Convention | | Hydrochlorofluorcarbons | | No | | | |
| | | Hydrobromofluorcarbons | | No | | | |
| | | Methyl Bromide | | No | | | |
| | | Bromochloromethane | | No | | | |
| A-4 | Anti-fouling systems containing organotin compounds as a biocide | | 2500 mg total tin/kg | No | | | |
| | Anti-fouling systems containing cybutryne | | 1000 mg/kg | No | | | |

| Table | Material Name | Threshold level | Present above
threshold level
Yes or No | IF YES Material Mass Amount Unit | | IF YES Information on where it is used |
|-------------|---|-----------------|---|------------------------------------|-------|--|
| | Cadmium & Cadmium Compounds | 100 mg/kg | No | Amount | Offic | On where it is used |
| Table B** | Hexavalent Chromium and Hexavalent Chromium Compounds | 1,000 mg/kg | No | | | |
| | Lead and Lead Compounds | 1,000 mg/kg | No | | | |
| Materials | Mercury and Mercury Compounds | 1,000 mg/kg | No | | | |
| listed in | Polybromated Biphenyl (PBB's) | 50 mg/kg | No | | | |
| appendix 2 | Polybrominated Dephenyl Ethers (PBDE's) | 1,000 mg/kg | No | | | |
| of the | Polychloronaphtalenes (CI>=3) | 50 mg/kg | No | | | |
| Convention | Radioactive substances | No thr.level | No | | | |
| | Certain Shortchain Chlorinated Paraffins | 1% | No | | | |
| Annex II*** | D (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | |
| (Additional | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | |
| Materials) | Flame Retardant (HBCDD) | 100 mg/kg | No | | | |

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.379(80).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.010f by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μg/m² of the coated material

| <date declaration="" of=""></date> | | | | | | | |
|---|---|--|--|--|--|--|--|
| Date: | 27/3/2025 | | | | | | |
| | | | | | | | |
| <md id="" number<="" td=""><td>></td></md> | > | | | | | | |
| MD-ID-No. | | | | | | | |
| | | | | | | | |
| <other informat<="" td=""><td>ion (e.g Shipyard, Hull Number if applicable.)></td></other> | ion (e.g Shipyard, Hull Number if applicable.)> | | | | | | |
| Remark 1 | | | | | | | |
| Remark 2 | | | | | | | |
| Remark 3 | | | | | | | |
| | | | | | | | |

| <supplier (respondent)="" information=""></supplier> | | | | | | |
|--|---|--|--|--|--|--|
| Company name | Apex Chemicals (S) Pte Ltd | | | | | |
| Division name | | | | | | |
| Address | 14 Tuas South Street 3 Singapore 638053 | | | | | |
| Contact person | Christopher Choo | | | | | |
| Telephone no | +65 6483 5350 | | | | | |
| Fax no | +65 6483 5359 | | | | | |
| E-mail adress | chris.choo@apex-chemicals.com | | | | | |
| SDoC ID no | | | | | | |

<Product Information>

| Product Name | Product Number | Delivered Unit | | Product Information |
|------------------------------|----------------|----------------|------|---------------------|
| | | Amount | Unit | |
| SOOT REMOVER POWDER - 25 Kgs | AFT-58 | 25 | ka | |

Unit:

This material information shows the amount of hazardous materials contained in

-Material Information>

| Table | | Material Name | | Present above | | IF YES Information on where it is used |
|------------|--|----------------------------------|----------------------|---------------|--|--|
| | Asbestos | Asbestos | 0,1% * | No | | |
| Table A** | PCB's | Polychlorinated Biphenyls (PCBs) | 50 mg/kg | No | | |
| | | Chlorofluorcarbons (CFC's) | | No | | |
| Materials | | Halons | | No | | |
| listed in | | Other fully Halogenated CFC's |] | No | | |
| appendix 1 | Ozone depleting | Carbon Tetrachloride | | No | | |
| of the | Substances | 1,1,1-Trichloroethane | No threshold level | No | | |
| Convention | | Hydrochlorofluorcarbons | | No | | |
| | | Hydrobromofluorcarbons | | No | | |
| | | Methyl Bromide | | No | | |
| | | Bromochloromethane | | No | | |
| A-4 | Anti-fouling systems containing organotin compounds as a biocide | | 2500 mg total tin/kg | No | | |
| | Anti-fouling systems con | taining cybutryne | 1000 mg/kg | No | | |

| Table | Material Name | Threshold level | Present above threshold level | IF YES Material Mass | | IF YES Information |
|-------------------------|---|-----------------|-------------------------------|-----------------------|------|---------------------|
| | Cadmium & Cadmium Compounds | 100 mg/kg | Yes or No
No | Amount | Unit | on where it is used |
| Table B** | Hexavalent Chromium and Hexavalent Chromium Compounds | 1,000 mg/kg | No | | | |
| | Lead and Lead Compounds | 1,000 mg/kg | No | | | |
| Materials | Mercury and Mercury Compounds | 1,000 mg/kg | No | | | |
| listed in | Polybromated Biphenyl (PBB's) | 50 mg/kg | No | | | |
| appendix 2 | Polybrominated Dephenyl Ethers (PBDE's) | 1,000 mg/kg | No | | | |
| of the | Polychloronaphtalenes (CI>=3) | 50 mg/kg | No | | | |
| Convention | Radioactive substances | No thr.level | No | | | |
| | Certain Shortchain Chlorinated Paraffins | 1% | No | | | |
| Annex II*** (Additional | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | |
| | Flame Retardant (HBCDD) | 100 mg/kg | No | | | |

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.379(80).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45),

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μg/m² of the coated material

| <date declara<="" of="" th=""><th colspan="8"><date declaration="" of=""></date></th></date> | <date declaration="" of=""></date> | | | | | | | |
|---|---|--|--|--|--|--|--|--|
| Date: | 27/3/2025 | | | | | | | |
| | | | | | | | | |
| <md id="" number<="" td=""><td>></td></md> | > | | | | | | | |
| MD-ID-No. | | | | | | | | |
| | | | | | | | | |
| <other informat<="" td=""><td>ion (e.g Shipyard, Hull Number if applicable.)></td></other> | ion (e.g Shipyard, Hull Number if applicable.)> | | | | | | | |
| Remark 1 | | | | | | | | |
| Remark 2 | | | | | | | | |
| Remark 3 | | | | | | | | |
| | | | | | | | | |

| <supplier (respondent)="" information=""></supplier> | | | | | | |
|--|---|--|--|--|--|--|
| Company name | Apex Chemicals (S) Pte Ltd | | | | | |
| Division name | | | | | | |
| Address | 14 Tuas South Street 3 Singapore 638053 | | | | | |
| Contact person | Christopher Choo | | | | | |
| Telephone no | +65 6483 5350 | | | | | |
| Fax no | +65 6483 5359 | | | | | |
| E-mail adress | chris.choo@apex-chemicals.com | | | | | |
| SDoC ID no | | | | | | |

<Pre><Pre>coduct Information>

| | Product Name | Product Number | Delivered Unit | | Product Information |
|--|--------------|----------------|----------------|------|---------------------|
| | | | Amount | Unit | |
| | ECO CLEAN | APEX-303 | 100 | Ltr | |

Unit: Ltr

This material information shows the amount of hazardous materials contained in

-Material Informations

| Table | Material Name | | Threshold level | Present above threshold level IF YES Yes or No Material Mass Amount Unit | | al Mass | IF YES
Information
on where it is used |
|------------|--|----------------------------------|----------------------|--|--|---------|--|
| | Asbestos | Asbestos | 0,1% * | No | | | |
| Table A** | PCB's | Polychlorinated Biphenyls (PCBs) | 50 mg/kg | No | | | |
| | | Chlorofluorcarbons (CFC's) | | No | | | |
| Materials | | Halons | | No | | | |
| listed in | | Other fully Halogenated CFC's | No threshold level | No | | | |
| appendix 1 | Ozone depleting | Carbon Tetrachloride | | No | | | |
| of the | Substances | 1,1,1-Trichloroethane | | No | | | |
| Convention | | Hydrochlorofluorcarbons | | No | | | |
| | | Hydrobromofluorcarbons | | No | | | |
| | | Methyl Bromide | | No | | | |
| | | Bromochloromethane | | No | | | |
| A-4 | Anti-fouling systems containing organotin compounds as a biocide | | 2500 mg total tin/kg | No | | | |
| | Anti-fouling systems containing cybutryne 1000 mg/kg | | 1000 mg/kg | No | | | |

| Table | Material Name | Threshold level | Present above threshold level | IF YES Material Mass | | IF YES Information |
|-------------------------|---|-----------------|-------------------------------|-----------------------|------|---------------------|
| | Cadmium & Cadmium Compounds | 100 mg/kg | Yes or No
No | Amount | Unit | on where it is used |
| Table B** | Hexavalent Chromium and Hexavalent Chromium Compounds | 1,000 mg/kg | No | | | |
| | Lead and Lead Compounds | 1,000 mg/kg | No | | | |
| Materials | Mercury and Mercury Compounds | 1,000 mg/kg | No | | | |
| listed in | Polybromated Biphenyl (PBB's) | 50 mg/kg | No | | | |
| appendix 2 | Polybrominated Dephenyl Ethers (PBDE's) | 1,000 mg/kg | No | | | |
| of the | Polychloronaphtalenes (CI>=3) | 50 mg/kg | No | | | |
| Convention | Radioactive substances | No thr.level | No | | | |
| | Certain Shortchain Chlorinated Paraffins | 1% | No | | | |
| Annex II*** (Additional | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | |
| | Flame Retardant (HBCDD) | 100 mg/kg | No | | | |

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.379(80).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.010f by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μg/m² of the coated material

| <date declara<="" of="" th=""><th>ation></th></date> | ation> |
|---|---|
| Date: | 27/3/2025 |
| | |
| <md id="" number<="" td=""><td>></td></md> | > |
| MD-ID-No. | |
| | |
| <other informat<="" td=""><td>ion (e.g Shipyard, Hull Number if applicable.)></td></other> | ion (e.g Shipyard, Hull Number if applicable.)> |
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |
| | |

| <supplier (respondent)="" information=""></supplier> | | | | | |
|--|---|--|--|--|--|
| Company name | Apex Chemicals (S) Pte Ltd | | | | |
| Division name | | | | | |
| Address | 14 Tuas South Street 3 Singapore 638053 | | | | |
| Contact person | Christopher Choo | | | | |
| Telephone no | +65 6483 5350 | | | | |
| Fax no | +65 6483 5359 | | | | |
| E-mail adress | chris.choo@apex-chemicals.com | | | | |
| SDoC ID no | | | | | |

<Product Information>

| Product Name | Product Number | Delivered Unit | | Product Information |
|------------------------------|----------------|----------------|------|---------------------|
| | | Amount | Unit | |
| ALKALINITY COMPOUND - 25 Ltr | AWT-11 | 50 | Ltr | |

This material information shows the amount of hazardous materials contained in

Unit: Ltr

| Table | Material Name | | Threshold level | Present above
threshold level
Yes or No | IF YES Material Mass Amount Unit | | IF YES
Information
on where it is used |
|------------|--|----------------------------------|----------------------|---|------------------------------------|--|--|
| | Asbestos | Asbestos | 0,1% * | No | | | |
| Table A** | PCB's | Polychlorinated Biphenyls (PCBs) | 50 mg/kg | No | | | |
| | | Chlorofluorcarbons (CFC's) | | No | | | |
| Materials | | Halons | | No | | | |
| listed in | | Other fully Halogenated CFC's | | No | | | |
| appendix 1 | Ozone depleting | Carbon Tetrachloride | | No | | | |
| of the | Substances | 1,1,1-Trichloroethane | No threshold level | No | | | |
| Convention | | Hydrochlorofluorcarbons | | No | | | |
| | | Hydrobromofluorcarbons | | No | | | |
| | | Methyl Bromide | | No | | | |
| | | Bromochloromethane | | No | | | |
| A-4 | Anti-fouling systems containing organotin compounds as a biocide | | 2500 mg total tin/kg | No | | | |
| | Anti-fouling systems containing cybutryne | | 1000 mg/kg | No | | | |

| Table | Material Name | Threshold level | Present above
threshold level
Yes or No | IF YES Material Mass Amount Unit | | IF YES Information on where it is used |
|----------------------------|---|-----------------|---|------------------------------------|------|--|
| | Cadmium & Cadmium Compounds | 100 mg/kg | No | 7 unount | OTIL | on whole kile deed |
| Table B** | Hexavalent Chromium and Hexavalent Chromium Compounds | 1,000 mg/kg | No | | | |
| | Lead and Lead Compounds | 1,000 mg/kg | No | | | |
| Materials | Mercury and Mercury Compounds | 1,000 mg/kg | No | | | |
| listed in | Polybromated Biphenyl (PBB's) | 50 mg/kg | No | | | |
| appendix 2 | Polybrominated Dephenyl Ethers (PBDE's) | 1,000 mg/kg | No | | | |
| of the | Polychloronaphtalenes (Cl>=3) | 50 mg/kg | No | | | |
| Convention | Radioactive substances | No thr.level | No | | | |
| | Certain Shortchain Chlorinated Paraffins | 1% | No | | | |
| | | | | | | |
| Annex II***
(Additional | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | |
| | Flame Retardant (HBCDD) | 100 mg/kg | No | | | |

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.379(80).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.010f by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μg/m² of the coated material

| <date declara<="" of="" th=""><th>ation></th></date> | ation> |
|---|---|
| Date: | 8/8/2024 |
| | |
| <md id="" number<="" td=""><td>></td></md> | > |
| MD-ID-No. | 27/3/2025 |
| | |
| <other informat<="" td=""><td>ion (e.g Shipyard, Hull Number if applicable.)></td></other> | ion (e.g Shipyard, Hull Number if applicable.)> |
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |
| | |

| <supplier (responde<="" th=""><th colspan="6"><supplier (respondent)="" information=""></supplier></th></supplier> | <supplier (respondent)="" information=""></supplier> | | | | | |
|--|--|--|--|--|--|--|
| Company name | Apex Chemicals (S) Pte Ltd | | | | | |
| Division name | | | | | | |
| Address | 14 Tuas South Street 3 Singapore 638053 | | | | | |
| Contact person | Christopher Choo | | | | | |
| Telephone no | +65 6483 5350 | | | | | |
| Fax no | +65 6483 5359 | | | | | |
| E-mail adress | chris.choo@apex-chemicals.com | | | | | |
| SDoC ID no | | | | | | |

<Product Information>

| Product Name | Product Number | Delivered L | Jnit | Product Information |
|---------------|----------------|-------------|------|---------------------|
| | | Amount | Unit | |
| CWT INHIBITOR | AWT-428 | 25 | Ltr | 25l tr/Pail |

Unit:

This material information shows the amount of hazardous materials contained in

-Material Informations

| <ivialerial< th=""><th>Information></th><th></th><th></th><th></th><th></th><th></th><th></th></ivialerial<> | Information> | | | | | | |
|---|--|----------------------------------|----------------------|-----------------|---------|---------|---------------------|
| | | | | Present above | IF Y | /ES | IF YES |
| Table | e Material Name | | Threshold level | threshold level | Materia | al Mass | Information |
| | | | | Yes or No | Amount | Unit | on where it is used |
| | Asbestos | Asbestos | 0,1%* | No | | | |
| Table A** | PCB's | Polychlorinated Biphenyls (PCBs) | 50 mg/kg | No | | | |
| | | Chlorofluorcarbons (CFC's) | | No | | | |
| Materials | | Halons | | No | | | |
| listed in | | Other fully Halogenated CFC's | | No | | | |
| appendix 1 | Ozone depleting | Carbon Tetrachloride | | No | | | |
| of the | Substances | 1,1,1-Trichloroethane | No threshold level | No | | | |
| Convention | | Hydrochlorofluorcarbons | | No | | | |
| | | Hydrobromofluorcarbons | | No | | | |
| | | Methyl Bromide | | No | | | |
| | | Bromochloromethane | | No | | | |
| A-4 | Anti-fouling systems containing organotin compounds as a biocide | | 2500 mg total tin/kg | No | | | |
| | Anti-fouling systems containing cybutryne | | 1000 mg/kg | No | | | |

| Table | Material Name | Threshold level | Present above
threshold level
Yes or No | IF YES Material Mass Amount Unit | | IF YES Information on where it is used |
|-------------|---|-----------------|---|----------------------------------|-------|--|
| | Cadmium & Cadmium Compounds | 100 mg/kg | No | Amount | Offic | On where it is used |
| | Hexavalent Chromium and Hexavalent Chromium Compounds | 1,000 mg/kg | No | | | |
| | Lead and Lead Compounds | 1,000 mg/kg | No | | | |
| Materials | Mercury and Mercury Compounds | 1,000 mg/kg | No | | | |
| listed in | Polybromated Biphenyl (PBB's) | 50 mg/kg | No | | | |
| appendix 2 | Polybrominated Dephenyl Ethers (PBDE's) | 1,000 mg/kg | No | | | |
| of the | Polychloronaphtalenes (CI>=3) | 50 mg/kg | No | | | |
| Convention | Radioactive substances | No thr.level | No | | | |
| | Certain Shortchain Chlorinated Paraffins | 1% | No | | | |
| A 11*** | In # | 1 | I | | | |
| (Additional | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | |
| Materials) | Flame Retardant (HBCDD) | 100 mg/kg | No | | | |

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.379(80).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.010f by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 μg/m² of the coated material

Supplier's Material Declaration

- Hazardous Materials-

Company name:

APEX CHEMICALS (S) PTE LTD

Vessel name (IMO no.):

MT PM DUKE (9354260)

Hereby declares that our all products do not contain hazardous materials that exceed the threshold values listed in table A and table B (materials listed in appendix 1 and 2 of the convention "IMO Resolution MEPC.269(68), 2015 Guidelines for the Development of the Inventory of Hazardous Materials").

PO number: PO-DUKE-24-136

SINGAPORE

(Place of issue)

Emily Lim (CSM)

(Name, Function)

27[™] March 2025

(Date of Issue)

(Signature with company stamp)