

# MATERIAL DECLARATION

## <Date of declaration>

Date:	2023/09/11
-------	------------

## <MD ID Number>

MD-ID-No.	MDCS-VIC-051/2023e-0001
-----------	-------------------------

## <Supplier (Respondent) Information>

Company name	NEW CHANNEL (CHINA) INTERNATIONAL CO., LIMITED
Division name	
Address	
Contact person	
Telephone no	
Fax no	
E-mail address	WWW.NEWCHANNELCN.COM
SDoC ID no	SDOCCS-VIC-051/2023e-0001

## <Other Information (e.g Shipyard, Hull Number if applicable.)>

Remark 1	CRIOS SHIPPING LLC
Remark 2	VICTORIA FORTUNE
Remark 3	

## <Product Information>

Product Name	Product Number	Delivered Unit		Product Information
		Amount	Unit	
PRESSURE GAUGES BOTTOM CONNECTION WITH BACK FLANG 100MM PF1/2 0-16BAR		15	PCS	
PRESSURE GAUGES BOTTOM CONNECTION WITH BACK FLANG 100MM PF1/2 0-10BAR		5	PCS	
PRESSURE GAUGES BOTTOM CONNECTION WITH BACK FLANG 100MM PF1/2 -1-5BAR		15	PCS	
PRESSURE GAUGES BOTTOM CONNECTION WITH BACK FLANG 100MM PF1/2 0-6BAR		5	PCS	
THERMOMETER SIKA #174-002 PT1/2 0-100°C 40MM-STEM		10	PCS	
Thermometer Straight, SIKA174B, 110x30mm, 0-160° , Imm. Lenght 30mm		10	PCS	
THERMOMETER SIKA 174B 110X30MM, PT1/2 0160DEG.C 40MM-STEM		10	PCS	
THERMOMETER SIKA #191-051 PT1/2 0-160°C 63MM-STEM		10	PCS	
THERMOMETER SIKA 291B 150X36MM, PT1/2 0-100DEG.C 63MM-STEM		5	PCS	
BALL VALVE DIN S. STEEL PN63 FULL BORE SCREWED #7752 1/4"		15	PCS	
BALL VALVE DIN S. STEEL PN63 FULL BORE SCREWED #7752 3/8"		15	PCS	
BALL VALVE DIN S. STEEL PN63 FULL BORE SCREWED #7752 1/2"		15	PCS	
BALL VALVE DIN S. STEEL PN63 FULL BORE SCREWED #7752 3/4"		5	PCS	
GAUGE PRESSURE W/GLYCERINE,		5	PCS	

This material information shows the amount of hazardous materials contained in

1	piece
---	-------

## <Material Information>

Table	Material Name	Threshold level	Present above threshold level Yes or No	IF YES		IF YES Information on where it is used
				Material Mass		
				Amount	Unit	

Table A** Materials listed in appendix 1 of the Convention	Asbestos	Asbestos	0,1% *	No			
	PCB's	Polychlorinated Biphenyls (PCBs)	50 mg/kg	No			
	Ozone depleting Substances	Chlorofluorocarbons (CFC's)	No threshold level	No			
		Halons		No			
		Other fully Halogenated CFC's		No			
		Carbon Tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl Bromide		No			
	Bromochloromethane	No					
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Anti-fouling systems containing cybutryne as a biocide***	1000 mg/kg	No					

Table	Material Name	Threshold level	Present above threshold level Yes or No	IF YES Material Mass		IF YES Information on where it is used
				Amount	Unit	
Table B** Materials listed in appendix 2 of the Convention	Cadmium & Cadmium Compounds	100 mg/kg	No			
	Hexavalent Chromium and Hexavalent Chromium Compounds	1,000 mg/kg	No			
	Lead and Lead Compounds	1,000 mg/kg	No			
	Mercury and Mercury Compounds	1,000 mg/kg	No			
	Polybromated Biphenyl (PBB's)	50 mg/kg	No			
	Polybrominated Diphenyl Ethers (PBDE's)	1,000 mg/kg	No			
	Polychloronapthalenes (Cl>=3)	50 mg/kg	No			
	Radioactive substances	No thr. level	No			
	Certain Shortchain Chlorinated Paraffins	1%	No			
Annex II*** (Additional)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			
	Flame Retardant (HBCDD)	100 mg/kg	No			

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal

to or above than 1 µg/m<sup>2</sup> of the coated material



*[Handwritten signature]*