

MATERIAL DECLARATION

<Date of declaration>

Date:	2025/02/28
-------	------------

<MD ID Number>

MD-ID-No.	MDSTR-020/2025E-01
-----------	--------------------

<Other Information (e.g Shipyard, Hull Number if applicable.)>

Remark 1	DRACO BUREN SHIPPING PTE. LTD.
Remark 2	STAR
Remark 3	

<Supplier (Respondent) Information>

Company name	NEW CHANNEL (CHINA) INTERNATIONAL CO., LIMITED
Division name	
Address	
Contact person	
Telephone no	
Fax no	
E-mail address	WWW.NEWCHANNELCN.COM
SDoC ID no	SDOCSTR-020/2025E-01

<Product Information>

Product Name	Product Number	Delivered Unit		Product Information
		Amount	Unit	
GLOVES RUBBER NATURAL LONG		10	PA	
PROTECTION SPRAY WEICON, ZINC SPRAY 400ML		6	TN	
YACHT MOP COMPLETE		6	pc	
REPLACEABLE HEAD FOR YACHT MOP		12	pc	
HOSE BAND GALV STEEL 15-24MM		50	pc	
HOSE BAND GALV STEEL 22-32MM		20	pc	
GAUGE PRESSURE W/GLYCERINE, BOTTOM/DIRECT 0-10BAR 63MM		3	pc	
GAUGE PRESSURE W/GLYCERINE, BOTTOM/DIRECT 0-16BAR 63MM		2	pc	
THERMOMETER EXHAUST GAS REMOTE, DIA100MM SURFACE MOUNT200MM3/4		2	pc	
BALL VALVE DIN S.STEEL 1000LBS, FULL BORE #7752 BSP 1/4"		3	pc	
BALL VALVE DIN S.STEEL 1000LBS, FULL BORE #7752 BSP 3/8"		3	pc	
BALL VALVE DIN S.STEEL 1000LBS, FULL BORE #7752 BSP 1/2"		3	pc	
TAPE SEAL TEFLON, 0.1X13MMX5MTR		30	pc	
TAPE SEAL PTFE VALQUA 7GS66A, CORDSEAL OVAL 3X1.5MMX30MTR		1	ROLL	
TEFLON SHEET 1X300X300MM		2	ST	
TEFLON SHEET 2X1000X1000MM		1	ST	
TEFLON SHEET 1.5X300X300MM		2	ST	
TEFLON ROUND 15X1000MM		1		
RUBBER STRING 2.5MM DIAM		3	M	
RUBBER STRING 3MM DIAM		3	M	
RUBBER STRING 3.5MM DIAM		3	M	
RUBBER STRING 4MM DIAM		3	M	
RUBBER STRING 4.5MM DIAM		3	M	
REPAIR STICK CERAMIC-FILLED, WEICON AQUA 115 GRM		3	pc	

ADHESIVE ONE-COMPONET WEICON, HT 300 RED 310ML		10	pc	
RUBBER SHEET HYBRID ARAMID, FIBER 5003-NBR 2.0X1270X1270MM		1	ST	
RUBBER SHEET HYBRID ARAMID, FIBER 5003-NBR 3.0X1270X1270MM		1	ST	
CONNECTOR MALE STAINLESS STEEL, FLARELESS 8MMXPT1/4		6	pc	
CONNECTOR MALE STAINLESS STEEL, FLARELESS 8MMXPT3/8		6	pc	
CONNECTOR MALE STAINLESS STEEL, FLARELESS 10MMXPT1/4		6	pc	
CONNECTOR MALE STAINLESS STEEL, FLARELESS 10MMXPT3/8		6	pc	
CONNECTOR MALE STAINLESS STEEL, FLARELESS 10MMXPT1/2		14	pc	
CONNECTOR MALE STAINLESS STEEL, FLARELESS 12MMXPT3/8		4	pc	
CONNECTOR MALE STAINLESS STEEL, FLARELESS 12MMXPT1/2		4	pc	
CONNECTOR FEMALE FLARELESS, STAINLESS STEEL 8MMXPF3/8		5	pc	
CONNECTOR FEMALE FLARELESS, STAINLESS STEEL 8MMXPF1/2		5	pc	
CONNECTOR FEMALE FLARELESS, STAINLESS STEEL 10MMXPF3/8		5	pc	
CONNECTOR FEMALE FLARELESS, STAINLESS STEEL 10MMXPF1/2		5	pc	
TAP STRAIGHT FOR STRAIGHT PIPE, THREAD G1/4X19T HSS		1	pc	
TAP STRAIGHT FOR STRAIGHT PIPE, THREAD G1/4X19T CARBON STEEL		1	pc	
WRENCH ADJUSTABLE HEAVY-DUTY, 150MM		1	pc	
WRENCH ADJUSTABLE HEAVY-DUTY, 250MM		2	pc	
ENGINE CLEANING GUN, FOR TIP ID 5.0MM W/1.5MTR HOSE		1	pc	
AIR DUSTER LONG NOSE, NOZZLE DIA 2MMXL100MM		3	pc	
EAR PLUG FOR HI-LOW PITCH, NOISE		30	pc	
EAR PLUG SELF-FIT FOAM		150	PA	
BAG SLUDGE POLYPROPYLENE, W/INNER BAG W600MMXL1000MM		100	pc	
PLASTIC BAG BLACK, 500X400X1300MM 50'S		4	PAC	
LUBRICANT WD-40 SPRAY 360ML		12	TN	
SPARE PAINT ROLLER WOOL, 100MM WIDTH		20	pc	
SQUEEGEE RUBBER HANDLED, BLADE WIDTH 400MM		4	pc	
BALL VALVE DIN S.STEEL 1000LBS, FULL BORE #7752 BSP 3/4"		2	pc	
BALL VALVE DIN S.STEEL 1000LBS, FULL BORE #7752 BSP 1"		2	pc	
TOOL WITH CARBIDE TIP SINGLE, #32-4 LEFT HAND 25X25X160MM		1	pc	
TOOL WITH CARBIDE TIP SINGLE, #34-4 LEFT HAND 25X25X160MM		1	pc	
TOOL WITH CARBIDE TIP SINGLE, #42-4 LEFT HAND 25X25X160MM		1	pc	
ROTARY BAR CARBIDE TYPE-B, 6MM SHANK/9MM BLADE		1	pc	
ROTARY BAR CARBIDE TYPE-G, 6MM SHANK/9MM BLADE		1	pc	
WALNUT SHELL DRY GRIT #14, 1190-1680 MICRON 20KGS		8	BAG	
MATting 3M NOMAD EXTRA DUTY, 900X600MM		3	ST	
WRENCH TORQUE PRESET TYPE, 40-200N.M-CM 12.7MM SQ.DRIVE		1	pc	
NUT DRIVER HEX. PLASTIC HANDLE, OPENING 7.0MM		1	pc	
PUMP HAND PLASTIC FOR PAIL CAN		3	pc	
GLOVES WORKING COTTON, RUBBER COATED PALM		50	PA	
GLOVES WORKING COTTON, NON SLIP DOTS		50	PA	
OILER PUMP WITH FLEXIBLE SPOUT, H.D. 175CC		2	pc	
RATCHET HANDLE MALE, 12.7MM/SQ DRIVE 270MM		1	pc	

TOOL WITH CARBIDE TIP SINGLE, #92-2 LEFT HAND 25X25X160MM		1	pc	
BUTTERFLY VALVE DIN CAST IRON, WAFER TYPE #5720 200MM		2	pc	
WISE BENCH PARALLEL, SQUARE-CYLINDER 152X200X90MM		1	pc	
HOIST CHAIN SPUR-GEAR 2TON, 3MTR		1	SET	
SILVER SOLDER FLUX COATED, AG60 1.6MM DIAM 500GRM		1	PAC	
Cutting Wheel Dimensions: 125*0.8 *22.23		100	pc	
Welding Rod 6013*3.15mm 2. 6013*2.5mm		80	KG	
PLIER VISE-GRIP COMBINATION, 125MM		1	PA	
PLIER VISE-GRIP COMBINATION, 175MM		1	PA	
GAS CUTTING TORCH NO.2, WITH NOZZLE SET		1	SET	
PIPE CARBON STEEL SGP GALV, 1/2"(15A)X5.5MTR		3		
ELBOW STEEL BUTT-WELDING SGP, 45DEG LONG RADIUS 20A		10	pc	
ELBOW STEEL BUTT-WELDING SGP, 90DEG LONG RADIUS 20A		10	pc	
WELDER GAS LIGHTER, FRICTION TYPE		1	pc	
SPARE NOZZLE NO.1, FOR NO.2 GAS CUTTING TORCH		1	pc	
SPARE NOZZLE NO.2, FOR NO.2 GAS CUTTING TORCH		1	pc	
HOSE BAND GALV STEEL 13-20MM		20	pc	
WATER FINDING PASTE 75GRM, YELLOW TO RED		3	pc	
GASOLINE AND OIL FINDING PASTE, 75GRM BLUE TO RED		3	pc	
CHALK WELDER RECTANGULAR BAR, 50'S		1	BOX	
FLARING TOOL RIDGID #458		1	SET	
PULLER GEAR & WHEEL 3-ARM, 0-125MM		1	SET	
PULLER GEAR & WHEEL 3-ARM, 0-200MM		1	SET	
PULLER GEAR & WHEEL 3-ARM, 0-300MM		1	SET	
HEX HEAD BOLT STEEL UNGALV, M5 X 40MM		30	pc	
HEX HEAD BOLT STEEL UNGALV, M6 X 40MM		30	pc	
HEX HEAD BOLT STEEL UNGALV, M8 X 40MM		30	pc	
U-BOLT STEEL PIPE 20A M10, WITH SEAT & NUT		10	SET	
U-BOLT STEEL PIPE 32A M10, WITH SEAT & NUT		10	SET	
U-BOLT STEEL PIPE 25A M10, WITH SEAT & NUT		10	SET	
U-BOLT STEEL PIPE 50A M10, WITH SEAT & NUT		10	SET	
U-BOLT STEEL PIPE 80A M12, WITH SEAT & NUT		10	SET	
RAG COTTON OVER 90% STERILIZED, WHITE		150	KG	
SEALING AGENT PERMATEX, FORM-A GASKET NO.1 110Z		3	pc	
PUTTY TITAMIU DEVCON 1LB		4	SET	
FLANGE CARBON STEEL SLIP-ON , DIN2573 PN6 15MM		10	pc	
CHISEL COLD 16X175MM		2	pc	
CHISEL COLD 19X190MM		2	pc	
CHISEL COLD 13X160MM		2	pc	
COPPER SHEET 0.5X365X1200MM		1	ST	
GLOBE VALVE DIN BRONZE FLANGED, PN10/16 #275 25MM		6	pc	
ANGLE VALVE DIN CARBON STEEL, FLANGED PN25/40 #418 25MM		2	pc	
GLOBE VALVE DIN CARBON STEEL, FLANGED PN25/40 #417 15MM		2	pc	

FIRE BLANKET MSA 62”X82”, WITH CASE (METAL)		2	pc	
GRINDER ANGLE ELECTRIC 125MM, AC220V 1-PHASE MAKITA 9565H. 1100Wt. 12000 rpm		1	SET	
Safety Goggles		10	pc	
Alumimnium tapes 100mm*25mtr roll		10	pc	
Safety Goggles		10	pc	
Ear muff, ScanSilens L3		3	pc	
HOIST CHAIN SPUR-GEAR 1TON, 2.5MTR		1	SET	
DRILL ELECTRIC PORTABLE 13MM, AC220V 1-PHASE HITACHI D13VL 860Wt. 1100 rpm		1	SET	
PLIER STOP RING BENT, EXTERNAL 10-25MM		1	PA	
PLIER STOP RING BENT, INTERNAL 12-25MM		1	PA	
PLIER STOP RING STRAIGHT, EXTERNAL 10-25MM		1	PA	
PLIER STOP RING STRAIGHT, INTERNAL 15-25MM		1	PA	
PLIER STOP RING STRAIGHT, INTERNAL 19-65MM		1	PA	
PLIER STOP RING STRAIGHT, EXTERNAL 19-40MM		1	PA	
PLIER STOP RING BENT, INTERNAL 19-65MM		1	PA	
PLIER STOP RING BENT, EXTERNAL 19-40MM		1	PA	
PLIER STOP RING BENT, EXTERNAL 32-80MM		1	PA	
PLIER STOP RING BENT, INTERNAL 50-100MM		1	PA	

This material information shows the amount of hazardous materials contained in

1

piece

<Material Information>

Table	Material Name		Threshold level	Present above	IF YES		IF YES
				threshold level	Material Mass		Information
					Yes or No	Amount	
Table A** Materials listed in appendix 1 of the Convention	Asbestos	Asbestos	0, 1% *	No			
	PCB's	Polychlorinated Biphenyls (PCBs)	50 mg/kg	No			
	Ozone depleting Substances	Chlorofluorocarbons (CFC's)	No threshold level	No			
		Halons		No			
		Other fully Halogenated CFC's		No			
		Carbon Tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl Bromide		No			
		Bromochloromethane		No			
		Anti-fouling systems containing organotin compounds as a biocide		2, 500 mg total tin/kg	No		
	Anti-fouling systems containing cybutryne as a biocide****		1000 mg/kg	No			

Table	Material Name	Threshold level	Present above	IF YES		IF YES
			threshold level	Material Mass		Information
			Yes or No	Amount	Unit	on where it is used

Table B** Materials listed in appendix 2 of the Convention	Cadmium & Cadmium Compounds	100 mg/kg	No			
	Hexavalent Chromium and Hexavalent Chromium Compounds	1,000 mg/kg	No			
	Lead and Lead Compounds	1,000 mg/kg	No			
	Mercury and Mercury Compounds	1,000 mg/kg	No			
	Polybromated Biphenyl (PBB's)	50 mg/kg	No			
	Polybrominated Diphenyl Ethers (PBDE's)	1,000 mg/kg	No			
	Polychloronapthalenes (Cl>=3)	50 mg/kg	No			
	Radioactive substances	No thr. level	No			
	Certain Shortchain Chlorinated Paraffins	1%	No			
Annex II*** (Additional 1	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			
	Flame Retardant (HBCDD)	100 mg/kg	No			

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material

