

MATERIAL DECLARATION (MD)

<Date of declaration>

| | |
|------|------------|
| Date | 18.02.2025 |
|------|------------|

<MD identification number>

| | |
|--------|----------------------------|
| ID-No. | 5106029-AND-027/2024E-O002 |
|--------|----------------------------|

<Supplier (respondent) information>

| | |
|------------------|-----------------------------------|
| Company name | UMUT MARINE TECHNICAL SHIP SUPPLY |
| Division name | TECHNICAL DEPARTMENT |
| Address | ISTANBUL – TURKEY |
| Contact person | DIRAY CIMENCI |
| Telephone number | +90 539 924 1220 |
| Fax number | |
| Email address | sales.dpt@umutdenizcilik.com |
| SDoC ID number | 2025-0000084 |

<Other information>

| | |
|----------|--|
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

<Product information>

| Product name | Product number | Delivered unit | | Product information |
|--|----------------|----------------|-------|--|
| | | Amount | Unit | |
| GLOBE VALVE BRONZE SCREWED, 150LBS PT 1/4 | | 4 | Piece | GLOBE VALVE BRONZE SCREWED, 150LBS PT ¼ |
| GLOBE VALVE BRONZE SCREWED, 150LBS P T3/8 | | 2 | Piece | GLOBE VALVE BRONZE SCREWED, 150LBS P T3/8 |
| GATE VALVE BRONZE SCREWED, 125LBS P T3/8 | | 2 | Piece | GATE VALVE BRONZE SCREWED, 125LBS P T3/8 |
| GATE VALVE BRONZE SCREWED, 125LBS PT 1 | | 2 | Piece | GATE VALVE BRONZE SCREWED, 125LBS PT 1 |
| JOINT SHT GASKET PILLAR #5611, NON-ASBESTOS 2.0X1200X1200MM | | 2 | Piece | JOINT SHT GASKET PILLAR #5611, NON-ASBESTOS 2.0X1200X1200MM |
| JOINT SHT GASKET PILLAR #5611, NON-ASBESTOS 3.0X1200X1200MM | | 2 | Piece | JOINT SHT GASKET PILLAR #5611, NON-ASBESTOS 3.0X1200X1200MM |
| RUBBER SHEET HYBRID ARAMID, FIBER 5003-NBR 2.0X1270X1270MM | | 2 | Piece | RUBBER SHEET HYBRID ARAMID, FIBER 5003-NBR 2.0X1270X1270MM |
| JOINT SHEET NON-ASBESTOS, PILLAR NO.5650 2.0X1500X2000MM | | 2 | Piece | JOINT SHEET NON-ASBESTOS, PILLAR NO.5650 2.0X1500X2000MM |
| RUBBER SHEET HYBRID ARAMID, FIBER 5003-NBR 3.0X1270X1270MM | | 2 | Piece | RUBBER SHEET HYBRID ARAMID, FIBER 5003-NBR 3.0X1270X1270MM |
| SHEET PACKING NON-ASBESTOS, PILOTSEAL #178 2.0X1500X1500MM | | 2 | Piece | SHEET PACKING NON-ASBESTOS, PILOTSEAL #178 2.0X1500X1500MM |
| JOINT SHEET NON-ASBESTOS, PILLAR NO.5650 3.0X1500X2000MM | | 1 | Piece | JOINT SHEET NON-ASBESTOS, PILLAR NO.5650 3.0X1500X2000MM |
| JOINT SHEET EXPANDED GRAPHITE, NOVAPHIT SSTC 3.0X1000X1000MM | | 1 | Piece | JOINT SHEET EXPANDED GRAPHITE, NOVAPHIT SSTC 3.0X1000X1000MM |

<Materials information>

This materials information shows the amount of hazardous materials contained in

| | |
|----|-------|
| 24 | Piece |
|----|-------|

 (Unit: kg, m, m², m³, piece, etc.) of the product

| Table | Material name | | Threshold value | Present above threshold value? | If yes, material mass | | If yes, information on where it is used |
|---------|---------------|----------|-----------------|--------------------------------|-----------------------|------|---|
| | | | | Yes / No | Mass | Unit | |
| Table A | Asbestos | Asbestos | 0.1% * | No | | | |

| | | | | | | | |
|---|--|----------------------------------|----------------------|----|--|--|--|
| (materials listed in appendix 1 of the Convention) and AFS Convention | Polychlorinated biphenyls (PCBs) | Polychlorinated biphenyls (PCBs) | 50 mg/kg | No | | | |
| | Ozone Depleting Substance (ODS) | Chlorofluorocarbons (CFCs) | No threshold value | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1, 1, 1-Trichloroethane | | No | | | |
| | | Hydrochlorofluorocarbons | | No | | | |
| | | Hydrobromofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| | Bromochloromethane | No | | | | | |
| | Anti-fouling systems containing organotin compounds as a biocide | e.g. Tributyltin (TBT) | 2500 mg total tin/kg | No | | | |
| e.g. Triphenyl tins (TPTs) | | No | | | | | |
| e.g. Tributyltin oxide (TBTO) | | No | | | | | |
| Cybutryne | Cybutryne | 1000 mg/kg | No | | | | |
| EU SRR ** | Perfluorooctane sulfonic acid (PFOS) | | 10 mg/kg | No | | | |

| Table | Material name | Threshold value | Present above threshold value? | If yes, material mass | | If yes, information on where it is used |
|--|---|--------------------|--------------------------------|-----------------------|------|---|
| | | | Yes / No | Mass | Unit | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1000 mg/kg | No | | | |
| | Lead and lead compounds | 1000 mg/kg | No | | | |
| | Mercury and mercury compounds | 1000 mg/kg | No | | | |
| | Polybrominated biphenyl (PBBs) | 50 mg/kg | No | | | |
| | Polybrominated diphenyl ethers (PBDEs) | 1000 mg/kg | No | | | |
| | Polychloronaphthalenes (Cl >=3) | 50 mg/kg | No | | | |
| | Radioactive substances | No threshold value | No | | | |
| Certain shortchain chlorinated paraffins | 1% | No | | | | |
| EU SRR ** | Brominated flame retardant (HBCDD) | 100 mg/kg | No | | | |

* In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCGHS), the UN's Sub Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and declarations.

** Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013)

This MD is to be completed in accordance with IMO Resolution MEPC.379(80) and should be accompanied by a Supplier's Declaration of Conformity (SDoC)

SUPPLIER'S DECLARATION OF CONFORMITY FOR MATERIAL DECLARATION MANAGEMENT

1. SDoC Identification Number 2025-0000084
2. Issuer's Name UMUT MARINE TECHNICAL SHIP SUPPLY
- Issuer's Address ISTANBUL- TURKEY
3. Object(s) of the Declaration GLOBE VALVE BRONZE SCREWED, 150LBS PT 1/4 , 150LBS P T3/8
GATE VALVE BRONZE SCREWED, 125LBS P T3/8 , 125LBS PT 1
JOINT SHT GASKET PILLAR NON-ASBESTOS 2.0X1200X1200MM , 3.0X1200X1200MM
RUBBER SHEET HYBRID ARAMID, FIBER 5003-NBR 2.0X1270X1270MM
SHEET PACKING NON-ASBESTOS, PILOTSEAL #178 2.0X1500X1500MM
JOINT SHEET NON-ASBESTOS, PILLAR NO.5650 3.0X1500X2000MM
JOINT SHEET EXPANDED GRAPHITE, NOVAPHIT SSTC 3.0X1000X1000MM
4. The object(s) of the declaration described above is in conformity with the following documents:

| <u>Document No.</u> | <u>Title</u> | <u>Edition/Date of Issue</u> |
|-----------------------|---|------------------------------|
| <u>MEPC.379(80)</u> | <u>Guidelines for the development of the Inventory of Hazardous Materials</u> | <u>2023/07/07</u> |
| <u>EU SRR</u> | <u>Regulation (EU) No 1257/2013</u> | <u>2013/11/20</u> |
| <u>EMSA</u> | <u>Best Practice Guide on the IHM</u> | <u>2016/10/28</u> |
| <u>AFS Convention</u> | <u>Control of Harmful AFS on ships, 2001 with amendments</u> | <u>2001/10/05</u> |

5. Additional Information _____

6. Signed for and on behalf of
UMUT MARINE TECHNICAL SHIP SUPPLY
ISTANBUL 18.02.2025
Place and date of Issue

7. DIRAY CIMENCI, GENERAL MANAGER _____
(Name, Function) (Signature)