

MATERIAL DECLARATION

<Date of declaration>

Date:	2025/02/27
-------	------------

<MD ID Number>

MD-ID-No.	MDLID-037/2025E-01
-----------	--------------------

<Other Information (e.g Shipyard, Hull Number if applicable.)>

Remark 1	DRACO BUREN SHIPPING PTE LTD
Remark 2	LIDIA
Remark 3	

<Supplier (Respondent) Information>

Company name	NEW CHANNEL (CHINA) INTERNATIONAL CO., LIMITED
Division name	
Address	
Contact person	
Telephone no	
Fax no	
E-mail address	WWW.NEWCHANNELCN.COM
SDoC ID no	SDOCLID-037/2025E-01

<Product Information>

Product Name	Product Number	Delivered Unit		Product Information
		Amount	Unit	
Schneider Control Relay CAD-N32M7C		4		
Schneider Aux. Relay CAD-N50M7C		2		
Timer Relay OMRON H3BA-N 11pin 220-240V		4		
Schneidr Contactor LC1D18M7C		2		
Fine Suntronix Power Supply VSF30-24		3		
Timer Relay OMRON H3CR-A 11pin 220-240V		2		
Schneider Motor Circuit Breaker GV2-ME20C		2		
Schneider Motor Circuit Breaker GV2-ME08C		1		
Schneider Motor Circuit Breaker GV2-ME06C		2		
Schneider Motor Circuit Breaker GV2-ME04C		2		
Schneider Aux Contactor Block GV-AD0110		3		
Schneider Aux Contactor Block LADR26		2		
Schneider Aux Contactor Block LADN116		2		
Schneider Aux Contactor Block LADN206		2		
Schneider Aux Contactor Block LADN226		2		
Schneider Aux Contactor Block LADN136		2		
Schneider Aux Contactor Block LADN046		2		
Schneider Aux Contactor Block LADN406		2		
Schneidr Aux Contactor Block LADC226		2		
Schneidr Aux Contactor Block LAD8N116		2		

This material information shows the amount of hazardous materials contained in

1	piece
---	-------

<Material Information>

Table	Material Name		Threshold level	Present above threshold level Yes or No	IF YES		IF YES Information on where it is used
					Material Mass		
					Amount	Unit	
Table A** Materials listed in appendix 1 of the Convention	Asbestos	Asbestos	0, 1% *	No			
	PCB's	Polychlorinated Biphenyls (PCBs)	50 mg/kg	No			
	Ozone depleting Substances	Chlorofluorocarbons (CFC's)	No threshold level	No			
		Halons		No			
		Other fully Halogenated CFC's		No			
		Carbon Tetrachloride		No			
		1, 1, 1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl Bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Anti-fouling systems containing cybutryne as a biocide****		1000 mg/kg	No			

Table	Material Name	Threshold level	Present above	IF YES		IF YES
			threshold level	Material Mass		Information
			Yes or No	Amount	Unit	on where it is used
Table B** Materials listed in appendix 2 of the Convention	Cadmium & Cadmium Compounds	100 mg/kg	No			
	Hexavalent Chromium and Hexavalent Chromium Compounds	1,000 mg/kg	No			
	Lead and Lead Compounds	1,000 mg/kg	No			
	Mercury and Mercury Compounds	1,000 mg/kg	No			
	Polybromated Biphenyl (PBB' s)	50 mg/kg	No			
	Polybrominated Dephenyl Ethers (PBDE' s)	1,000 mg/kg	No			
	Polychloronaphtalenes (Cl>=3)	50 mg/kg	No			
	Radioactive substances	No thr.level	No			
	Certain Shortchain Chlorinated Paraffins	1%	No			

Annex II*** (Additional 1	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No			
	Flame Retardant (HBCDD)	100 mg/kg	No			

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC. 269(68).

**Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal

to or above than 1 µg/m² of the coated material

