

SUPPLIERS DECLARATION OF CONFORMITY

for Material Declaration Management

(Please refer to IMO Resolution MEPC.269(68))

1) SDoC ID No:	SDOCSTR-020/2025E-O1
Submitted to (Customer):	DRACO BUREN SHIPPING PTE. LTD.
2) Issuers name:	NEW CHANNEL (CHINA) INTERNATIONAL CO., LIMITED
Issuers adress:	Off.1007-1009 Modern Communication Building, No.201 Xin Jin Qiao Road. Pudong, Shanghai.201206

3) Object(s) of the declaration:	1	GLOVES RUBBER NATURAL LONG
	2	PROTECTION SPRAY WEICON, ZINC SPRAY 400ML
	3	YACHT MOP COMPLETE
	4	REPLACEABLE HEAD FOR YACHT MOP
	5	HOSE BAND GALV STEEL 15-24MM
	6	HOSE BAND GALV STEEL 22-32MM
	7	GAUGE PRESSURE W/GLYCERINE, BOTTOM/DIRECT 0-10BAR 63MM
	8	GAUGE PRESSURE W/GLYCERINE, BOTTOM/DIRECT 0-16BAR 63MM
	9	THERMOMETER EXHAUST GAS REMOTE, DIA100MM SURFACE MOUNT200MM3/4
	10	BALL VALVE DIN S.STEEL 1000LBS, FULL BORE #7752 BSP 1/4"
	11	BALL VALVE DIN S.STEEL 1000LBS, FULL BORE #7752 BSP 3/8"
	12	BALL VALVE DIN S.STEEL 1000LBS, FULL BORE #7752 BSP 1/2"
	13	TAPE SEAL TEFLON, 0.1X13MMX5MTR
	14	TAPE SEAL PTFE VALQUA 7GS66A, CORDSEAL OVAL 3X1.5MMX30MTR
	15	TEFLON SHEET 1X300X300MM
	16	TEFLON SHEET 2X1000X1000MM
	17	TEFLON SHEET 1.5X300X300MM
	18	TEFLON ROUND 15X1000MM
	19	RUBBER STRING 2.5MM DIAM
	20	RUBBER STRING 3MM DIAM
	21	RUBBER STRING 3.5MM DIAM
	22	RUBBER STRING 4MM DIAM
	23	RUBBER STRING 4.5MM DIAM
	24	REPAIR STICK CERAMIC-FILLED, WEICON AQUA 115 GRM
	25	ADHESIVE ONE-COMPONET WEICON, HT 300 RED 310ML
	26	RUBBER SHEET HYBRID ARAMID, FIBER 5003-NBR 2.0X1270X1270MM
	27	RUBBER SHEET HYBRID ARAMID, FIBER 5003-NBR 3.0X1270X1270MM
	28	CONNECTOR MALE STAINLESS STEEL, FLARELESS 8MMXPT1/4
	29	CONNECTOR MALE STAINLESS STEEL, FLARELESS 8MMXPT3/8
	30	CONNECTOR MALE STAINLESS STEEL, FLARELESS 10MMXPT1/4
	31	CONNECTOR MALE STAINLESS STEEL, FLARELESS 10MMXPT3/8
	32	CONNECTOR MALE STAINLESS STEEL, FLARELESS 10MMXPT1/2
	33	CONNECTOR MALE STAINLESS STEEL, FLARELESS 12MMXPT3/8
	34	CONNECTOR MALE STAINLESS STEEL, FLARELESS 12MMXPT1/2
	35	CONNECTOR FEMALE FLARELESS, STAINLESS STEEL 8MMXPF3/8
	36	CONNECTOR FEMALE FLARELESS, STAINLESS STEEL 8MMXPF1/2
	37	CONNECTOR FEMALE FLARELESS, STAINLESS STEEL 10MMXPF3/8
	38	CONNECTOR FEMALE FLARELESS, STAINLESS STEEL 10MMXPF1/2
	39	TAP STRAIGHT FOR STRAIGHT PIPE, THREAD G1/4X19T HSS
	40	TAP STRAIGHT FOR STRAIGHT PIPE, THREAD G1/4X19T CARBON STEEL

41	WRENCH ADJUSTABLE HEAVY-DUTY, 150MM
42	WRENCH ADJUSTABLE HEAVY-DUTY, 250MM
43	ENGINE CLEANING GUN, FOR TIP ID 5.0MM W/1.5MTR HOSE
44	AIR DUSTER LONG NOSE, NOZZLE DIA 2MMXL100MM
45	EAR PLUG FOR HI-LOW PITCH, NOISE
46	EAR PLUG SELF-FIT FOAM
47	BAG SLUDGE POLYPROPYLENE, W/INNER BAG W600MMXL1000MM
48	PLASTIC BAG BLACK, 500X400X1300MM 50'S
49	LUBRICANT WD-40 SPRAY 360ML
50	SPARE PAINT ROLLER WOOL, 100MM WIDTH
51	SQUEEGEE RUBBER HANDLED, BLADE WIDTH 400MM
52	BALL VALVE DIN S.STEEL 1000LBS, FULL BORE #7752 BSP 3/4"
53	BALL VALVE DIN S.STEEL 1000LBS, FULL BORE #7752 BSP 1"
54	TOOL WITH CARBIDE TIP SINGLE, #32-4 LEFT HAND 25X25X160MM
55	TOOL WITH CARBIDE TIP SINGLE, #34-4 LEFT HAND 25X25X160MM
56	TOOL WITH CARBIDE TIP SINGLE, #42-4 LEFT HAND 25X25X160MM
57	ROTARY BAR CARBIDE TYPE-B, 6MM SHANK/9MM BLADE
58	ROTARY BAR CARBIDE TYPE-G, 6MM SHANK/9MM BLADE
59	WALNUT SHELL DRY GRIT #14, 1190-1680 MICRON 20KGS
60	MATting 3M NOMAD EXTRA DUTY, 900X600MM
61	WRENCH TORQUE PRESET TYPE, 40-200N.M-CM 12.7MM SQ.DRIVE
62	NUT DRIVER HEX. PLASTIC HANDLE, OPENING 7.0MM
63	PUMP HAND PLASTIC FOR PAIL CAN
64	GLOVES WORKING COTTON, RUBBER COATED PALM
65	GLOVES WORKING COTTON, NON SLIP DOTS
66	OILER PUMP WITH FLEXIBLE SPOUT, H.D. 175CC
67	RATCHET HANDLE MALE, 12.7MM/SQ DRIVE 270MM
68	TOOL WITH CARBIDE TIP SINGLE, #92-2 LEFT HAND 25X25X160MM
69	BUTTERFLY VALVE DIN CAST IRON, WAFER TYPE #5720 200MM
70	WISE BENCH PARALLEL, SQUARE-CYLINDER 152X200X90MM
71	HOIST CHAIN SPUR-GEAR 2TON, 3MTR
72	SILVER SOLDER FLUX COATED, AG60 1.6MM DIAM 500GRM
73	Cutting Wheel Dimensions: 125*0.8 *22.23
74	Welding Rod 6013*3.15mm 2. 6013*2.5mm
75	PLIER VISE-GRIP COMBINATION, 125MM
76	PLIER VISE-GRIP COMBINATION, 175MM
77	GAS CUTTING TORCH NO.2, WITH NOZZLE SET
78	PIPE CARBON STEEL SGP GALV, 1/2"(15A)X5.5MTR
79	ELBOW STEEL BUTT-WELDING SGP, 45DEG LONG RADIUS 20A
80	ELBOW STEEL BUTT-WELDING SGP, 90DEG LONG RADIUS 20A
81	WELDER GAS LIGHTER, FRICTION TYPE
82	SPARE NOZZLE NO.1, FOR NO.2 GAS CUTTING TORCH
83	SPARE NOZZLE NO.2, FOR NO.2 GAS CUTTING TORCH
84	HOSE BAND GALV STEEL 13-20MM
85	WATER FINDING PASTE 75GRM, YELLOW TO RED
86	GASOLINE AND OIL FINDING PASTE, 75GRM BLUE TO RED
87	CHALK WELDER RECTANGULAR BAR, 50'S
88	FLARING TOOL RIDGID #458
89	PULLER GEAR & WHEEL 3-ARM, 0-125MM
90	PULLER GEAR & WHEEL 3-ARM, 0-200MM
91	PULLER GEAR & WHEEL 3-ARM, 0-300MM
92	HEX HEAD BOLT STEEL UNGALV, M5 X 40MM
93	HEX HEAD BOLT STEEL UNGALV, M6 X 40MM
94	HEX HEAD BOLT STEEL UNGALV, M8 X 40MM

3) Object(s) of the declaration:

95	U-BOLT STEEL PIPE 20A M10, WITH SEAT & NUT
96	U-BOLT STEEL PIPE 32A M10, WITH SEAT & NUT
97	U-BOLT STEEL PIPE 25A M10, WITH SEAT & NUT
98	U-BOLT STEEL PIPE 50A M10, WITH SEAT & NUT
99	U-BOLT STEEL PIPE 80A M12, WITH SEAT & NUT
100	RAG COTTON OVER 90% STERILIZED, WHITE
101	SEALING AGENT PERMATEX, FORM-A GASKET NO.1 11OZ
102	PUTTY TITAMIU DEVCON 1LB
103	FLANGE CARBON STEEL SLIP-ON , DIN2573 PN6 15MM
104	CHISEL COLD 16X175MM
105	CHISEL COLD 19X190MM
106	CHISEL COLD 13X160MM
107	COPPER SHEET 0.5X365X1200MM
108	GLOBE VALVE DIN BRONZE FLANGED, PN10/16 #275 25MM
109	ANGLE VALVE DIN CARBON STEEL, FLANGED PN25/40 #418 25MM
110	GLOBE VALVE DIN CARBON STEEL, FLANGED PN25/40 #417 15MM
111	FIRE BLANKET MSA 62"X82", WITH CASE(METAL)
112	GRINDER ANGLE ELECTRIC 125MM, AC220V 1-PHASE MAKITA 9565H, 1100Wt,
113	Safety Goggles
114	Alumimnium tapes 100mm*25mtr roll
115	Safety Goggles
116	Ear muff, ScanSilens L3
117	HOIST CHAIN SPUR-GEAR 1TON, 2.5MTR
118	DRILL ELECTRIC PORTABLE 13MM, AC220V 1-PHASE HITACHI D13VL 860Wt, 1100
119	PLIER STOP RING BENT, EXTERNAL 10-25MM
120	PLIER STOP RING BENT, INTERNAL 12-25MM
121	PLIER STOP RING STRAIGHT, EXTERNAL 10-25MM
122	PLIER STOP RING STRAIGHT, INTERNAL 15-25MM
123	PLIER STOP RING STRAIGHT, INTERNAL 19-65MM
124	PLIER STOP RING STRAIGHT, EXTERNAL 19-40MM
125	PLIER STOP RING BENT, INTERNAL 19-65MM
126	PLIER STOP RING BENT, EXTERNAL 19-40MM
127	PLIER STOP RING BENT, EXTERNAL 32-80MM
128	PLIER STOP RING BENT, INTERNAL 50-100MM

3) Object(s) of the declaration:

4) The object of declaration described above is in conformity with the requirement of the following documents:

5) Document No.:	Title:	Edition	Date of issue:
1	IMO Guidelines in Resolution MEPC.269(68)		2015/5/15
2	Regulation EU No. 1257/2013		2013/11/20
3	EMSA's Best Practice Guidance on the IHM		2016/10/28
6) Additional Information:			

Signed for and on behalf of:

NEW CHANNEL (CHINA) INTERNATIONAL CO.,

Shanghai, China
(Place of issue)

2025/02/28
Date of issue

7) Tommy, Shipping
(Name, function)

(Signature)



A handwritten signature in black ink, appearing to read "Tommy", written over a horizontal line.