

INVENTORY OF HAZARDOUS MATERIALS

Supplier's Declaration of Conformity for Material Declaration Management

1) SDoC No.: SDoC-409084
 2) Issuer's name: J M Marine Services LLP
 Issuer's address: , Sector-18, Turbhe, Navi Mumbai , India

3) Object(s) of declaration:

| | |
|----|---|
| 1) | COOLING JACKET PART NO 341A-12 FOR MAIN ENGINE |
| 2) | O-RING PART NO 341A-9 FOR MAIN ENGINE CYLINDER |
| 3) | O-RING PART NO 231F-7 FOR MAIN ENGINE CYLINDER |
| 4) | GASKET PART NO 231F-15 FOR MAIN ENGINE CYLINDER |
| 5) | GASKET PART NO 231F-6 FOR MAIN ENGINE CYLINDER |

4) The object(s) of the declaration described above is/are in conformity with the following documents:

5) Applicable Regulations or other stipulated requirements and documents

| Document No. | Title | Edition | Date of issue |
|--------------|---|-------------------------|---------------|
| MEPC.269(68) | Guidelines for the development of the IHM | J M MARINE SERVICES LLP | 2015-05-15 |
| EU SRR | Regulation (EU) No 1257/2013 | | 2013-11-20 |
| EMSA | Best Practice Guide on IHM | | 2016-10-28 |
| SR/CONF/45 | Hong Kong International Convention | | SR/CONF/45 |
| | | | |

6) Additional Information:
Signed for and on behalf of:

Place of issue
J M MARINE SERVICES LLP

Date of issue
17/01/2025

7) Name function

Signature

≡ Load Signature



Material Declaration
<Supplier (respondent) information>

| | |
|------------------------------------|------------|
| <Date of Declaration> | |
| Date | 2025-01-17 |
| <MD ID number> | |
| MD-ID-No. | MD-186926 |
| <Other information> | |
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

| | |
|------------------|--|
| Company name | J M Marine Services LLP |
| Division name | |
| Address | , Sector-18, Turbhe, Navi Mumbai , India |
| Contact person | 9825206623 |
| Telephone number | |
| Fax number | |
| E-mail address | jmmarine1@gmail.com |
| SDoC ID-No. | SDoC-409084 |

| <Product information> | | Delivered unit | | Product information |
|---|------------------------------|-----------------------|------|----------------------------|
| Product name | Product number | Amount | Unit | |
| COOLING JACKET PART NO 341A-12 FOR MAIN ENGINE CYLINDER HEAD JACKET | 5402014-HOP-099/2024E/186926 | 2 | pcs | |

| <Material information> | | Unit |
|---|--|------|
| This materials information shows the amount of hazardous materials contained in | | 1 |

| Table | Material name | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on where it is used | |
|--|---|------------------------------|-------------------------------|----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbsestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |
| Table | Material name | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on where it is used | |
| Yes/No | Mass | Unit | | | | | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | | | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | | | |
| | Lead and lead compounds | 1 g/kg | No | | | | |
| | Mercury and mercury compounds | 1 g/kg | No | | | | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | | | |
| | Polybrominated dephenyl ethers (PBDEs) | 1 g/kg | No | | | | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | | | |
| | Radioactive substances | no threshold level | No | | | | |
| | Certain shortchain chlorinated paraffins | 10 g/kg | No | | | | |
| Annex II**** (Additional materials) | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | | | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | | | |

For J M MARINE SERVICES LLP

 AUTHORIZED SIGNATORY

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 ****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration
<Supplier (respondent) information>

| | |
|------------------------------------|------------|
| <Date of Declaration> | |
| Date | 2025-01-17 |
| <MD ID number> | |
| MD-ID-No. | MD-186927 |
| <Other information> | |
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

| | |
|------------------|--|
| Company name | J M Marine Services LLP |
| Division name | |
| Address | , Sector-18, Turbhe, Navi Mumbai , India |
| Contact person | 9825206623 |
| Telephone number | |
| Fax number | |
| E-mail address | jmmarine1@gmail.com |
| SDoC ID-No. | SDoC-409084 |

| <Product information> | | | | | |
|--|------------------------------|--------|----------------|------|---------------------|
| Product name | Product number | Amount | Delivered unit | Unit | Product information |
| O-RING PART NO 341A-9 FOR MAIN ENGINE CYLINDER HEAD JACKET | 5402014-HOP-099/2024E/186927 | 8 | | pcs | |

| | | |
|---|---|------|
| <Material information> | 1 | Unit |
| This materials information shows the amount of hazardous materials contained in | | |

| Table | Material name | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on where it is used | |
|--|---------------------------------|------------------------------|-------------------------------|----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbsestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |

| Table | Material name | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on where it is used |
|--|---|--------------------|-------------------------------|----------------------|------|---|
| | | | Yes/No | Mass | Unit | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | |
| | Polybrominated dephenyl ethers (PBDEs) | 1 g/kg | No | | Unit | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | |
| | Radioactive substances | no threshold level | No | | Unit | |
| Annex II*** (Additional materials) | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | |



*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 ****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration
<Supplier (respondent) information>

| | |
|------------------------------------|------------|
| <Date of Declaration> | |
| Date | 2025-01-17 |
| <MD ID number> | |
| MD-ID-No. | MD-186928 |
| <Other information> | |
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

| | |
|------------------|--|
| Company name | J M Marine Services LLP |
| Division name | |
| Address | , Sector-18, Turbhe, Navi Mumbai , India |
| Contact person | 9825206623 |
| Telephone number | |
| Fax number | |
| E-mail address | jmmarine1@gmail.com |
| SDoC ID-No. | SDoC-409084 |

| <Product information> | | | | | |
|--|------------------------------|--------|----------------|------|---------------------|
| Product name | Product number | Amount | Delivered unit | Unit | Product information |
| O-RING PART NO 231F-7 FOR MAIN ENGINE CYLINDER HEAD JACKET | 5402014-HOP-099/2024E/186928 | 48 | | pcs | |

| | | |
|--|---|------|
| <Material information> This materials information shows the amount of hazardous materials contained in | 1 | Unit |
|--|---|------|

| Table | Material name | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on where it is used | |
|--|---------------------------------|------------------------------|-------------------------------|----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbsestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |

| Table | Material name | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on where it is used |
|--|---|--------------------|-------------------------------|----------------------|------|---|
| | | | Yes/No | Mass | Unit | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | |
| | Polybrominated dephenyl ethers (PBDEs) | 1 g/kg | No | | Unit | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | |
| | Radioactive substances | no threshold level | No | | Unit | |
| Annex II*** (Additional materials) | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | |

For J M MARINE SERVICES LLP

 AUTHORIZED SIGNATORY

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 ****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration
<Supplier (respondent) information>

| | |
|------------------------------------|------------|
| <Date of Declaration> | |
| Date | 2025-01-17 |
| <MD ID number> | |
| MD-ID-No. | MD-186929 |
| <Other information> | |
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

| | |
|------------------|--|
| Company name | J M Marine Services LLP |
| Division name | |
| Address | , Sector-18, Turbhe, Navi Mumbai , India |
| Contact person | 9825206623 |
| Telephone number | |
| Fax number | |
| E-mail address | jmmarine1@gmail.com |
| SDoC ID-No. | Multi-SDoC-409084 |

| <Product information> | | | | | |
|---|------------------------------|--------|----------------|------|---------------------|
| Product name | Product number | Amount | Delivered unit | Unit | Product information |
| GASKET PART NO 231F-15 FOR MAIN ENGINE CYLINDER HEAD JACKET | 5402014-HOP-099/2024E/186929 | 6 | | pcs | |

| | | |
|---|---|------|
| <Material information> | 1 | Unit |
| This materials information shows the amount of hazardous materials contained in | | |

| Table | Material name | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on where it is used | |
|--|---------------------------------|------------------------------|-------------------------------|----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbsestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |

| Table | Material name | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on where it is used |
|--|---|--------------------|-------------------------------|----------------------|------|---|
| | | | Yes/No | Mass | Unit | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | |
| | Polybrominated dephenyl ethers (PBDEs) | 1 g/kg | No | | Unit | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | |
| | Radioactive substances | no threshold level | No | | Unit | |
| Annex II*** (Additional materials) | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | |

For J M MARINE SERVICES LLP
Taufastor
 AUTHORIZED SIGNATORY

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 ****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.

Material Declaration
<Supplier (respondent) information>

| | |
|------------------------------------|------------|
| <Date of Declaration> | |
| Date | 2025-01-17 |
| <MD ID number> | |
| MD-ID-No. | MD-186930 |
| <Other information> | |
| Remark 1 | |
| Remark 2 | |
| Remark 3 | |

| | |
|------------------|--|
| Company name | J M Marine Services LLP |
| Division name | |
| Address | , Sector-18, Turbhe, Navi Mumbai , India |
| Contact person | 9825206623 |
| Telephone number | |
| Fax number | |
| E-mail address | jmmarine1@gmail.com |
| SDoC ID-No. | SDoC-409084 |

| <Product information> | | | | | |
|--|------------------------------|--------|----------------|------|---------------------|
| Product name | Product number | Amount | Delivered unit | Unit | Product information |
| GASKET PART NO 231F-6 FOR MAIN ENGINE CYLINDER HEAD JACKET | 5402014-HOP-099/2024E/186930 | 16 | | pcs | |

| | | |
|--|---|------|
| <Material information> This materials information shows the amount of hazardous materials contained in | 1 | Unit |
|--|---|------|

| Table | Material name | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on where it is used | |
|--|---------------------------------|------------------------------|-------------------------------|----------------------|------|---|--|
| | | | Yes/No | Mass | Unit | | |
| Table A (materials listed in appendix 1 of the Convention) | Asbsestos | no threshold level | No | | | | |
| | Polychlorinated biphenyls(PCBs) | no threshold level | No | | | | |
| | Ozon depleting substance | Chlorofluorocarbons(CFCs) | no threshold level | No | | | |
| | | Halons | | No | | | |
| | | Other fully halogenated CFCs | | No | | | |
| | | Carbon tetrachloride | | No | | | |
| | | 1,1,1-Trichloroethane | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Hydrochorofluorocarbons | | No | | | |
| | | Methyl bromide | | No | | | |
| Bromochloromethane | No | | | | | | |
| Anti-fouling systems containing organotin compounds as a biocide | 2,500 mg total tin/kg | No | | | | | |

| Table | Material name | Threshold level | Present above threshold level | If yes, matrial mass | | If yes, information on where it is used |
|--|---|--------------------|-------------------------------|----------------------|------|---|
| | | | Yes/No | Mass | Unit | |
| Table B (materials listed in appendix 2 of the Convention) | Cadmium and cadmium compounds | 100 mg/kg | No | | Unit | |
| | Hexavalent chromium and hexavalent chromium compounds | 1 g/kg | No | | Unit | |
| | Lead and lead compounds | 1 g/kg | No | | Unit | |
| | Mercury and mercury compounds | 1 g/kg | No | | Unit | |
| | Polybrominated biphenyl (PBBs) | 1 g/kg | No | | Unit | |
| | Polybrominated dephenyl ethers (PBDEs) | 1 g/kg | No | | Unit | |
| | Polychloronaphthalenes (Cl >= 3) | no threshold level | No | | Unit | |
| | Radioactive substances | no threshold level | No | | Unit | |
| Annex II*** (Additional materials) | Certain shortchain chlorinated paraffins | 10 g/kg | No | | Unit | |
| | Perfluorooctane sulfonic acid (PFOS) | 10 mg/kg**** | No | | Unit | |
| | Brominated Flame Retardant (HBCDD) | 100 mg/kg | No | | Unit | |

For J M MARINE SERVICES LLP

 AUTHORIZED SIGNATORY

*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).
 **Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)
 ***Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28
 ****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

Important Notice: The content and specifications of this form may not be changed or amended. Any changes or amendments by others than the author of this form constitute a breach of copyright law.