


Supplier's Declaration of Conformity

- 1) SDoC ID number: SDoC-0414-03
- 2) Issuer's name: ISS MACHINERY SERVICES LIMITED
- Issuer's address: YODOYABASHI SQUARE, 2-6-8, KITAHAMA CHUO KU OSAKA
- 3) Object(s) of the declaration: AUXILIARY MACHINERY REPAIRS - COUPLING (A)
AUXILIARY MACHINERY REPAIRS - MECHANICAL SEAL
AUXILIARY MACHINERY REPAIRS - COUPLING (B)
AUXILIARY MACHINERY REPAIRS - KEY
AUXILIARY MACHINERY REPAIRS - V-RING
- 4) The object(s) of the declaration described above is in conformity with the following documents :
- 5) The company policy on the management of the chemical substances in products :
- | Document no.: | Title: | Edition: | Date of issue: |
|---------------|--|----------|-------------------|
| <u>1</u> | <u>Regulation (EU) No 1257/2013</u> | <u></u> | <u>2013/11/13</u> |
| <u>2</u> | <u>IMO Guidelines in Resolution MEPC.269(68)</u> | <u></u> | <u>2015/5/15</u> |
| <u>3</u> | <u>EMSA's Best Practice Guidance on the IHM</u> | <u></u> | <u>2016/10/28</u> |
- 6) Additional information : FOR SIMBA SIM-079/2022E-O001 APSC2208-00713
- 7) Signed for and on behalf of : DRACO BUREN SHIPPING PTE. LTD.

OSAKA, JAPAN
(Place of issue)

2023/4/14
(Date of issue)

ISS MACHINERY MARINE MACHINERY
(Name, function)


(Signature)

Material Declaration

<Date of declaration>

Date	2023/04/14
------	------------

<MD ID Number>

MD ID no.	MD- 0414 -03 -01
-----------	------------------

<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	MARINE MACHINERY DEPARTMENT
Address	YODOYABASHI SQUARE, 2-6-8, KITAHAMA CHUO KU OSAKA
Contact person	YOSHITERU KOUZAKA
Telephone number	(+)81-6-6203-5156
Fax number	
E-mail address	yoshiteru.kouzaka@iss-shipping.com; mayumi.mitani@iss-shipping.com
SDoC ID no.	SDoC-0414-03

<Other information>

Remark 1	DRACO BUREN SHIPPING PTE. LTD.
Remark 2	SIMBA
Remark 3	

<Product Information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
AUXILIARY MACHINERY REPAIRS		2	PIECE	COUPLING (A)

<Materials information>

This materials information shows the amount of hazardous materials contained in

1	PIECE
---	-------

 (unit: piece, kg, m3, m2, m) of the product.

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used	
			Yes / No	Mass	Unit(g)		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	0.1%	NO				
	Polychlorinated biphenyls (PCBs)	50 mg/kg	NO				
	Ozone depleting substances	Chlorofluorocarbons(CFCs)	no threshold value	NO			
		Halons		NO			
		Other fully halogenated CFCs		NO			
		Carbon tetrachloride		NO			
		1,1,1-Trichloroethane (Methyl chloroform)		NO			
		Hydrochlorofluorocarbons		NO			
		Hydrobromofluorocarbons		NO			
	Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	NO				

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used
			Yes / No	Mass	Unit(g)	
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	NO			
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg	NO			
	Lead and lead compounds	1,000 mg/kg	NO			
	Mercury and mercury compounds	1,000 mg/kg	NO			
	Polybrominated biphenyl (PBBs)	50 mg/kg	NO			
	Polybrominated diphenyl ethers (PBDEs)	1,000 mg/kg	NO			
	Polychlorinated naphthalenes (more than 3 chlorine atoms)	50 mg/kg	NO			
	Radioactive substances	no threshold value	NO			
Certain shortchain chlorinated paraffins (Alkanes, C10-C13, chloro)	1%	NO				

Materials required by *REGULATION (EU) No 1257/2013 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 November 2013 on ship recycling and amending Regulation (EC) No 1013/2006 and Directive 2009/16/EC: The format for the following materials is subject to the modification according to any amendment or supplement of the regulation.

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used
			Yes / No / NA	Mass	Unit(g)	
ANNEX I	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg (0.001% by weight*)	NO			
ANNEX II	Brominated Flame Retardant (HBCDD)	100 mg/kg (0.01% by weight)	NO			

*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1µg/m² of the coated material.

Material Declaration

<Date of declaration>

Date	2023/04/14
------	------------

<MD ID Number>

MD ID no.	MD- 0414 -03 -02
-----------	------------------

<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	MARINE MACHINERY DEPARTMENT
Address	YODOYABASHI SQUARE, 2-6-8, KITAHAMA CHUO KU OSAKA
Contact person	YOSHITERU KOUZAKA
Telephone number	(+)81-6-6203-5156
Fax number	
E-mail address	yoshiteru.kouzaka@iss-shipping.com; mayumi.mitani@iss-shipping.com
SDoC ID no.	SDoC-0414-03

<Other information>

Remark 1	DRACO BUREN SHIPPING PTE. LTD.
Remark 2	SIMBA
Remark 3	

<Product Information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
AUXILIARY MACHINERY REPAIRS		2	PIECE	MECHANICAL SEAL

<Materials information>

This materials information shows the amount of hazardous materials contained in

1	PIECE
---	-------

 (unit: piece, kg, m3, m2, m) of the product.

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used	
			Yes / No	Mass	Unit(g)		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	0.1%	NO				
	Polychlorinated biphenyls (PCBs)	50 mg/kg	NO				
	Ozone depleting substances	Chlorofluorocarbons(CFCs)	no threshold value	NO			
		Halons		NO			
		Other fully halogenated CFCs		NO			
		Carbon tetrachloride		NO			
		1,1,1-Trichloroethane (Methyl chloroform)		NO			
		Hydrochlorofluorocarbons		NO			
		Hydrobromofluorocarbons		NO			
	Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	NO				

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used
			Yes / No	Mass	Unit(g)	
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	NO			
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg	NO			
	Lead and lead compounds	1,000 mg/kg	NO			
	Mercury and mercury compounds	1,000 mg/kg	NO			
	Polybrominated biphenyl (PBBs)	50 mg/kg	NO			
	Polybrominated diphenyl ethers (PBDEs)	1,000 mg/kg	NO			
	Polychlorinated naphthalenes (more than 3 chlorine atoms)	50 mg/kg	NO			
	Radioactive substances	no threshold value	NO			
Certain shortchain chlorinated paraffins (Alkanes, C10-C13, chloro)	1%	NO				

Materials required by *REGULATION (EU) No 1257/2013 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 November 2013 on ship recycling and amending Regulation (EC) No 1013/2006 and Directive 2009/16/EC: The format for the following materials is subject to the modification according to any amendment or supplement of the regulation.

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used
			Yes / No / NA	Mass	Unit(g)	
ANNEX I	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg (0.001% by weight*)	NO			
ANNEX II	Brominated Flame Retardant (HBCDD)	100 mg/kg (0.01% by weight)	NO			

*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1µg/m² of the coated material.

Material Declaration

<Date of declaration>

Date	2023/04/14
------	------------

<MD ID Number>

MD ID no.	MD- 0414 -03 -03
-----------	------------------

<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	MARINE MACHINERY DEPARTMENT
Address	YODOYABASHI SQUARE, 2-6-8, KITAHAMA CHUO KU OSAKA
Contact person	YOSHITERU KOUZAKA
Telephone number	(+)81-6-6203-5156
Fax number	
E-mail address	yoshiteru.kouzaka@iss-shipping.com; mayumi.mitani@iss-shipping.com
SDoC ID no.	SDoC-0414-03

<Other information>

Remark 1	DRACO BUREN SHIPPING PTE. LTD.
Remark 2	SIMBA
Remark 3	

<Product Information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
AUXILIARY MACHINERY REPAIRS		2	PIECE	COUPLING (B)

<Materials information>

This materials information shows the amount of hazardous materials contained in

1	PIECE
---	-------

 (unit: piece, kg, m3, m2, m) of the product.

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used	
			Yes / No	Mass	Unit(g)		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	0.1%	NO				
	Polychlorinated biphenyls (PCBs)	50 mg/kg	NO				
	Ozone depleting substances	Chlorofluorocarbons(CFCs)	no threshold value	NO			
		Halons		NO			
		Other fully halogenated CFCs		NO			
		Carbon tetrachloride		NO			
		1,1,1-Trichloroethane (Methyl chloroform)		NO			
		Hydrochlorofluorocarbons		NO			
		Hydrobromofluorocarbons		NO			
	Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	NO				

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used
			Yes / No	Mass	Unit(g)	
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	NO			
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg	NO			
	Lead and lead compounds	1,000 mg/kg	NO			
	Mercury and mercury compounds	1,000 mg/kg	NO			
	Polybrominated biphenyl (PBBs)	50 mg/kg	NO			
	Polybrominated diphenyl ethers (PBDEs)	1,000 mg/kg	NO			
	Polychlorinated naphthalenes (more than 3 chlorine atoms)	50 mg/kg	NO			
	Radioactive substances	no threshold value	NO			
Certain shortchain chlorinated paraffins (Alkanes, C10-C13, chloro)	1%	NO				

Materials required by *REGULATION (EU) No 1257/2013 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 November 2013 on ship recycling and amending Regulation (EC) No 1013/2006 and Directive 2009/16/EC: The format for the following materials is subject to the modification according to any amendment or supplement of the regulation.

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used
			Yes / No / NA	Mass	Unit(g)	
ANNEX I	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg (0.001% by weight*)	NO			
ANNEX II	Brominated Flame Retardant (HBCDD)	100 mg/kg (0.01% by weight)	NO			

*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1µg/m² of the coated material.

Material Declaration

<Date of declaration>

Date	2023/04/14
------	------------

<MD ID Number>

MD ID no.	MD- 0414 -03 -04
-----------	------------------

<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	MARINE MACHINERY DEPARTMENT
Address	YODOYABASHI SQUARE, 2-6-8, KITAHAMA CHUO KU OSAKA
Contact person	YOSHITERU KOUZAKA
Telephone number	(+)81-6-6203-5156
Fax number	
E-mail address	yoshiteru.kouzaka@iss-shipping.com; mayumi.mitani@iss-shipping.com
SDoC ID no.	SDoC-0414-03

<Other information>

Remark 1	DRACO BUREN SHIPPING PTE. LTD.
Remark 2	SIMBA
Remark 3	

<Product Information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
AUXILIARY MACHINERY REPAIRS		2	PIECE	KEY

<Materials information>

This materials information shows the amount of hazardous materials contained in

1	PIECE
---	-------

 (unit: piece, kg, m3, m2, m) of the product.

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used	
			Yes / No	Mass	Unit(g)		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	0.1%	NO				
	Polychlorinated biphenyls (PCBs)	50 mg/kg	NO				
	Ozone depleting substances	Chlorofluorocarbons(CFCs)	no threshold value	NO			
		Halons		NO			
		Other fully halogenated CFCs		NO			
		Carbon tetrachloride		NO			
		1,1,1-Trichloroethane (Methyl chloroform)		NO			
		Hydrochlorofluorocarbons		NO			
		Hydrobromofluorocarbons		NO			
		Methyl bromide		NO			
Bromochloromethane	NO						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	NO					

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used
			Yes / No	Mass	Unit(g)	
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	NO			
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg	NO			
	Lead and lead compounds	1,000 mg/kg	NO			
	Mercury and mercury compounds	1,000 mg/kg	NO			
	Polybrominated biphenyl (PBBs)	50 mg/kg	NO			
	Polybrominated diphenyl ethers (PBDEs)	1,000 mg/kg	NO			
	Polychlorinated naphthalenes (more than 3 chlorine atoms)	50 mg/kg	NO			
	Radioactive substances	no threshold value	NO			
Certain shortchain chlorinated paraffins (Alkanes, C10-C13, chloro)	1%	NO				

Materials required by *REGULATION (EU) No 1257/2013 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 November 2013 on ship recycling and amending Regulation (EC) No 1013/2006 and Directive 2009/16/EC: The format for the following materials is subject to the modification according to any amendment or supplement of the regulation.

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used
			Yes / No / NA	Mass	Unit(g)	
ANNEX I	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg (0.001% by weight*)	NO			
ANNEX II	Brominated Flame Retardant (HBCDD)	100 mg/kg (0.01% by weight)	NO			

*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1µg/m² of the coated material.

Material Declaration

<Date of declaration>

Date	2023/04/14
------	------------

<MD ID Number>

MD ID no.	MD- 0414 -03 -05
-----------	------------------

<Supplier (respondent) information>

Company name	ISS MACHINERY SERVICES LIMITED
Division name	MARINE MACHINERY DEPARTMENT
Address	YODOYABASHI SQUARE, 2-6-8, KITAHAMA CHUO KU OSAKA
Contact person	YOSHITERU KOUZAKA
Telephone number	(+)81-6-6203-5156
Fax number	
E-mail address	yoshiteru.kouzaka@iss-shipping.com; mayumi.mitani@iss-shipping.com
SDoC ID no.	SDoC-0414-03

<Other information>

Remark 1	DRACO BUREN SHIPPING PTE. LTD.
Remark 2	SIMBA
Remark 3	

<Product Information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
AUXILIARY MACHINERY REPAIRS		2	PIECE	V-RING

<Materials information>

This materials information shows the amount of hazardous materials contained in

1	PIECE
---	-------

 (unit: piece, kg, m3, m2, m) of the product.

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used	
			Yes / No	Mass	Unit(g)		
Table A (materials listed in appendix 1 of the Convention)	Asbestos	0.1%	NO				
	Polychlorinated biphenyls (PCBs)	50 mg/kg	NO				
	Ozone depleting substances	Chlorofluorocarbons(CFCs)	no threshold value	NO			
		Halons		NO			
		Other fully halogenated CFCs		NO			
		Carbon tetrachloride		NO			
		1,1,1-Trichloroethane (Methyl chloroform)		NO			
		Hydrochlorofluorocarbons		NO			
		Hydrobromofluorocarbons		NO			
	Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	NO				

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used
			Yes / No	Mass	Unit(g)	
Table B (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	NO			
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg	NO			
	Lead and lead compounds	1,000 mg/kg	NO			
	Mercury and mercury compounds	1,000 mg/kg	NO			
	Polybrominated biphenyl (PBBs)	50 mg/kg	NO			
	Polybrominated diphenyl ethers (PBDEs)	1,000 mg/kg	NO			
	Polychlorinated naphthalenes (more than 3 chlorine atoms)	50 mg/kg	NO			
	Radioactive substances	no threshold value	NO			
Certain shortchain chlorinated paraffins (Alkanes, C10-C13, chloro)	1%	NO				

Materials required by *REGULATION (EU) No 1257/2013 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 November 2013 on ship recycling and amending Regulation (EC) No 1013/2006 and Directive 2009/16/EC: The format for the following materials is subject to the modification according to any amendment or supplement of the regulation.

Table	Material name	Threshold value	Present above threshold value	If yes, material mass		If yes, information on where it is used
			Yes / No / NA	Mass	Unit(g)	
ANNEX I	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg (0.001% by weight*)	NO			
ANNEX II	Brominated Flame Retardant (HBCDD)	100 mg/kg (0.01% by weight)	NO			

*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1µg/m² of the coated material.